


## Erratum to: Meta-analysis of tumour burden in pre-operative axillary ultrasound positive and negative breast cancer patients

Muneer Ahmed<sup>1</sup>  · F. Jozsa<sup>1</sup> · R. Baker<sup>2</sup> · I. T. Rubio<sup>3</sup> · J. Benson<sup>4</sup> · M. Douek<sup>1</sup>

Published online: 30 August 2017  
© Springer Science+Business Media, LLC 2017

### Erratum to: Breast Cancer Res Treat DOI 10.1007/s10549-017-4405-3

In the original publication of the article, the corresponding author name was published as Muneer Ahmed. The correct corresponding author of the article is Michael Douek.

---

The online version of the original article can be found under doi:[10.1007/s10549-017-4405-3](https://doi.org/10.1007/s10549-017-4405-3).

---

✉ M. Douek  
michael.douek@kcl.ac.uk  
Muneer Ahmed  
muneer.ahmed@kcl.ac.uk

- <sup>1</sup> Division of Cancer Studies, Research Oncology, King's College London, Guy's Hospital Campus, Great Maze Pond, London SE1 9RT, UK
- <sup>2</sup> Department of Statistics, School of Business, University of Salford, 612, Maxwell Building, Salford M5 4WT, UK
- <sup>3</sup> Breast Surgical Unit, Breast Cancer Centre, Hospital Universitario Vall d'Hebron, 119-129, 08035 Barcelona, Spain
- <sup>4</sup> Breast Surgical Unit, Addenbrooke's Hospital, Cambridge CB2 0QQ, UK