



# Correction To: Mental Health and Psychosocial Status in Mothers of Children with Attention Deficit Hyperactivity Disorder (ADHD): Differences by Maternal ADHD Tendencies

Tatsuro Marumoto<sup>1</sup> · Takafumi Monma<sup>2</sup> · Yukinori Sawae<sup>2</sup> · Fumi Takeda<sup>2</sup>

© Springer Science+Business Media, LLC, part of Springer Nature 2023

**Correction: Child Psychiatry & Human Development**  
<https://doi.org/10.1007/s10578-023-01532-x>

In the original version of this article, unfortunately, Table 1 is displayed with following errors.

Under Total n = 149 Mean ± Standard Deviation or n (%).

1. Number of children – Less than 2 should be 118 (79.2) instead of 125 (83.9).
2. Number of children – 3 or more should be 31 (20.8) instead of 24 (16.1).
3. Number of ADHD children – 1 should be 114 (76.5) instead of 118 (79.2).
4. Number of ADHD children – 2 or more should be 35 (23.5) instead of 31 (20.8).
5. ADHD medications – Yes should be 3 (2.0).
6. ADHD medications – No should be 146 (98.0).

The corrected version of Table 1 is given below. The errors do not affect the interpretation and conclusions of the paper. The authors would like to apologize for any inconvenience caused to the readers.

---

The online version of the original article can be found at <https://doi.org/10.1007/s10578-023-01532-x>.

---

✉ Fumi Takeda  
[takeda.fumi.fe@u.tsukuba.ac.jp](mailto:takeda.fumi.fe@u.tsukuba.ac.jp)

<sup>1</sup> Graduate School of Comprehensive Human Sciences, University of Tsukuba, 1-1-1 Tennodai, Tsukuba-shi, Ibaraki 305-8577, Japan

<sup>2</sup> Institute of Health and Sport Sciences, University of Tsukuba, 1-1-1 Tennodai, Tsukuba-shi, Ibaraki 305-8577, Japan

**Table 1** Characteristics of respondents

		Total	Maternal ADHD tendencies		<i>p</i>	Adjusted <i>p</i>	<i>d</i>			
		<i>n</i> = 149	No( <i>n</i> = 112)	Yes( <i>n</i> = 37)						
		Mean ± SD or <i>n</i> (%)	Mean ± SD or <i>n</i> (%)	Mean ± SD or <i>n</i> (%)						
<b>Attributes</b>										
Age		43.1	±4.9	43.3	±5.0	42.7	±4.9	0.522	0.671	a
Education	With university education	65	(18.8)	55	(49.1)	10	(27.0)	0.022	0.132	b
	Without university education	84	(81.2)	57	(50.9)	27	(73.0)			
Marital status	Married	132	(88.6)	102	(91.1)	30	(81.1)	0.133	0.266	b
	Unmarried	17	(11.4)	10	(8.9)	7	(18.9)			
Occupation	Employed	105	(70.5)	74	(66.1)	31	(83.8)	0.060	0.216	b
	Unemployed	44	(29.5)	38	(33.9)	6	(16.2)			
Household income	Less than 6 million	66	(44.3)	45	(40.2)	21	(56.8)	0.088	0.198	b
	6.01 million or more	83	(55.7)	67	(59.8)	16	(43.2)			
Number of children	Less than 2	118	(79.2)	93	(83.0)	25	(67.6)	0.061	0.183	b
	3 or more	31	(20.8)	19	(17.0)	12	(32.4)			
Number of ADHD children	1	114	(76.5)	92	(82.1)	22	(59.5)	0.007	0.126	b
	2 or more	35	(23.5)	20	(17.9)	15	(40.5)			
Medications for mental health problems	Yes	23	(15.4)	16	(14.3)	7	(18.9)	0.600	0.720	b
	No	126	(84.6)	96	(85.7)	30	(81.1)			
ADHD medications	Yes	3	(2.0)	2	(1.8)	1	(2.7)	1.000	1.000	c
	No	146	(98.0)	110	(98.2)	36	(97.3)			
<b>ADHD child's attributes and severity of ADHD symptoms</b>										
Age		10.2	±3.3	10.0	±3.2	10.5	±3.3	0.449	0.622	a
Sex	Male	120	(80.5)	91	(81.3)	29	(78.4)	0.811	0.912	b
	Female	29	(19.5)	21	(18.8)	8	(21.6)			
Comorbid developmental disorders	Yes	120	(80.5)	90	(80.4)	30	(81.1)	1.000	1.059	b
	No	29	(19.5)	22	(19.6)	7	(18.9)			
Severity of ADHD symptoms		26.0	±10.2	25.6	±9.9	27.5	±11.2	0.332	0.498	a
<b>Parenting stressors</b>										
Difficulties in understanding the child and coping with the child's needs		8.7	±4.4	8.4	±4.4	9.5	±4.6	0.194	0.349	a
Anxiety about the child's future and independence		10.6	±3.7	10.4	±3.8	11.2	±3.3	0.251	0.411	a
Inadequate understanding of the child's disorder from others		5.2	±3.2	4.8	±3.1	6.1	±3.1	0.029	0.131	a
Conflicting emotions with regard to the child's disorder		5.4	±2.6	5.2	±2.6	6.1	±2.3	0.087	0.224	a
<b>Mental health</b>										
K6 score		8.5	±5.3	7.8	±5.3	10.4	±4.7	0.009	0.081	a

SD: Standard Deviation

<sup>a</sup>Student's t-test<sup>b</sup>Pearson's chi-square test<sup>c</sup>Fisher's exact test<sup>d</sup>Calculated by Benjamini-Hochberg method

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.