

A methodology for analysing the impacts of climate change on maritime security

James Brennan¹ · Basil Germond¹

Received: 10 January 2023 / Accepted: 20 December 2023 / Published online: 10 January 2024 © The Author(s) 2024

Abstract

This paper presents a methodology for developing a social Cumulative Effects Assessment (CEA) which analyses the impacts of climate change on maritime crime and maritime insecurities. The use of a CEA methodology, including the use of the Effect to Impact Pathway will enable mapping the relationships between certain 'Activities' (e.g. human-induced emissions of greenhouse gasses), the 'Pressure' engendered (e.g. warming sea temperatures) and their 'Impacts' (e.g. food shortages) via 'Receptors' (e.g. fishing communities) on specific sectors of society (in this case maritime migration and maritime crime, e.g. illegal fishing). This paper provides a Proof of Concept (PoC) for using such a methodology and shows the applicability of a multidisciplinary approach in understanding causal chains. In this PoC, the authors are generating a Non-Geographic Assessment Map that investigates the 'Impacts' that the human-induced greenhouse gas emissions have on maritime security. The proposed analytical tool can then be applied in further studies to assess the dependencies and synergies between climate change and the occurrence of maritime insecurity.

Keywords Cumulative Effects Assessment · Effect to Impact Pathway · Climate change · Maritime migration · Maritime security · Maritime crime

1 Introduction: linking climate change and maritime (in)security

Climate change is a unique and novel problem with no precedent. While some of the effects of climate change are currently being felt, most will occur in the future. This makes researching, and predicting, the full scope and impact of these effects difficult. The uniqueness and difficulty of analysing the issue of climate change is compounded especially when looking at its impact on international relations, geopolitics and security. In these areas of study, assessing and quantifying future impacts becomes harder, as most future predictions about the geopolitical context are speculative, and most analysis of geopolitics happens in real time, in conjunction with the issue or event that is being analysed (Busby 2008).

James Brennan j.brennan2@lancaster.ac.uk

¹ Department of Politics, Philosophy and Religion, Lancaster University, Bailrigg, Lancaster LA1 4YW, UK

A security issue in the area of international relations is something that concerns survival; in other words, it is an issue that represents an existential threat to the subject that is under analysis, which within international relations is usually, but not always, the state (Buzan et al. 1998). The nature of security issues then justifies using 'exceptional' measures that are comparable to an existential level threat; traditionally, this has implied the use of armed forces (Buzan et al. 1998). Climate change, in security literature, is generally viewed as a 'threat multiplier' as it impacts simultaneously and in conjunction with multiple areas of insecurity and issues of existentialism (Thomas 2017). Although the effects of climate change are often felt at the level of individuals and societies in extreme cases, especially where governance is already weak or when lacking responsive capacity, it could lead to state failure where the state is unable to function adequately to provide security and safety (Scheffran and Battaglini 2011).

We are already seeing extraordinary measures to be used in combating the impacts of climate change, such as in 2007 when the UN Security Council held its first discussion linking insecurity and climate change which has been followed by other such discussions in 2011, 2017 and 2018 (United Nations 2019). Many states around the world have also taken the extraordinary measure of declaring a state of climate emergency in recent years (Harvey 2020). These measures help to underscore the increasing attention that climate change is garnering and the drive for a greater analysis into understanding the effects climate change that are already being observed and have robust predictions for the next century (Busby 2008). The increased understanding climate scientists are providing gives an outline of what the future natural environment might look like. This provides policymakers and practitioners with a basis on which they can overlay the geo-strategic trends they are observing.

Understanding the ocean and its systems has also recently increased in significance and importance. This includes understanding the impact of climate change on the ocean and vice-versa, which is being termed as the ocean-climate nexus. The United Nations has acknowledged the significance of better understanding the ocean and has declared the 2020s as the 'Decade of Ocean Science for Sustainable Development' (UNESCO). The ocean-climate nexus is of importance because of the interlinked challenges of addressing climate change and protecting the ocean. The nexus is seen through the continued calls to use scientific-based decision-making and the decade of ocean science should see continued efforts and undertakings in scientific research to understand the effects of climate change on the ocean (Dobush et al. 2022) (Germond-Duret et al. 2023) (Minas 2019).

As well as increasing in scientific importance, the securitization of ocean-space is increasing in global importance (Otto 2020). Events such as recent disruptions of sea-based supply chains (e.g. the accident blocking the Suez Canal and the shortage of labour in Chinese ports during the Covid-19 pandemic), the AUKUS agreement, the war in Ukraine and China's continued assertiveness (which has a strong maritime dimension) further highlight the geopolitical importance of the global maritime domain.

In this context, maritime security is becoming more central to both domestic and international agendas. This can be seen by the proliferation of maritime security strategies in the past decade by states (Brazil, China, Japan, UK, USA and New Zealand) and regional institutions (African Union and the European Union) (Otto 2020). From naval power projection to human security and livelihoods, to protecting the natural environment and to economic development, securing the maritime domain is a key challenge and priority at human, societal, national and international levels. In other words, over the past decade, maritime security has become increasingly important and an area of priority for international policymakers (Bueger et al. 2020).

Maritime security is an 'umbrella term' or 'buzzword' that defines what is currently fashionable to focus on in the maritime domain (Bueger 2015). Maritime security can also be seen as a way of referring to 'the security of the maritime domain' (Germond 2015), linking a number of interconnected themes that are present within the maritime domain such as natural environments or ecosystems; issues such as piracy, illegal fishing terrorism, or marine pollution; and also the projection of power by states (Bueger et al. 2019). It is important to acknowledge that maritime security means different things to different actors (Siebels 2019). In this article, the findings are meant to be high-level enough that they can be tailored to specific actors' needs. This should help to ensure findings are useful for a broad range of maritime security actors, as they look to understand the impacts of climate change on the sectors of maritime security.

For this study, we use four sectors of maritime security, combining the four core dimensions of maritime security outlined by Bueger in 2015, which are National Security, Marine Environment, Economic Development and Human Security (Bueger 2015), and the security dimensions outlined by Buzan, which are military, political, societal, economic and environmental (Buzan 1998) (see methodology section below for an explanation of how these four sectors will be tagged against the effects of climate change—as will be seen in the analysis, not all these sectors are independent of each other and some of the issues listed will require responses from multiple sectors of maritime security):

- National Security—This relates to issues that are best dealt with at the level of the state. Such issues include the projection of power, the organization of navies, the defence of territory (both terrestrial and maritime), geopolitical rivalries, interactions with international institutions and the making of international rules. There are ways in which climate change will impact on this, such as warming seas affecting the efficiency and operability of warships as well as the deployment of personnel (NATO 2023). Climate change also poses an existential threat to low-lying small island states which could cease to exist with large enough sea-level rise (van Schaik et al. 2018).
- 2. Environmental Security—This relates to issues of environmental degradation, ocean health and marine pollution. Climate change will exacerbate environmental issues within a marine area through the degradation of underwater ecosystems such as coral reefs; it could lead to the migration of fish and increase harmful algal blooms (IPCC 2019b). As marine ecosystems are vital to human societies providing an array of benefits, understanding the impact of climate change on these ecosystems is important to understanding how these ecosystems will continue to provide these benefits (Wernberg et al. 2023), such as tourism which is a major source of income for some Small Island Developing States, and for others, it is seen as a route to greater better living standards and economic growth so understanding how the natural environment will be impacted by climate change and the effects this will have on tourism (Pedapalli et al. 2022).
- 3. Economic Security—This relates to sea lanes of communication, global supply chains and maritime resources such as fisheries, aquaculture, energy and marine tourism (Stone 2009). Climate change will impact this maritime security sector via fish migration/distribution of fish stock. Increased wave heights and extreme weather events could make sea lanes of communication and global supply chains more vulnerable to disruption, and

maritime tourism could take a hit as climate change increases environmental degradation. With 80% of the world's petroleum transiting through choke points in or around the Indo-Pacific, the Bab al-Mandab Strait, the Strait of Hormuz and the Strait of Malacca (Stable Seas 2021), understanding how climate change impacts on destabilizing issues such as armed groups working as pirates or terrorists is crucial.

4. Human Security—This relates to issues which cause insecurity for communities and individuals (Stone 2009). Climate change can impact Human Security directly through the impacts of extreme weather events, or indirectly through impacts on coastal agriculture and change in the distribution of fish stocks. With Asia and Oceania consuming the highest (24.6 kg) and second highest (23.2 kg) amount of aquatic food per capita, per year (FAO 2022), the impact of climate change on aquatic and coastal food production and security needs to be understood as best as possible.

Against this backdrop, there is still a lack of coherent narrative and analysis that links the effects of climate change to their impacts on maritime security (Germond and Mazaris 2019). Scheffran and Battaglini have described how the effects of climate change can trigger 'a cycle of environmental degradation, economic decline, social unrest and political instability' and how these will have flow-on effects that impact global security as they 'destabilize regions and expand the geographical extent of crisis, overstretching global and regional governance structures' (Scheffran and Battaglini 2011). Germond and Mazaris have described how climate change affects natural systems (such as warming sea temperatures causing changes in fish stock distribution) and then impacts human systems (e.g. food insecurity and poverty), which can in turn incentivize maritime crime (such as illegal fishing or piracy), thus contributing to a cycle of insecurity at, or from, the sea (Germond and Mazaris 2019). As the findings from this study will show, the sectors of maritime security most impacted by the effects of climate change are indeed Human Security and Economic Security that are negatively impacted through effects on coastal agriculture, human health, fisheries and climate-induced mobility.

This highlights that the links and dependencies between climate change and maritime security are multifaceted and impact societies, especially on vulnerable populations. Therefore, an innovative framework for analysis is needed to assess these links and dependencies; a tool that has proved its validity in related ontological contexts (Mazaris & Germond 2018).

Thus, this article provides such an assessment tool mapping the whole effect to impact chain, from climate change effects on the ocean to the occurrence of maritime insecurities. This article proposes to base this framework on the underlying methodology of Cumulative Effects Assessments (CEAs). Although CEAs have mainly been applied to assess human impacts on ecosystems, it is possible to apply similar methods to study the links between climate change and maritime security. To do so, the authors suggest using an Effect to Impact Pathway (EIP) methodology, as developed by Judd et al. (2015), to adapt the CEA methodology for analysing natural impacts on social systems.

This article then goes on to undertake a Proof of Concept (PoC) to demonstrate the functionality of using CEA and EIP methodologies to assess the dependencies and synergies between climate change and the occurrence of maritime insecurity. This PoC will be created using high-quality and robust scientific data from an Intergovernmental Panel on Climate Change (IPCC) report. It will generate a Non-Geographic Assessment Map (NGAM) made up of Effect to Impact Pathways (EIPs) that comprehensively investigates the impacts that human-induced greenhouse gas emissions have on maritime security.

While these findings make for a good starting point for discussions on policy interventions, as will be discussed later, this pilot study is binary in terms of analysis for it is primarily focused on identifying if an impact is present or not. And while we comment on the frequency of impacts found, this does not necessarily translate equally into the intensity of the threat or harm that might be caused by an impact.

2 Analytical framework and methodology

Some scientific reports have aimed to understand and outline the natural science behind the issue, such as the reports from the IPCC. Other reports that have tried to link the effects of climate change and their impacts on security have been mainly qualitative and high level, and in some instances, these reports end up focusing on issues of sustainability. This PoC aims to deliver a more evidence-based approach linking the scientific data behind the effects of climate change to the physical impacts of climate change and how these pathways contribute to the changing nature of maritime (in)security.

2.1 Cumulative effects assessment and its application to societal contexts

Climate change is now acknowledged as a threat with such magnitude that it can impact social stability, drive people and communities towards criminal behaviour and cause events that trigger violent and armed conflict. Climate change, the maritime domain, environments and societies are all linked together through a multitude of complex links and pathways. CEAs allow for the identification of multiple impact pathways that are occurring at the same time and allow for the visual representation of their complexities and interactions which is why CEAs are such a good concept to base a framework on Mazaris and Germond (2018).

CEAs are a sub-section of Environmental Impact Assessments (Roudgarmi 2018), and are a method that assesses the links and dependencies between the effects of human activity and the impacts these have on the natural environment (Crain et al. 2008) (Halpern et al. 2008). It is mostly used in marine science to analyse and evaluate expected cumulative causal factors of human activities (Gissi et al. 2020). The underlying concept of CEAs is that the impacts of activities and pressures are not independent of each other but interact with each other in ways that may be additive, multiplicative, synergistic or mitigative (Judd et al. 2015; Roudgarmi 2018).

In 2013, Halpern and Fujita gave an overview of how CEAs can be created by understanding an activity and its impacts and generating gridded, geographic maps for each individual activity, which show the intensity of the impact for each pixel/grid (Halpern and Fujita 2013). These maps are then laid one on top of another and summed to get a total value of the impacts for each pixel/grid (Halpern and Fujita 2013). Essentially, a CEA is the identification and analysis of the total effects of multiple pressures within a certain geographical area and the impacts they cause (Judd et al. 2015).

However, using CEAs as a way of analysing social/societal impacts is rare. Indeed, it is a challenging process because of the complex pathways activities take to impact on societies and individuals, and the difference in interpretation of how different impacts will affect different individuals (Roudgarmi 2018). However, CEAs as a process for the systematic analysis and evaluation of the impacts of environmental change provide a good assessment

basis for the analysis of the impacts caused by climate change on society. This is because CEAs provide an operational framework for mapping activities and sources, and the pressures they create that produce cumulative effects on both natural systems and human systems before they impact on states, sectors of the society and individuals.

2.2 Effect to impact pathway

A way to conduct a societal CEA is to use the EIP method which was initially developed by Judd et al. (2015) as a way to identify and represent the 'Source-Pressure–Pathway–Receptor linkages' (Judd et al. 2015). The authors have visualized the EIP and the linkages it contains in Fig. 1. This shows how to use EIPs as a way of determining the cause, effect and impact relationship and then how to map EIPs to sectors of society rather than to the natural environment, as CEAs were originally designed to do. Indeed, CEAs can be applied to non-physical locations and can instead create NGAMs for the sectors (or sub-sectors) being studied, in this case, maritime security. For example, Loxton et al. (2013) explored how social dimensions are integrated within CEAs, discussing how CEAs are usually bound by a geographical area, but going on to talk about how in their model a 'receiving environment' does not need to be a physical area and arguing it could be a 'socially defined system, consisting of multiple nested interacting sub-groups, in which activities, actions and exogenous factors were experienced' (Loxton et al. 2013). They also noted that the experience of one impact tends to exacerbate other impacts, especially around the perception of injustice (Loxton et al. 2013). Using this approach, a map can be created by delineating boundaries of the sectors/societies for which the impacts of certain activities are wanting to be understood (in this case, maritime security).

Once the boundaries of the sectors/societies are set, research into determining all the EIPs acting within the boundaries can be done. This then creates an NGAM which comprehensively exposes the effects that activities and sources have on the impact.

For this study, the 'Activity' stage would be set as human-induced emissions of greenhouse gasses (GHGs). The 'Source' is defined as a 'causal factor for pressure(s) and effects' (Judd et al. 2015). In this case, this would be climate change effects. Then, the key component of the EIP chain that requires research and an understanding of the relationships at play is the 'Pressure' to 'Receptor' steps, as these are where the most variability will come through with multiple pressures affecting the same impact via the receptors. The 'Pressure' is defined as 'an event or agent exerted by the source to elicit an effect' (Judd et al. 2015). In the case of climate change, the Pressure would be systematic changes to the climate system. The 'Pathway' is defined as how the 'Receptor' is exposed to the 'Activity' (Judd et al. 2015); in this case, this would be the changes to the physical environment that interacts with the society/sector being studied. The 'Receptor' is defined as 'entities which are sensitive to the hazards under investigation' (Judd et al. 2015). In this case, this would be an identifiable linkage between the



Fig.1 A visual representation of Judd, Backhaus and Goodsir's Effect to Impact Pathway. Source: authors, based on Judd et al. (2015)

'Pathway' and the 'Impact' usually pinpointed to a specific vulnerability for maritime security. The 'Impact' is defined as a 'measurable [...] change attributable [...] to a human activity' (Judd et al. 2015). In this case, this would be the impact of the 'Receptor' on maritime security, which is the occurrence of the vulnerabilities identified in the previous step. Additionally, in this study, the 'Impact' is the specific vector or threat and/or harm which will ultimately lead directly, or indirectly in such a way that a 'threat multiplier' would, to issues of insecurity and existentialism. Based on this, the authors have visualised what an EIP for this study may look like (Fig. 2) and the variables it contains.

This framework recognizes the securitization of both climate change and the maritime domain, and using this framework allows for the identification of specific paths through which climate change impacts on maritime (in)security and thus contributes to defining the boundaries of what constitutes a (maritime) security threat. This study takes the lens of security from the state level but breaking down the EIPs by the four different aspects of maritime security (c.f. above) allows for the identification of issues as they impact on different referent objects. For instance, the Economic Security sector allows for the identification of security issues that impact the economic stability of a state such as vulnerable shipping lanes leading to disruptions in the supply of goods or energy which can in turn impact the survival of a state or can compound security issues in a way that multiplies an existing threat in to becoming a question of existentialism for a state.

2.3 Scope of the proof of concept

This PoC aims to show the applicability of NGAMs and test the methodology. This is done by building a database of EIPs focused on tracking the effects of climate change to the impacts they have on maritime security.

For this PoC, the scope of study will be limited. We use data found in the 2019 IPCC's *Special Report on the Ocean and Cryosphere in a Changing Climate* (SROCC) for the parts of singular EIPs where scientific data is needed. The data taken from the SROCC will be tagged as being 'very high confidence' or 'very likely' to occur under the emissions pathway 'RCP 2.6'. The parts of the EIPs well covered by data from the SROCC are the Source, Pressure and Pathway sections, where the SROCC inferred the Receptor this is used and, if available, the Impact is used. For parts of the EIPs where scientific data is incomplete, the authors' assumptions, based on the logical connections to the beginning of the associated EIP, will be used (c.f. 'Assumptions' section below). The completed EIPs will then be tagged against one of the maritime security sectors (c.f. Section 2.3.4).




Fig. 2 A visual representation of variables used in this PoC. Source: Authors

2.3.1 Scientific validity

To help deal with the issues of predicting a future consisting of novel challenges, this PoC will use scientifically robust data. This data will come from the 2019 SROCC, a report from the IPCC. IPCC assessments are widely regarded as the gold standard for scientific understanding of climate change (IPCC 2019a). The IPCC does not conduct its own research but identifies the strength of scientific agreement in different areas and indicates where further research is needed. This provides assurance that the data is robust and accurate.

As already stated, to be used in this PoC, data must be tagged as 'very high confidence' or 'very likely' to occur under the emissions pathway 'RCP 2.6'. This is to try to ensure the data that is used will be as certain and probable of occurring as possible. In some instances, the SROCC states that certain effects or impacts were already being observed and these were included. Within the SROCC where no emission pathway was stated for the data outlined, it is assumed that these effects will occur with their stated confidence and likelihood.

While it is still uncertain as to the extent that the effects of climate change will occur, having scientifically confident projections about what will likely happen is a good way of starting the conversation on maritime security. In the future, as the data becomes more certain, the EIP database and NGAM can be updated. It is also important to stress that some theoretical assumptions about the links and dependencies as exposed in existing literature have not materialized in the data. This might not be because of their inexistence but because of the limited scope of this PoC. Further studies might help in confirming or infirming this.

2.3.2 Assumptions

In most cases, the authors needed to use assumptions for the 'Receptor' and 'Impact' sections of the EIP. This is because most of the data in the SROCC only covers the first three sections of the EIP. This is due to the SROCC being a mainly scientific report and not being created to focus on maritime security, as viewed through the lens of international relations.

In some instances, the 'Receptor' was stated in the SROCC, but where it was not, an assumption was made about what was the obvious and logical next step in the EIP and its interaction with maritime security. For instance, if the Pathway was 'Increased coastal erosion', then a logical assumption for this Receptor would be 'Damaged coastal infrastructure'.

In the SROCC, the 'Impact' was stated fairly regularly, but in these cases, it was mostly represented by a vague statement captured in the EIP as 'Increased exposure and vulnerability for coastal communities'. But where the Impact was not stated, the assumption was made that the Impact should be the next obvious step in the EIP and it should aim to represent an obvious link to maritime security, thus giving a reason for the inclusion of the specific EIP within the PoC.

2.3.3 Feedback loops

Within natural systems, there are feedback loops that occur. Where these have been identified, they are included in the EIP dataset. Where a feedback loop creates an additional EIP, the previous component of the EIP before the component from which the feedback loop flows on from is filled out with 'Feedback loop'. In the current dataset, the 'Feedback loops' occur when a Pressure exacerbates or causes another Pressure. In this case, the Pressure causing the 'Feedback loop' is 'Increased sea level rise' so this becomes a Source and the Activity becomes the 'Feedback loop'.

Given that climate change is a threat multiplier, this could plausibly happen at most stages of the EIP chain, and Germond and Mazaris (2019) argue that it is not just environmental effects that can have feedback loops on different parts of the environmental system. But also the impacts on humans caused by environmental decline can cause a feedback loop because of the actions of humans in response to this impact (Germond & Mazaris 2019). An NGAM with a wider scope of data would help to identify where feedback loops are most prevalent.

2.3.4 Tagging against maritime security sectors

The mapping of the effects of climate change on sectors of society, not just geographic areas, using EIPs is useful. This is because it gives the ability to attribute the impacts to parts of society that will feel these impacts most. This means that the unit of analysis for EIPs needs to be at the sub-state level, even if the findings are displayed and mitigation is implemented at the state level.

The four sectors that will be used to tag the EIPs against have been outlined in the introduction: National Security, Environmental Security, Economic Security and Human Security. Because of the need to make assumptions for most EIPs on either their 'Receptor' or 'Impact', there should always be an obvious logical maritime security sector to tag these against.

The tagging against maritime security sectors will only be done against those where the EIP has a direct link to that sector. For example, where there is an EIP with an 'Impact' of 'Decreased coastal agriculture', this has a direct link to 'Human Security' (via food security issues) and 'Economic Security' (via reduced farming income), but it only has an indirect link to the 'National Security' sector (as it would take a lot of coastal farming to be disrupted to pose a threat to a nation, or for coastal agriculture to be a major part of the nation's food supply to cause this to create a national food security issue¹). It will thus only be tagged against 'Human Security' and 'Economic Security', not 'National Security'.

3 Findings

This section discusses the analysis of the full EIP dataset found in Annex 6. Annex 1 shows a high-level NGAM, displayed as a Sankey Chart² which maps the flow of the EIPs from 'Activity' to 'Impact' and their interactions with each other.

The full dataset while narrow in scope can be used for a basic analysis of the linkages within the EIPs (best visualized in Annex 1). In presenting the findings, this article starts by understanding the frequencies of occurrence at each component of the EIP. This will

¹ The author notes that there are exceptions to this especially low-lying Small Island Developing States where subsistence farming is critical to existence and all most all land would be considered coastal land.

² Sankey charts have been used by Gissi et al. (2020) to represent the frequency and combination of human stressors and climate change effects and the level these were studied at.

Table 1 Occurrence of pathwaysin EIP database	Pathway	No	Percentage
	Increased salinization of coastal waterways	18	21.95%
	Reduction in marine biomass	16	19.51%
	Increased salinization of groundwater	12	14.63%
	Increased land loss	12	14.63%
	Increased coastal erosion	6	7.32%
	Increased coastal flooding	6	7.32%
	Increased salinization of soil	5	6.10%
	Decline in coral reefs	2	2.44%
	Reduction of nutrient flows	2	2.44%
	Increase in waterborne diseases	2	2.44%
	Higher extreme sea levels during extreme weather events	1	1.22%
	Grand total	82	100.00%

give policy makers and practitioners a guide to understanding where it is best to invest their time and effort.

This section starts below by analysing the most common 'Pathway', 'Receptor' and 'Impact'. Then, the analysis turns to the maritime security sectors to identify the most frequent chains and any commonalities between major linkages of different maritime security sectors.

3.1 Pathways

As shown in Table 1, the most frequent 'Pathway' is 'Increased salinization of coastal waterways'. This then leads to 12 occurrences of the 'Receptor' 'Reduction in freshwater'. The rest of this 'Receptor's' occurrences are made up of 'Increased salinization of ground-water' which is the third most common Pathway (equal to 'Increased land loss'). Thus, these two pathways show that a big issue to be addressed is the lack of 'freshwater'.

The 'Reduction in marine biomass' is the second most common 'Pathway' but has a wider array of 'Receptors' that it impacts on, so this is a good area for further investigation and potential intervention as it will address a wide array of impacts.

3.2 Receptors

Table 2 shows that the most frequent 'Receptor' is 'Reduction in freshwater'. This then leads to ten occurrences of the 'Impact' 'Decrease in coastal agriculture'. The other 15 occurrences of this 'Impact' are made up by the 'Receptor' 'Decrease in environmental health' which is the second most frequent receptor.

'Damaged coastal infrastructure' is the third most frequent 'Receptor' and accounts for all of the occurrences of 'Increased exposure and vulnerability for coastal communities'. This then would make a great intervention area for actors wishing to increase the resilience of coastal communities. **Table 2**Occurrence of receptorsin EIP database

Receptor	No	Percentage
Reduction in freshwater	16	19.51%
Decrease in environmental health	15	18.29%
Damaged coastal infrastructure	12	14.63%
Reduction in potable water	10	12.20%
Decrease in seagrasses	6	7.32%
Decrease in habitable land	6	7.32%
Decrease in Kelps	6	7.32%
Change in composition and diversity of fisheries	4	4.88%
Decrease in corals	2	2.44%
Decrease in food security	2	2.44%
Reduction in marine biomass	2	2.44%
Increases in damage from extreme weather events	1	1.22%
Grand total	82	100.00%

Table 3 Occurrence of impacts in EIP database

Impacts	No	Percentage
Decreased coastal agriculture	25	30.49%
Increased exposure and vulnerability for coastal communities	13	15.85%
Decrease in human health	12	14.63%
Decline in coastal ecosystems	10	12.20%
Increase in climate-induced mobility	6	7.32%
Reduced fisheries catches	6	7.32%
Reduced food security	4	4.88%
Reduction in economic opportunities from aquaculture	4	4.88%
Decrease in coastal tourism	2	2.44%
Grand total	82	100.00%

3.3 Impacts

As shown in Table 3, 'Decrease in coastal agriculture' was the most common Impact occurring in 25 EIPs (or 30.49% of the time). This Impact is the largest contributor affecting both 'Economic Security' (54.35%) and 'Human Security' (40.98%). This makes it a useful intervention area to investigate when looking for Impacts that provide the opportunity to address insecurities across multiple sectors of maritime security.

'Decrease in human health' occurred in 13 instances (15.85%) and 'Increased exposure and vulnerability for coastal communities' occurred in 12 instances (14.85%). 'Decline in coastal ecosystems' occurred in ten instances (12.2%).

Human Security

42.37%

20.34%

10.17%

10.17%

10.17%

6.78%

100.00%

	Envi	ronmental Security	Econ	omic Security	Natio	onal Security	Hum	an Security
	No	% of total tags	No	% of total tags	No	% of total tags	No	% of total tags
EIPs	16	11.43	46	32.86	19	13.57	59	42.14

Reduced fisheries catches

Reduced food security

Grand total

Increase in climate-induced mobility

Table 4 Occurrences of maritime security sectors

Table 5 Impacts to Human Impact Security as a percentage Decreased coastal agriculture Decrease in human health Decline in coastal ecosystems

3.4 Impacted maritime security sectors

Table 4 shows the sectors of maritime security and the number of EIPs they are tagged against. This shows that 'Human Security' is the most tagged sector occurring 59 times and 'Economic Security' is the second most tagged with 46 occurrences.

3.4.1 Human security

A visual representation of an NGAM that affects 'Human Security' can be found in Annex 2.

'Decreased coastal agriculture' was the most frequent 'Impact' for 'Human Security' at 42.37% (see Table 5). This impact could, by the absence of subsistence farming, encourage local coastal communities and populations to either engage in other activities through which to secure their access to food, either turning to maritime crimes, such as IUU fishing, or physically moving to areas where agriculture or food is still in abundance which brings with it many of its own issues such as the vulnerability of migrating communities to trafficking and illegal migratory routes and conflict with existing communities for resources in areas in which they might settle (Germond and Mazaris 2019) (Bueger and Edmunds 2020) (Balsari et al. 2020).

To identify areas for intervention for policymakers and development actors, we shall look at the two receptors that affect this Impact the most: 'Decrease in environmental health' and 'Reduction in freshwater'. This would see efforts going into supporting the resilience of community's natural environments (and would be supported through interventions undertaken through the Environmental Security sub-sector of maritime security), as well as protecting and improving coastal communities' access to fresh and clean water. Interventions taken at improving and securing these two receptors would align with the most commonly occurring pathway for 'Human Security' which is 'Increase in salinization of coastal waterways'. In looking at how practical interventions could be made, we see how intervening earlier in the EIP chain reduces the impact of climate change in multiple ways.

Impact	National Security
Increased exposure and vulnerability for coastal communities	68.42%
Increase in climate-induced mobility	31.58%
Grand total	100.00%
	communities Increase in climate-induced mobility

Table 7 Impacts to Economic Security as a percentage

Impact	Economic Security
Decreased coastal agriculture	54.35%
Reduced fisheries catches	13.04%
Increase in climate-induced mobility	13.04%
Reduction in economic opportunities from aquaculture	8.70%
Decrease in coastal tourism	4.35%
Decrease in human health	4.35%
Increased exposure and vulnerability for coastal communities	2.17%
Grand total	100.00%

3.4.2 National security

A visual representation of an NGAM that affects 'National Security' can be found in Annex 3.

The way that climate change will have an effect on 'National Security' was found in the data through two impacts (Table 6): 'Increased exposure and vulnerability for coastal communities' (68.42%) and 'Increase in climate-induced mobility' (31.58%). Both impacts could be limited by ensuring sustainable and resilient development for coastal communities which act to reduce the only two receptors for 'National Security': 'Damaged coastal infrastructure' and 'Decrease in habitable land'. To reduce the impact of these two receptors, interventions aimed at securing 'National Security' would look at shoring up infrastructure and land against 'Increased sea level rise' which is both a 'Source' and a 'Pressure' and accounts for 84% of the EIPs that affect 'National Security'.

3.4.3 Economic security

A visual representation of an NGAM that affects 'Economic Security' can be found in Annex 4.

The most frequent impact of climate change on the 'Economic Security' sector of maritime security is 'Decreased coastal agriculture' at 54.35% (Table 7). This impact was contributed to by two 'Receptors': 'Decrease in environmental health' and 'Reduction in freshwater' which, as with 'National Security', are affected most frequently by the 'Pressure' 'Increased sea level rise', making it an obvious intervention area through supporting environmental and water resilience and safety in the face of sea level rise. Yet, being able to intervene at the 'Pathway' stage to reduce 'Increase land loss' against

Table 8 Impacts to Environmental Security as a percentage	Impact	Environ- mental Security
	Decline in coastal ecosystems	62.50%
	Reduced fisheries catches	37.50%
	Grand total	100.00%

sea level rise in conjunction with environmental and water resilience would also be a good intervention area as it will reduce the impacts of 'Decreased coastal agriculture' and 'Increase in climate-induced mobility', which are the most common 'Pathways' to impacts on Environmental Security.

3.4.4 Environmental security

A visual representation of an NGAM that affects 'Environmental Security' can be found in Annex 5.

'Environmental Security' had two impacts from climate change through this NGAM (Table 8): 'Decline in coastal ecosystems' (62.50%) and 'Reduced fisheries catches' (37.50%). A good intervention area for this would be to act upon the 'Reduction in marine biomass' with 37.50% of all the EIPs flowing through it. Interventions in this area could consist of setting up marine protected areas/reserves, which allow for the replenishment of marine biomass or for interventions against IUU fishing which may in turn become a national security issue due to the nature of IUU monitoring and protection as well as some states activity of using grey zone tactics and maritime fishing militias.

4 Discussion

Using an EIP method has shown how the effects of climate change will impact sectors of maritime security and how the causal chains can be drawn out and simplified. This makes it possible to identify the most impacted sectors of maritime security and identify the best areas for intervention. It also allows for a greater and more wholesome understanding of the security impacts of climate change especially in the maritime domain which supports the continued calls for research and understanding of climate security and maritime domain awareness.

4.1 Impacts on maritime security

Our findings show that maritime security sectors are impacted by the effects of climate change via the Impact they have on the four sectors of maritime security. The negative impacts on Human, National, Economic and Environmental Security all point towards increasing food and water insecurity leading to the vulnerability of coastal populations. Since these are proven factors explaining the occurrence of conflict, maritime crimes, IUU fishing practices and fisheries conflicts, our findings help point towards areas of intervention that could help to prevent or ease these factors and thus maritime insecurity.

This PoC has shown that Human Security is the most impacted sector of maritime security. This is a key finding since Human Security is an important part of keeping people and communities from engaging in criminal activities including blue crimes (Germond and Mazaris 2019) which then flow on to impact other areas of maritime security.

In exposing the entire pathway from 'Activity' to 'Impact', EIPs can help provide insight into where maritime security starts and ends, by being able to track the impacts on maritime security back to their 'Source'. This effort will contribute to enhancing the definition of maritime security and its conceptual boundaries through increasing the knowledge of its 'four distinguishing characteristics': interconnectedness, liminality, transnational and cross-jurisdictional (Bueger and Edmunds 2017).

Indeed, the issues of liminality and interconnectedness add to the complexity of maritime security (Bueger et al. 2019) and its operationalization as a concept. Liminality is about understanding how far away from the ocean an 'Activity' or 'Source' can be and still be considered a generator of maritime (in)security. For example, the 'Source' 'Melting glaciers' can be considered a threat to maritime security, although 'it' is located far away from the maritime domain. So the question is where to draw the line of what constitutes maritime security and how to ensure wholistic and comprehensive interventions to address the issues identified in relation to a 'Source'. For its part, interconnectedness is about understanding the linkages between the different sectors of maritime security (Bueger et al. 2019). Our findings show that such linkages are most prominent in the fact 'Decreased coastal agriculture', 'Reduced fisheries catches' and 'Increase in climate-induced mobility' all impact on three out of the four sectors of maritime security. Cross-jurisdictional and transnational characteristics such as a community relocating from one district within a country to another, or foreign fishers fishing within another country's territorial waters or exclusive economic zones, will require policy intervention to address 'climate-induced mobility' and issues relating to fisheries management.

In our findings, liminality and interconnectedness are shown through the NGMA. Its use of EIPs enables the tracking of an 'Activity' all the way through to its 'Impact' and identifying the number of EIPs impacting on multiple sectors of maritime security. We can then highlight some of the issues that other academics have identified with maritime security such as liminality and interconnectedness of all of the different aspects of maritime security and the co-benefits that can be achieved when picking appropriate interventions.

4.2 Areas for policy interventions

Resilience and sustainable development are key aims in responding to climate change and even more so for coastal communities. This NGAM has shown the interconnectedness of the pathways of climate change's impacts on maritime security underscoring the need for responses and interventions that are wholistic and able to reduce the impact of many effects. This is highlighted by the fact that within this NGAM, 'decreased coastal agriculture' is the most frequent 'Impact' for three out of the four maritime security sectors. Indeed, this means that it is a good area for intervention by ensuring that coastal agriculture and farming are adapting in a way that is climate resilient by delivering access to clean water and access to adequate land to undertake coastal agriculture in its current form, both for economic gain and subsistence.

Furthermore, because of the interconnectedness of maritime security, other priority areas to investigate for policy interventions are the impacts 'Reduced fisheries catches' and 'Increase in climate-induced mobility' both of which are also prominent across three sectors of maritime security. Indeed, interventions looking at 'Reduced fisheries catches', as mentioned above, are important for addressing the occurrence of maritime crime, as this constitutes a crucial 'Impact' on human security, and this pathway is prone to feedback loops whereby more maritime crime engenders more pressures on the marine environment and coastal communities, which in turn further incentivize maritime crime (Mazaris and Germond 2018). Other impacts that are good areas for interventions based purely on frequency are 'Increased exposure and vulnerability for coastal communities', 'Decrease in human health' and 'Decline in coastal ecosystems'.

However, there is the question of whether or not the 'Impact' is the best area for intervention, as it would seem logical to act against the 'Activity' as close to the start of the EIP chain as possible, therefore limiting its 'Impact'. So it would be more efficient to consider intervention areas closer to the 'Activity' and 'Source'. This then makes the most frequent 'Pathway' of 'Increases in salinization of coastal waterways' a good area for intervention area when targeting 'Human Security' because of the frequency and the further Impacts this Pathway has.

4.3 Limitations and agenda for research

There are limitations to this PoC mainly because of the scope of the data collection. To address this, the authors propose undertaking in future a larger study, while still using scientifically robust data. With a larger dataset, there could be a more fulsome analysis of more interactions along more pathways. This would allow for better-focused and more detailed suggestions on areas of intervention. This would enable confirming or infirming the existence of some theoretical links between climate change and maritime security identified in existing literature but that this PoC's data has not highlighted. This could also help in providing more precise findings regarding the final link, i.e. how the impacts on the four sectors of maritime security eventually contribute to furthering maritime crime.

A future project with a wider scope of data would better identify where feedback loops are most prevalent. This would also help to better target interventions to reduce the effects of feedback loops and subsequently lower the multiplying effects of the impacts of climate change.

Future NGAMs could also provide deeper analysis by applying certain weightings to individual EIPs in order to evaluate more precisely the impact of individual EIPs. This could be done by calculating the economic value or using vulnerability indexes for the maritime security sectors. This allows for better targeting of policy interventions as not all impacts will be of the same magnitude.

Even without developing a wider project, the findings from this article could be used to support the understanding of the impacts that are being experienced and what impacts are top of mind for practitioners or communities. This could be done by using the Delphi method³ to use these initial findings as the focus of a workshop with policymakers and practitioners to further develop the full range of impacts that 'Activities' have. Doing this would also allow for a bottom-up approach to be used with this methodology.

³ The Delphi method is a repetitive and interactive process of consulting with a group of experts to gather their opinions usually through a series of questionnaires (Landeta, J. (2006). Current validity of the Delphi method in social sciences. *Technological Forecasting and Social Change*, 73(5), 467–482. https://doi.org/ https://doi.org/10.1016/j.techfore.2005.09.002

As this methodological approach is not restricted to investigating the impacts of climate change, in the future, it can be applied to other research areas to understand the impacts of multiple and varied activities on sectors or sub-sectors of society; this could be done on issues that are already being recognized as having interactions with climate change, such as biodiversity loss, or the continuing impacts of Covid-19.

5 Conclusion


In this paper, the authors have built an NGAM and demonstrated its utility in helping to understand the impacts the effects of climate change will have on maritime security. The underlying methodology for this NGAM is based on the CEA methodology and uses EIP chains to detail the steps an 'Activity' must go through to exert its Impact on society. Using EIPs has allowed for the identification of areas for intervention within the cause-and-effect chains that are detailed within the NGAM. This is because such a methodology has allowed for the analysis of the interactions between the different EIPs.

Having proven its utility, this PoC can, even with its limited set of data, support discussions on intervention areas. However as previously argued, to further develop this methodology, further studies with a wider scope for data collection should be undertaken, which will allow for a greater analysis and allow for a more fulsome view of the impacts and the interactions between different EIP chains. This methodology can also be used to create an NGAM for other cause-to-effect issues. These other NGAMs can be used either as a standalone assessment or can be combined with other NGAMs to create a detailed picture of all the impacts affecting areas of society.


This PoC, when analysing the impacts of climate change on maritime security, has identified the Human Security aspect of maritime security will be the most affected, and the Impact of 'Decreased coastal agriculture' is the most frequent impact. However, as the authors place emphasis on intervening as early in the EIP as possible, the area best for analysis of policy interventions would be the pathways leading on from the Pressure of 'Increased sea level rise'.

In sum, this PoC has demonstrated that the CEA/EIP method succeeds in providing data-driven confirmation of several key links and dependencies between climate change and maritime security highlighted in the literature. Furthermore, it has enabled identifying precise areas for policy interventions taking place all along the EIP chain. This enables devising original and targeted responses that are not evident if policymakers only concentrate on the 'Source' (e.g. sea level rise, ocean acidification) or the final impact on maritime (in)security (i.e. maritime crimes). Instead, we have shown that intervening upstream at the level of, for example, coastal agriculture might help break the EIP chain.


Appendix 1. High-level NGMA mapping human GHG emissions to maritime security sectors




Appendix 2. NGAM for Human Security








Appendix 4. NGAM for Economic Security





Appendix 5. NGAM for Environmental Security

Effect to Impact Pathway	way					Maritime security sector	sector		
Activity	Source	Pressure	Pathway	Receptor	Impact	Environmental Security	Economic Security	National Security	Human Security
Human greenhouse gas emissions	Increased ocean temperatures	Increased extreme weather events	Increased coastal erosion	Damaged coastal infrastructure	Increased exposure and vulnerability for coastal com- munities			1	
Human greenhouse Increased ocean gas emissions temperatures	Increased ocean temperatures	Increased extreme weather events	Increased coastal flooding	Damaged coastal infrastructure	Increased exposure and vulnerability for coastal com- munities			-	
Human greenhouse gas emissions	Increased ocean temperatures	Increased extreme weather events	Increased land loss	Decrease in environmental health	Decreased coastal agriculture		1		-
Human greenhouse gas emissions	Increased ocean temperatures	Increased extreme weather events	Increased land loss	Decrease in habit- able land	Increase in climate- induced mobility		1	1	1
Human greenhouse gas emissions	Increased ocean temperatures	Increased extreme weather events	Increased saliniza- tion of coastal waterways	Reduction in freshwater	Decline in coastal ecosystems	П			-
Human greenhouse gas emissions	Increased ocean temperatures	Increased extreme weather events	Increased saliniza- tion of coastal waterways	Reduction in freshwater	Decreased coastal agriculture		П		-
Human greenhouse Increased ocean gas emissions temperatures	Increased ocean temperatures	Increased extreme weather events	Increased saliniza- tion of coastal waterways	Reduction in potable water	Decrease in human health		1		-
Human greenhouse gas emissions	Increased ocean temperatures	Increased extreme weather events	Increase in water- borne diseases	Decrease in food security	Decrease in human health				1
Human greenhouse gas emissions	Increased ocean temperatures	Increased ocean strati- fication	Reduction of nutri- ent flows	Reduction in marine biomass	Reduced fisheries catches	1	-		-

Appendix 6 The full EIP database

Page 21 of 32 15

Effect to Imnact Pathwav	wav					Maritime security sector	sector		
Activity	Source	Pressure	Pathway	Receptor	Impact	Environmental Security	Economic Security	National Security	Human Security
Human greenhouse gas emissions	Increased ocean temperatures	Increased sea level rise	Higher extreme sea levels during extreme weather events	Damaged coastal infrastructure	Increased exposure and vulnerability for coastal com- munities				
Human greenhouse gas emissions	Increased ocean temperatures	Increased sea level rise	Increased coastal erosion	Damaged coastal infrastructure	Increased exposure and vulnerability for coastal com- munities			_	
Human greenhouse gas emissions	Increased ocean temperatures	Increased sea level rise	Increased coastal flooding	Damaged coastal infrastructure	Increased exposure and vulnerability for coastal com- munities			_	
Human greenhouse Increased ocean gas emissions temperatures	Increased ocean temperatures	Increased sea level rise	Increased land loss	Decrease in environmental health	Decreased coastal agriculture		1		1
Human greenhouse gas emissions	Increased ocean temperatures	Increased sea level rise	Increased land loss	Decrease in habit- able land	Increase in climate- induced mobility		1	1	1
Human greenhouse gas emissions	Increased ocean temperatures	Increased sea level rise	Increased saliniza- tion of coastal waterways	Reduction in freshwater	Decline in coastal ecosystems	-			1
Human greenhouse gas emissions	Increased ocean temperatures	Increased sea level rise	Increased saliniza- tion of coastal waterways	Reduction in freshwater	Decreased coastal agriculture		-		-
Human greenhouse gas emissions	Increased ocean temperatures	Increased sea level rise	Increased saliniza- tion of coastal waterways	Reduction in potable water	Decrease in human health				1
Human greenhouse gas emissions	Increased ocean temperatures	Increased sea level rise	Increased saliniza- tion of ground- water	Decrease in environmental health	Decreased coastal agriculture		-		-

Effect to Impact Pathway	Iway					Maritime security sector	sector		
Activity	Source	Pressure	Pathway	Receptor	Impact	Environmental Security	Economic Security	National Security	Human Security
Human greenhouse gas emissions	Increased ocean temperatures	Increased sea level rise	Increased saliniza- tion of ground- water	Decrease in environmental health	Decreased coastal agriculture		-		_
Human greenhouse gas emissions	Increased ocean temperatures	Increased sea level rise	Increased saliniza- tion of ground- water	Reduction in freshwater	Decreased coastal agriculture		-		-
Human greenhouse gas emissions	Increased ocean temperatures	Increased sea level rise	Increased saliniza- tion of ground- water	Reduction in freshwater	Decreased coastal agriculture		Т		_
Human greenhouse gas emissions	Increased ocean temperatures	Increased sea level rise	Increased saliniza- tion of ground- water	Reduction in potable water	Decrease in human health				-
Human greenhouse gas emissions	Increased ocean temperatures	Increased sea level rise	Increased saliniza- tion of ground- water	Reduction in potable water	Decrease in human health				-
Human greenhouse gas emissions	Increased ocean temperatures	Increased sea level rise	Increased saliniza- tion of soil	Decrease in environmental health	Decreased coastal agriculture		-		-
Human greenhouse gas emissions	Increased ocean temperatures	Increases in the duration of marine heatwaves	Decline in coral reefs	Change in composition and diversity of fisheries	Reduced fisheries catches	-	-		-
Human greenhouse gas emissions	Increased ocean temperatures	Increases in the duration of marine heatwaves	Reduction in marine biomass	Change in composition and diversity of fisheries	Reduced fisheries catches	1	-		1
Human greenhouse Increased ocean gas emissions temperatures	Increased ocean temperatures	Increases in the duration of marine heatwaves	Reduction in marine biomass	Decrease in corals	Decrease in coastal tourism		-		

Effect to Impact Pathway Activity Sol	740								
	ay					Maritime security sector	sector		
	Source	Pressure	Pathway	Receptor	Impact	Environmental Security	Economic Security	National Security	Human Security
Human greenhouse II gas emissions	Increased ocean temperatures	Increases in the duration of marine heatwaves	Reduction in marine biomass	Decrease in Kelps	Decline in coastal ecosystems	-			
Human greenhouse II gas emissions	Increased ocean temperatures	Increases in the duration of marine heatwaves	Reduction in marine biomass	Decrease in Kelps	Reduced food security				Т
Human greenhouse II gas emissions	Increased ocean temperatures	Increases in the duration of marine heatwaves	Reduction in marine biomass	Decrease in Kelps	Reduction in economic opportunities from aquaculture		-		
Human greenhouse II gas emissions	Increased ocean temperatures	Increases in the duration of marine heatwaves	Reduction in marine biomass	Decrease in seagrasses	Decline in coastal ecosystems	1			
Human greenhouse II gas emissions	Increased ocean temperatures	Increases in the duration of marine heatwaves	Reduction in marine biomass	Decrease in seagrasses	Reduced food security				-
Human greenhouse II gas emissions	Increased ocean temperatures	Increases in the duration of marine heatwaves	Reduction in marine biomass	Decrease in seagrasses	Reduced food security				Т
Human greenhouse In gas emissions	Increased ocean temperatures	Increases in the duration of marine heatwaves	Reduction in marine biomass	Decrease in seagrasses	Reduction in economic opportunities from aquaculture		-		
Human greenhouse II gas emissions	Increased ocean temperatures	Increases in the frequency of marine heatwaves	Decline in coral reefs	Change in composition and diversity of fisheries	Reduced fisheries catches	-	-		-
Human greenhouse II gas emissions	Increased ocean temperatures	Increases in the frequency of marine heatwaves	Reduction in marine biomass	Change in composition and diversity of fisheries	Reduced fisheries catches	_	-		-

Receptor In Decrease in corals D becrease in Kelps R Decrease in Kelps R Decrease in Kelps R becrease in Kelps R becrease in Kelps R s seagrasses n becrease in Kelps In Decrease in Kelps R	Pathway narine Reduction in marine biomass Reduction in marine biomass Reduction in marine biomass narine marine biomass narine marine biomass narine marine biomass		ise in coastal	Environmental Security	Economic Security	National Security	Human
Increased ocean Increases in the temperatures Reduction in frequency of marine Decrease in corals D temperatures frequency of marine marine biomass Decrease in Kelps D Increased ocean Increases in the Reduction in Decrease in Kelps D Increased ocean Increases in the Reduction in Decrease in Kelps R Increased ocean Increases in the Reduction in Decrease in Kelps R Increased ocean Increases in the Reduction in Decrease in Kelps R Increased ocean Increases in the Reduction in Decrease in Kelps R Increased ocean Increases in the marine biomass Decrease in Kelps R Increased ocean Increases in the marine biomass Decrease in Kelps R Increased ocean Increases in the Reduction in Decrease in Kelps R Increases in the marine biomass Reduction in Decrease in Kelps R Increased ocean Increases in the Reduction in Decrease in Kelps	Reduction in narine marine biomass Reduction in marine marine biomass marine marine biomass marine marine biomass narine marine biomass narine marine biomass		Decrease in coastal tourism		•	occurry.	Security
Increased oceanIncreases in the frequency of marineReduction in marine biomassDecrease in KelpsDtemperaturesfrequency of marinemarine biomassDReduction inDIncreased oceanIncreases in the frequency of marineReduction in marine biomassDDIncreased oceanIncreases in the marine biomassReduction in seagrassesDIncreased oceanIncreases in the marine biomassReduction in seagrassesDIncreased oceanIncreases in the marine biomassReduction in seagrassesReduction in seagrassesMelting elaciersIncreased loceat level riseIncreased coastalIncreased coastalIn	Reduction in marine biomass Reduction in marine biomass Reduction in marine biomass marine biomass narine marine biomass				_		
Increased oceanIncreases in the frequency of marineReduction in marine biomassDecrease in KelpsRtemperaturesfrequency of marinemarine biomassNNIncreased oceanIncreases in the frequency of marineReduction in marine biomassDDIncreased oceanIncreases in the marine biomassReduction in marine biomassDDIncreased oceanIncreases in the marine biomassReduction in marine biomassDDIncreased oceanIncreases in the marine biomassReduction in seagrassesDIncreased oceanIncreases in the marine biomassReduction in seagrassesDIncreased oceanIncreases in the marine biomassReduction in seagrassesReduction in seagrassesMelting elaciersIncreased loceat level riseIncreased coastalIn	Reduction in marine marine biomass Reduction in marine biomass Reduction in marine biomass		Decline in coastal 1 ecosystems				
Increased ocean Increases in the frequency of marine Reduction in marine biomass Decrease in Kelps R Imperatures frequency of marine marine biomass Decrease in Kelps R Increased ocean Increases in the marine biomass Reduction in Decrease in D Increased ocean Increases in the marine biomass Reduction in Decrease in R Increased ocean Increases in the marine biomass Reduction in Decrease in R Increased ocean Increases in the marine biomass Reduction in Decrease in R Melting elaciers Increased in the maread coastal Increased coastal In Decrease in R	Reduction in narine marine biomass Reduction in narine marine biomass		Reduced food security				1
Increased ocean Increases in the Reduction in Decrease in D temperatures frequency of marine marine biomass seagrasses heatwaves Increased ocean Increases in the Reduction in Decrease in R temperatures frequency of marine marine biomass seagrasses heatwaves Melting glaciers Increased sea level rise Increased coastal In	Reduction in D narine marine biomass		Reduction in economic opportunities from aquaculture		-		
Increased ocean Increases in the Reduction in Decrease in R temperatures frequency of marine marine biomass seagrasses heatwaves Melting glaciers Increased sea level rise Increased coastal In		crease in eagrasses	Decline in coastal 1 ecosystems				
Melting glaciers Increased sea level rise Increased coastal Damaged coastal	Reduction in D. narine marine biomass	crease in eagrasses	Reduction in economic opportunities from aquaculture		Т		
erosion infrastructure	Increased coastal erosion	maged coastal nfrastructure	Increased exposure and vulnerability for coastal com- munities			-	
Human greenhouse Melting glaciers Increased sea level rise Increased coastal Damaged coastal Increased gas emissions infrastructure and vult gas emissions infrastructure for coas for coas munities and search a	Increased coastal flooding		Increased exposure and vulnerability for coastal com- munities			-	
Human greenhouse Melting glaciers Increased sea level rise Increased land loss Decrease in Decreased gas emissions environmental agricult health	Increased land loss D	crease in nvironmental lealth	Decreased coastal agriculture		-		-

Effect to Impact Pathway	way					Maritime security sector	sector		
Activity	Source	Pressure	Pathway	Receptor	Impact	Environmental Security	Economic Security	National Security	Human Security
Human greenhouse gas emissions	Melting glaciers	Increased sea level rise	Increased land loss	Decrease in habit- able land	Increase in climate- induced mobility		1	1	
Human greenhouse gas emissions	Melting glaciers	Increased sea level rise	Increased saliniza- tion of coastal waterways	Reduction in freshwater	Decline in coastal ecosystems	1			П
Human greenhouse gas emissions	Melting glaciers	Increased sea level rise	Increased saliniza- tion of coastal waterways	Reduction in freshwater	Decreased coastal agriculture		1		П
Human greenhouse gas emissions	Melting glaciers	Increased sea level rise	Increased saliniza- tion of coastal waterways	Reduction in potable water	Decrease in human health				1
Human greenhouse gas emissions	Melting glaciers	Increased sea level rise	Increased saliniza- tion of ground- water	Decrease in environmental health	Decreased coastal agriculture		-		П
Human greenhouse gas emissions	Melting glaciers	Increased sea level rise	Increased saliniza- tion of ground- water	Reduction in freshwater	Decreased coastal agriculture		-		П
Human greenhouse gas emissions	Melting glaciers	Increased sea level rise	Increased saliniza- tion of ground- water	Reduction in potable water	Decrease in human health				Π
Human greenhouse gas emissions	Melting glaciers	Increased sea level rise	Increased saliniza- tion of soil	Decrease in environmental health	Decreased coastal agriculture		-		1
Human greenhouse gas emissions	Melting glaciers	Increased sea level rise	Increased saliniza- tion of soil	Decrease in environmental health	Decreased coastal agriculture		-		1
Human greenhouse gas emissions	Melting ice sheets	Increased sea level rise	Increased coastal erosion	Damaged coastal infrastructure	Increased exposure and vulnerability for coastal com- munities			-	

Effect to Imnact Dathway	APAR					Maritime security sector	sector		
	тмау					Tytal tuttle security	20010		
Activity	Source	Pressure	Pathway	Receptor	Impact	Environmental Security	Economic Security	National Security	Human Security
Human greenhouse gas emissions	Melting ice sheets	Increased sea level rise	Increased coastal flooding	Damaged coastal infrastructure	Increased exposure and vulnerability for coastal com- munities			_	
Human greenhouse gas emissions	Melting ice sheets	Increased sea level rise	Increased land loss	Decrease in environmental health	Decreased coastal agriculture		1		-
Human greenhouse gas emissions	Melting ice sheets	Increased sea level rise	Increased land loss	Decrease in habit- able land	Increase in climate- induced mobility		1	1	1
Human greenhouse gas emissions	Melting ice sheets	Increased sea level rise	Increased saliniza- tion of coastal waterways	Reduction in freshwater	Decline in coastal ecosystems	-			1
Human greenhouse gas emissions	Melting ice sheets	Increased sea level rise	Increased saliniza- tion of coastal waterways	Reduction in freshwater	Decreased coastal agriculture		1		-
Human greenhouse gas emissions	Melting ice sheets	Increased sea level rise	Increased saliniza- tion of coastal waterways	Reduction in potable water	Decrease in human health				-
Human greenhouse gas emissions	Melting ice sheets	Increased sea level rise	Increased saliniza- tion of ground- water	Decrease in environmental health	Decreased coastal agriculture		1		-
Human greenhouse gas emissions	Melting ice sheets	Increased sea level rise	Increased saliniza- tion of ground- water	Reduction in freshwater	Decreased coastal agriculture		1		_
Human greenhouse gas emissions	Melting ice sheets	Increased sea level rise	Increased saliniza- tion of ground- water	Reduction in potable water	Decrease in human health				-
Human greenhouse gas emissions	Melting ice sheets	Increased sea level rise	Increased saliniza- tion of soil	Decrease in environmental health	Decreased coastal agriculture		_		-

Effect to Impact Pathway	way					Maritime security sector	/ sector		
Activity	Source	Pressure	Pathway	Receptor	Impact	Environmental Security	Economic Security	National Security	Human Security
Human greenhouse gas emissions	Melting ice sheets	Increased sea level rise	Increased saliniza- tion of soil	Decrease in environmental health	Decreased coastal agriculture		-		_
Human greenhouse gas emissions	Ocean carbon absorption	Increased ocean strati- fication	Reduction of nutri- ent flows	Reduction in marine biomass	Reduced fisheries catches	1	1		1
Feedback loop	Increased sea level rise	Exacerbates the impact of Tropical Cyclones (Increased extreme weather events)	Increase in water- borne diseases	Decrease in food security	Decrease in human health				_
Feedback loop	Increased sea level rise	Exacerbates the impact of Tropical Cyclones (Increased extreme weather events)	Increased coastal erosion	Damaged coastal infrastructure	Increased exposure and vulnerability for coastal com- munities			-	
Feedback loop	Increased sea level rise	Exacerbates the impact of Tropical Cyclones (Increased extreme weather events)	Increased coastal flooding	Damaged coastal infrastructure	Increased exposure and vulnerability for coastal com- munities			_	
Feedback loop	Increased sea level rise	Exacerbates the impact of Tropical Cyclones (Increased extreme weather events)	Increased land loss	Decrease in environmental health	Decreased coastal agriculture		-		-
Feedback loop	Increased sea level rise	Exacerbates the impact of Tropical Cyclones (Increased extreme weather events)	Increased land loss	Decrease in habit- able land	Increase in climate- induced mobility		г	-	-
Feedback loop	Increased sea level rise	Exacerbates the impact of Tropical Cyclones (Increased extreme weather events)	Increased saliniza- tion of coastal waterways	Reduction in freshwater	Decline in coastal ecosystems	-			-

ActivitySourcePessuePathwayReceptorImpactEnvironmental <th< th=""><th>Effect to Impact Pathway</th><th>athway</th><th></th><th></th><th></th><th></th><th>Maritime security sector</th><th>sector</th><th></th><th></th></th<>	Effect to Impact Pathway	athway					Maritime security sector	sector		
Increased sea level Exacerbates the impact of Tropical Cyclones Increased staliniza- tion of coastal Reduction in freshwater Increased sea level Exacerbates the impact (Increased streme watterways Reduction in vaterways Increased sea level Exacerbates the impact of Tropical Cyclones Increased streme Reduction in vaterways Increased sea level Increased streme watterways Reduction in vaterways Increased sea level Increased frequency Increased coastal Damaged coastal Increased sea level Increased frequency Increased coastal Damaged coastal Increased sea level Increased frequency Increased coastal Damaged coastal Increased sea level Increased frequency Increased coastal Damaged coastal Increased sea level Increased frequency Increased coastal Damaged coastal Increased sea level Increased frequency Increased land loss Decrease in habit- events Increased sea level Increased frequency Increased saliniza- events Reduction in infrastructure Increased sea level Increased frequency Increased saliniza- events Re	Activity	Source	Pressure	Pathway	Receptor	Impact	Environmental Security	Economic Security	National Security	Human Security
Increased salevelExacerbates the impactIncreased saliniza- tion of coastalReduction in potable waterirseof Tropical Cyclonestion of coastalpotable water(Increased extremewaterwaysmarged coastalpotable waterIncreased scalevelIncreased frequencyIncreased coastalpotable waterIncreased scalevelIncreased frequencyIncreased coastalpotable waterIncreased scalevelIncreased frequencyIncreased coastalInfrastructureof extreme scalevelIncreased coastalInfrastructureInfrastructureor extreme scalevelIncreased scalevelIncreased coastalInfrastructureof extreme scalevelIncreased scalevelIncreased scalevelInfrastructureinfrastructureof extreme scalevelIncreased land lossDecrease in habitioninfrastructureof extreme scalevelIncreased land lossDecrease in habitioninfrastructureof extreme scalevelIncreased scaliniza-Reduction ininfrastructureof extreme scalevelIncreased scaliniza-Reduction ininfo	Feedback loop	Increased sea level rise	Exacerbates the impact of Tropical Cyclones (Increased extreme weather events)	Increased saliniza- tion of coastal waterways	Reduction in freshwater	Decreased coastal agriculture		_		_
Increased sea levelIncreased frequencyIncreased coastalDamaged coastalriseof extreme sea levelerosioninfrastructureeventsof extreme sea levelfroodinginfrastructureIncreased sea levelof extreme sea levelfloodinginfrastructureof extreme sea levelof extreme sea levelfloodinginfrastructureIncreased sea levelIncreased frequencyIncreased land lossDerease in habit-Increased sea levelof extreme sea levelIncreased land lossDerease in habit-Increased sea levelIncreased frequencyIncreased land lossDerease in habit-Increased sea levelIncreased frequencyIncreased saliniza-Reduction inIncreased sea levelIncreased saliniza-Reduction inable landIncreased sea levelIncreased saliniza-Reduction ininon of coastalReduction inIncreased sea levelIncreased saliniza-Reduction ininon of coastalIncreased saliniza-Reduction inIncreased sea levelIncreased saliniza-Increased saliniza-Reduction ininon of coastalIncreased saliniza-Reduction inIncreased sea levelIncreased saliniza-Increased saliniza-Reduction ininon of coastalIncreased saliniza-Reduction inIncreased sea levelIncreased saliniza-Increased saliniza-Reduction ininon of coastalIncreased saliniza-Reduction inIncreased sea levelIncreased saliniza-Increased saliniza-Increase	Feedback loop	Increased sea level rise	Exacerbates the impact of Tropical Cyclones (Increased extreme weather events)	Increased saliniza- tion of coastal waterways	Reduction in potable water	Decrease in human health				-
Increased sea levelIncreased coastalDamaged coastalriseof extreme sea levelfloodinginfrastructureeventsnotexed frequencyinfrastructureinfrastructureIncreased sea levelnotexed frequencyincreased land lossDecrease in hobit-inseof extreme sea levelnotexed frequencyincreased land lossDecrease in hobit-inseof extreme sea levelnotexed land lossDecrease in hobit-increased sea levelincreased land lossinseof extreme sea levelincreased land lossDecrease in hobit-increased land lossDecrease in hobit-inseof extreme sea levelincreased land lossDecrease in hobit-increased land lossDecrease in hobit-inseof extreme sea levelincreased saliniza-Reduction inincreased land lossDecrease in hobit-inseof extreme sea levelinon of coastalIncreased saliniza-Reduction ininseof extreme sea levelinon of coastalReduction ininseinon of coastalinon of coastalReduction ininseof extreme sea levelinon of coastalReduction ininseof extreme sea levelinon of coastalReduction ininseof extreme sea levelinon of coastalReduction in	Feedback loop	Increased sea level rise	Increased frequency of extreme sea level events	Increased coastal erosion	Damaged coastal infrastructure	Increased exposure and vulnerability for coastal com- munities			-	
Increased sea levelIncreased frequencyIncreased land lossDecrease in environmental eventsriseof extreme sea levelervisionenvironmental healthIncreased sea levelIncreased frequencyIncreased land lossDecrease in habi- healthIncreased sea levelof extreme sea levelIncreased land lossDecrease in habi- able landriseof extreme sea levelIncreased land lossDecrease in habi- able landIncreased sea levelIncreased frequencyIncreased saliniza-Reduction in reshwaterIncreased sea levelIncreased saliniza-Reduction in reshwaterReduction in reshwaterIncreased sea levelIncreased sea levelIncreased saliniza-Reduction in reshwaterIncreased sea levelIncreased saliniza-Reduction in reshwaterIncreased saliniza-Increased sea levelIncreased saliniza-Reduction in reshvaterIncreased saliniza- </td <td>Feedback loop</td> <td>Increased sea level rise</td> <td>Increased frequency of extreme sea level events</td> <td>Increased coastal flooding</td> <td>Damaged coastal infrastructure</td> <td>Increased exposure and vulnerability for coastal com- munities</td> <td></td> <td></td> <td>-</td> <td></td>	Feedback loop	Increased sea level rise	Increased frequency of extreme sea level events	Increased coastal flooding	Damaged coastal infrastructure	Increased exposure and vulnerability for coastal com- munities			-	
Increased sea levelIncreased frequencyIncreased land lossDecrease in habit-riseof extreme sea levelable landable landeventseventsncreased saliniza-keduction inIncreased sea levelIncreased saliniza-Reduction inriseof extreme sea leveltion of coastalfreshwatereventswaterwaysIncreased saliniza-Reduction inriseof extreme sea leveltion of coastalfreshwaterIncreased sea levelIncreased saliniza-Reduction inriseof extreme sea leveltion of coastalfreshwatereventswaterwaysIncreased saliniza-Reduction inriseof extreme sea leveltion of coastalfreshwatereventswaterwaysIncreased saliniza-Reduction inriseof extreme sea leveltion of coastalfreshwatereventswaterwaysIncreased saliniza-Reduction inriseof extreme sea leveltion of coastalpotable waterriseof extreme sea leveltion of coastalpotable waterriseof extreme sea leveltion of coastalpotable water	Feedback loop	Increased sea level rise	Increased frequency of extreme sea level events	Increased land loss	Decrease in environmental health	Decreased coastal agriculture		-		-
Increased sea levelIncreased saliniza- tiseReduction in resultriseof extreme sea leveltion of coastalfreshwatereventswaterwaysmaterwaysfreshwaterIncreased sea levelIncreased saliniza- tiseReduction in freshwaterIncreased sea levelIncreased saliniza- tiseReduction in freshwaterIncreased sea levelIncreased saliniza- tiseReduction in freshwaterIncreased sea levelIncreased saliniza- tion of coastalReduction in freshwaterIncreased sea levelIncreased saliniza- waterwaysReduction in reseventsIncreased sea levelIncreased saliniza- tion of coastalReduction in freshwaterincreased sea levelIncreased saliniza- waterwaysReduction in reseventsriseof extreme sea leveltion of coastal tion of coastalReduction in resevents	Feedback loop	Increased sea level rise	Increased frequency of extreme sea level events	Increased land loss	Decrease in habit- able land	Increase in climate- induced mobility		1	-	1
Increased sea level Increased frequency Increased saliniza- Reduction in rise of extreme sea level tion of coastal freshwater events waterways waterways freshwater lncreased sea level Increased saliniza- Reduction in rise of extreme sea level Increased saliniza- Reduction in rise of extreme sea level tion of coastal potable water events waterways waterways tearvays	Feedback loop	Increased sea level rise	Increased frequency of extreme sea level events	Increased saliniza- tion of coastal waterways	Reduction in freshwater	Decline in coastal ecosystems	-			-
Increased sea level Increased frequency Increased saliniza- Reduction in rise of extreme sea level tion of coastal potable water events waterways	Feedback loop	Increased sea level rise	Increased frequency of extreme sea level events	Increased saliniza- tion of coastal waterways	Reduction in freshwater	Decreased coastal agriculture		1		1
	Feedback loop	Increased sea level rise	Increased frequency of extreme sea level events	Increased saliniza- tion of coastal waterways	Reduction in potable water	Decrease in human health		_		-

Acknowledgements We would like to thank the reviewers for their time and effort in reading this paper and providing insightful and thought provoking questions.

Author contribution JB conceived of the study and its design. Material preparation, data collection and analysis were performed by JB. The first draft of the manuscript was written by JB. JB and BG commented on the previous versions of the manuscript. All authors read and approved the final manuscript.

Data availability All data generated or analysed during this study are included in this published article and its Annexes.

Declarations

Ethics approval and consent to participate N/A.

Consent for publication All authors have approved the manuscript and agree with its submission to the Climatic Change Journal.

Competing interests The authors declare no competing interests.

Disclaimer The views in this paper are the author's own and are not representative of any institution they may otherwise be affiliated with. While James Brennan undertook this research as a PhD candidate at Lancaster University, they are also currently employed by the New Zealand Ministry of Foreign Affairs and Trade. This employment has no influence over this research.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.

References

- Balsari S, Dresser C, Leaning J (2020) Climate change, migration, and civil strife. Curr Environ Health Reports 7:404–414
- Bueger C (2015) What is maritime security? Mar Policy 53:159-164

Bueger C, Edmunds T (2017) Beyond seablindness: a new agenda for maritime security studies. Int Affairs 93(6):1293–1311. https://doi.org/10.1016/j.marpol.2018.10.010

- Bueger C, Edmunds T (2020) Blue crime: conceptualising transnational organised crime at sea. Marine Policy 119:104067. https://doi.org/10.1016/j.marpol.2020.104067
- Bueger C, Edmunds T, McCabe R (2020) Into the sea: capacity-building innovations and the maritime security challenge. Third World Quarterly 41(2):228–246. https://doi.org/10.1080/01436597.2019.1660632

Bueger C, Edmunds T, Ryan BJ (2019) Maritime security: the uncharted politics of the global sea. Int Affairs 95(5):971–978. https://doi-org.ezproxy.lancs.ac.uk/10.1093/ia/iiz145

Busby JW (2008) Who cares about the weather?: climate change and US national security. Secur Stud 17(3):468–504. https://doi.org/10.1080/09636410802319529

Buzan B, Wæver O, Wæver O, De Wilde J (1998) Security: a new framework for analysis. Lynne Rienner Publishers

Crain CM, Kroeker K, Halpern BS (2008) Interactive and cumulative effects of multiple human stressors in marine systems. Ecol Lett 11(12):1304–1315

Dobush B-J, Gallo ND, Guerra M, Guilloux B, Holland E, Seabrook S, Levin LA (2022) A new way forward for ocean-climate policy as reflected in the UNFCCC Ocean and Climate Change Dialogue submissions. Climate Policy 22(2):254–271. https://doi.org/10.1080/14693062.2021.1990004

FAO (2022) The State of World Fisheries and Aquaculture 2022 (Towards Blue Transformation, Issue. FAO Germond B (2015) The geopolitical dimension of maritime security. Mar Policy 54:137–142

- Germond B, Mazaris AD (2019) Climate change and maritime security. Marine Policy 99:262–266. https:// doi.org/10.1016/j.marpol.2018.10.010
- Germond-Duret C, Germond B, Katsanevakis S, Kelly M, Mazaris AD, McKinley E (2023) Thinking outside the ocean-climate nexus: towards systems-informed decision making in a rapidly changing world. Sci Total Environ 168228. https://doi.org/10.1016/j.scitotenv.2023.168228
- Gissi E, Manea E, Mazaris AD, Fraschetti S, Almpanidou V, Bevilacqua S, Coll M, Guarnieri G, Lloret-Lloret E, Pascual M (2020) A review of the combined effects of climate change and other local human stressors on the marine environment. Sci Total Environ 142564. https://doi.org/10.1016/j.scitotenv.2020.142564
- Halpern BS, Fujita R (2013) Assumptions, challenges, and future directions in cumulative impact analysis. Ecosphere 4(10):1–11. https://doi.org/10.1890/ES13-00181.1
- Halpern BS, Walbridge S, Selkoe KA, Kappel CV, Micheli F, D'Agrosa C, Bruno JF, Casey KS, Ebert C, Fox HE (2008) A global map of human impact on marine ecosystems. Science 319(5865):948–952
- Harvey F (2020) UN secretary general urges all countries to declare climate emergencies. The Guardian Retrieved 15 November from https://www.theguardian.com/environment/2020/dec/12/un-secretarygeneral-all-countries-declare-climate-emergencies-antonio-guterres-climate-ambition-summit
- IPCC (2019a) IPCC Special Report on the Ocean and Cryosphere in a Changing Climate [H-O Pörtner, DC Roberts, V Masson-Delmotte, P Zhai, M Tignor, E Poloczanska, K Mintenbeck, A Alegría, M Nicolai, A Okem, J Petzold, B Rama, NM Weyer (eds.)]. C. U. Press. https://www.ipcc.ch/srocc/
- IPCC (2019b) Summary for Policymakers. In: IPCC Special Report on the Ocean and Cryosphere in a Changing Climate [H-O Pörtner, DC Roberts, V Masson-Delmotte, P Zhai, M Tignor, E Poloczanska, K Mintenbeck, A Alegría, M Nicolai, A Okem, J Petzold, B Rama, NM Weyer (eds.)]. C. U. Press. https://www.ipcc.ch/srocc/chapter/summary-for-policymakers/
- Judd AD, Backhaus T, Goodsir F (2015) An effective set of principles for practical implementation of marine cumulative effects assessment. Environ Sci Policy 54:254–262. https://doi.org/10.1016/j.envsci.2015.07.008
- Landeta J (2006) Current validity of the Delphi method in social sciences. Technol Forecast Soc Change 73(5):467–482. https://doi.org/10.1016/j.techfore.2005.09.002
- Loxton EA, Schirmer J, Kanowski P (2013) Exploring the social dimensions and complexity of cumulative impacts: a case study of forest policy changes in Western Australia. Impact Assess Project Appraisal 31(1):52–63. https://doi.org/10.1080/14615517.2012.755353
- Mazaris AD, Germond B (2018) Bridging the gap between climate change and maritime security: towards a comprehensive framework for planning. Sci Total Environ 635:1076–1080. https://doi.org/10.1016/j.scitotenv.2018.04.136
- Minas, S. (2019). The ocean-climate nexus in the unfolding Anthropocene: addressing environmental challenges through international law and cooperation. In: Charting Environmental Law Futures in the Anthropocene (pp. 83–94). Springer
- NATO (2023) NATO climate change and security impact assessment. Second Edition. https://www.nato.int/ nato_static_fl2014/assets/pdf/2023/7/pdf/230711-climate-security-impact.pdf
- Otto L (2020) Introducing maritime security: the sea as a geostrategic space. In: L. Otto (Ed.), Global Challenges in Maritime Security: An Introduction (pp. 1–11). Springer International Publishing. https://doi.org/10.1007/978-3-030-34630-0_1
- Pedapalli SCK, Gupta B, Mahajan P (2022) Climate change and tourism: a paradigm for enhancing tourism resilience in SIDS. Worldwide Hospitality and Tourism Themes 14(5):431–440
- Roudgarmi P (2018) Cumulative Effects Assessment (CEA), a review. J Environ Assess Policy Manage 20(2):1–18. https://doi.org/10.1142/S1464333218500084
- Scheffran J, Battaglini A (2011) Climate and conflicts: the security risks of global warming. Reg Environ Change 11(1):27–39. https://doi-org.ezproxy.lancs.ac.uk/10.1007/s10113-010-0175-8
- Siebels D (2019) Maritime security in East and West Africa: a tale of two regions. Palgrave Pivot Cham. https://doi.org/10.1007/978-3-030-22688-6
- Stable Seas (2021) Challenges and solutions for maritime security in the Indian Ocean. https://www.stabl eseas.org/post/challenges-and-solutions-for-maritime-security-in-the-indian-ocean
- Stone M (2009) Security according to Buzan: a comprehensive security analysis. Security discussion papers series 1:1–11. https://cte.univsetif2.dz/moodle/pluginfile.php/5460/mod_resource/content/2/Security_ for_Buzan.mp3%281%29.pdf
- Thomas MD (2017) The securitization of climate change: Australian and United States' military responses (2003 2013). Springer Cham. https://doi.org/10.1007/978-3-319-49658-0
- UNESCO (n.d.) United Nations Decade of Ocean Science for Sustainable Development (2021–2030). Retrieved 07 August from https://en.unesco.org/ocean-decade
- United Nations (2019) Climate change recognized as 'threat multiplier', UN Security Council debates its impact on peace. Retrieved 15 November from https://news.un.org/en/story/2019/01/1031322
- van Schaik L, Sarris S, von Lossow T (2018) Fighting an existential threat small island states bringing climate change to the UN Security Council. http://www.jstor.org/stable/resrep17348

Wernberg TS, Thomsen MK, Baum JJ, Bishop MF, Bruno JA, Coleman M, Filbee-Dexter K, Gagnon K, He Q, Murdiyarso D (2023) Impacts of climate change on marine foundation species. Ann Rev Marine Sci 16

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.