



Correction to: Authors' Reply to Letter to the Editor: Continued improvement to genetic diversity indicator for CBD

Linda Laikre¹ · Paul A. Hohenlohe² · Fred W. Allendorf³ · Laura D. Bertola⁴ · Martin F. Breed⁵ · Michael W. Bruford⁶ · W. Chris Funk⁷ · Gonzalo Gajardo⁸ · Antonio González-Rodríguez⁹ · Catherine E. Grueber¹⁰ · Philip W. Hedrick¹¹ · Myriam Heuertz¹² · Margaret E. Hunter¹³ · Kerstin Johannesson¹⁴ · Libby Liggins¹⁵ · Anna J. MacDonald¹⁶ · Joachim Mergeay^{17,18} · Farideh Moharrek^{19,20} · David O'Brien²¹ · Rob Ogden²² · Pablo Orozco-terWengel⁶ · Clarisse Palma-Silva²³ · Jennifer Pierson²⁴ · Ivan Paz-Vinas²⁵ · Isa-Rita M. Russo⁶ · Nils Ryman¹ · Gernot Segelbacher²⁶ · Per Sjögren-Gulve²⁷ · Lisette P. Waits²⁸ · Cristiano Vernesi²⁹ · Sean Hoban³⁰

Published online: 26 May 2021

© The Author(s) 2021

Correction to: Conservation Genetics

<https://doi.org/10.1007/s10592-021-01359-w>

Unfortunately, the original publication of this article contained an error in the Fig. 1. The correct Fig. 1 is given in this correction.

The original article can be found online at <https://doi.org/10.1007/s10592-021-01359-w>.

✉ Linda Laikre
linda.laikre@popgen.su.se

✉ Sean Hoban
shoban@mortonarb.org

Paul A. Hohenlohe
hohenlohe@uidaho.edu

Fred W. Allendorf
fred.allendorf@gmail.com

Laura D. Bertola
laura.bertola@gmail.com

Martin F. Breed
martin.breed@flinders.edu.au

Michael W. Bruford
BrufordMW@Cardiff.ac.uk

W. Chris Funk
Chris.Funk@colostate.edu

Gonzalo Gajardo
ggajardo@ulagos.cl

Antonio González-Rodríguez
agrodrig@iies.unam.mx

Catherine E. Grueber
catherine.grueber@sydney.edu.au

Philip W. Hedrick
PHILIP.HEDRICK@asu.edu

Myriam Heuertz
myriam.heuertz@inrae.fr

Margaret E. Hunter
mhunter@usgs.gov

Kerstin Johannesson
Kerstin.Johannesson@gu.se

Libby Liggins
L.Liggins@massey.ac.nz

Anna J. MacDonald
anna.macdonald@anu.edu.au

Joachim Mergeay
joachim.mergeay@inbo.be

Farideh Moharrek
farideh.moharrek@sund.ku.dk

David O'Brien
David.O'Brien@nature.scot

Rob Ogden
Rob.Ogden@ed.ac.uk

Pablo Orozco-terWengel
orozco-terwengelpa@cardiff.ac.uk

Clarisse Palma-Silva
clarissepalma@gmail.com

Jennifer Pierson
Jennifer.Pierson@australianwildlife.org

Ivan Paz-Vinas
ivanpaz23@gmail.com

Isa-Rita M. Russo
russoim@cardiff.ac.uk

Nils Ryman
nils.ryman@popgen.su.se

Gernot Segelbacher
gernot.segelbacher@wildlife.uni-freiburg.de

Per Sjögren-Gulve
Per.Sjogren-Gulve@naturvardsverket.se


Lisette P. Waits
lwaits@uidaho.edu

Cristiano Vernesi
cristiano.vernesi@fmach.it

- 1 Division of Population Genetics, Department of Zoology, Stockholm University, SE 10691 Stockholm, Sweden
- 2 Institute for Bioinformatics and Evolutionary Studies, Department of Biological Sciences, University of Idaho, 875 Perimeter Drive MS 3051, Moscow, ID 83844-3051, USA
- 3 Division of Biological Sciences, University of Montana, Missoula, MT 59812, USA
- 4 City College of New York, 160 Convent Ave., New York, NY 10031, USA
- 5 College of Science and Engineering, Flinders University, Bedford Park, SA 5042, Australia
- 6 School of Biosciences, Cardiff University, Cardiff CF10 3AX, Wales, UK
- 7 Graduate Degree Program in Ecology, Department of Biology, Colorado State University, Fort Collins, CO, USA
- 8 Universidad de Los Lagos, Lab Genetics, Aquaculture & Biodiversity, Osorno, Chile
- 9 Instituto de Investigaciones en Ecosistemas y Sustentabilidad, Universidad Nacional Autónoma de México, Morelia, Michoacán, Mexico
- 10 School of Life and Environmental Sciences, Faculty of Science, The University of Sydney, Sydney, NSW 2006, Australia
- 11 School of Life Sciences, Arizona State University, Tempe, AZ 85287, USA
- 12 INRAE, Univ. Bordeaux, Biogeco, 69 route d'Arcachon, 33610 Cestas, France
- 13 U.S. Geological Survey, Wetland and Aquatic Research Center, 7920 NW 71st St, Gainesville, FL 32653, USA

- 14 Department of Marine Sciences, University of Gothenburg, Tjärnö, Strömstad, Sweden
- 15 School of Natural and Computational Sciences, Massey University, Auckland, New Zealand
- 16 The John Curtin School of Medical Research/Research School of Biology, The Australian National University, Acton, ACT 2601, Australia
- 17 Research Institute for Nature and Forest, Gaverstraat 4, 9500 Geraardsbergen, Belgium
- 18 Aquatic Ecology, Evolution and Conservation, KULeuven, Charles Deberiotstraat 32, box 2439, 3000 Leuven, Belgium
- 19 Novo Nordisk Foundation Center for Basic Metabolic Research, Faculty of Health and Medical Sciences, University of Copenhagen, Blegdamsvej 3B, 2200 Copenhagen, Denmark
- 20 Faculty of Biological Sciences, Tarbiat Modares University, Tehran 14115-154, Iran
- 21 Scottish Natural Heritage, Leachkin Road, Inverness IV3 8NW, UK
- 22 Royal (Dick) School of Veterinary Studies and the Roslin Institute, University of Edinburgh, Easter Bush Campus, EH25 9RG Midlothian, UK
- 23 Department of Plant Science, Institute of Biology, University of Campinas, Campinas, SP 13083-862, Brazil
- 24 Australian Wildlife Conservancy, PO Box 8070, Subiaco East WA 6008, Australia
- 25 Laboratoire Evolution & Diversité Biologique, Centre National pour la Recherche Scientifique, Institut de Recherche pour le Développement, Université Toulouse III Paul Sabatier, UMR-5174 EDB, Toulouse, 118 route de Narbonne, 31062 Toulouse, France
- 26 Wildlife Ecology and Management, University Freiburg, Tennenbacher Str. 4, 79106 Freiburg, Germany
- 27 The Wildlife Analysis Unit, The Swedish Environmental Protection Agency, 10648 Stockholm, Sweden
- 28 Department of Fish and Wildlife Sciences, University of Idaho, Moscow, ID 83844, USA
- 29 Department of Sustainable Agroecosystems and Bioresources, Research and Innovation Centre - Fondazione Edmund Mach, via E. Mach 1, 38010 S. Michele All'Adige, TN, Italy
- 30 Center for Tree Science, The Morton Arboretum, 4100 Illinois Rt 53, Lisle 60532, USA

Fig. 1 Conceptual diagram for applying the N_e indicator (Hoban et al. 2020). If direct and robust estimates of N_e are available, they should be used. If only general information is available about factors affecting the ratio of N_e to census population size (N_c), then this information should be used to calibrate estimates of N_e from the specific population against the $N_e > 500$ threshold. If no information is available, the indicator is applied using estimates of N_c with the threshold $N_c > 5000$, implicitly assuming $N_e/N_c = 0.1$



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons licence and your intended use is not

permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

Publisher’s Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.