Correction to: Protective Effects of Calcitonin Gene-Related Peptide-Mediated p38 Mitogen-Activated Protein Kinase Pathway on Severe Acute Pancreatitis in Rats

Shao-Hui Hu¹ · Yi Guang² · Wei-Xing Wang¹

Published online: 9 March 2019

© Springer Science+Business Media, LLC, part of Springer Nature 2019

Correction to:

Digestive Diseases and Sciences (2019) 64:447–455
<https://doi.org/10.1007/s10620-018-5345-4>

The original version of the article unfortunately contained errors in “Materials and Methods” section, Figure 3 and Figure 4.

In “Materials and Methods” section, Detection of Serum Amylase, Lipase, and Inflammatory Cytokines subsection, the sentence “And the expression levels of TNF- α , IL-1 β , IL-1, and IL-6 were determined via strictly following the instructions on the enzyme-linked immunosorbent assay

(ELISA) kit (Abcam).” to be replaced with “And the expression levels of TNF- α , IL-1 β , IL-8, and IL-6 were determined via strictly following the instructions on the enzyme-linked immunosorbent assay (ELISA) kit (Abcam).”

In figure 3, Y-axis label “IL-1” in the third histogram should be replaced with “IL-8.” Below is the revised Fig. 3.

In figure 4, Y-axis label “MDA (mmol/mg)” in the first histogram should be replaced with “MDA (nmol/mg).” Below is the revised Fig. 4.

The original article can be found online at <https://doi.org/10.1007/s10620-018-5345-4>.

✉ Wei-Xing Wang
wxw_wxxw_001@126.com

¹ Department of Hepatobiliary and Laparoscopic Surgery, Renmin Hospital of Wuhan University, No. 238, Jiefang Road, No. 99, Zhang Zhidong Road (Formerly Ziyang Road), Wuchang District, Wuhan 430060, Hubei Province, People's Republic of China

² Department of Gynecology, Xiaogan Central Hospital, Xiaogan 432000, Hubei Province, People's Republic of China

Fig. 3 Comparison of the serum levels of inflammatory cytokines (including TNF- α , IL-1 β , IL-6, and IL-8) in rats from each group. Note: * $P < 0.05$ compared with the Sham group; # $P < 0.05$ compared with the SAP group; & $P < 0.05$ compared with the CGRP group; % $P < 0.05$ compared with the SB203580 group

Fig. 4 Comparison of the oxidative stress-related indexes (including MDA, MPO, GSH, and SOD) in rats from each group. Note: * $P < 0.05$ compared with the Sham group; # $P < 0.05$ compared with the SAP group; & $P < 0.05$ compared with the CGRP group; % $P < 0.05$ compared with the SB203580 group