## CORRECTION



## Correction to: Temporal frequency dependence of the polarity inversion between upper and lower visual field in the pattern-onset steady-state visual evoked potential

Roman Kessler · Sven P. Heinrich

Published online: 28 January 2023

© Springer-Verlag GmbH Germany, part of Springer Nature 2022

**Correction to: Doc Ophthalmol** 

https://doi.org/10.1007/s10633-022-09904-9x

In the original article, the formatting of "<<" and ">>" was indicated with different symbols.

For example,

In most participants «10%

and,

impedance  $\gg 5 \text{ k}\Omega$ ).

Unified symbols are used to indicate greater than and less than.

The original article has been corrected.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at https://doi.org/10.1007/s10633-022-09904-9.

R. Kessler (⊠)

Department of Neuropsychology, Max Planck Institute for Human Cognitive and Brain Sciences, Leipzig, Germany

e-mail: rkesslerx@gmail.com

S. P. Heinrich

Eye Center, Faculty of Medicine, Medical Center – University of Freiburg, Freiburg, Germany

