



Correction to: Warm and cold temperatures limit the maximum body length of teleost fishes across a latitudinal gradient in Norwegian waters

Charles P. Lavin · Cesc Gordó-Vilaseca ·
Mark John Costello · Zhiyuan Shi ·
Fabrice Stephenson · Arnaud Grüss

Published online: 22 May 2023
© The Author(s) 2023

Correction to: Environ Biol Fish (2022) 105(10):1415–1429
<https://doi.org/10.1007/s10641-022-01270-4>

Figure 3 of the original article was incorrect.

The original article has been corrected.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The

images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s10641-022-01270-4>.

C. P. Lavin (✉) · C. Gordó-Vilaseca · M. J. Costello ·
Z. Shi
Faculty of Biosciences and Aquaculture, Nord University,
Bodø, Norway
e-mail: charles.p.lavin@nord.no

F. Stephenson
National Institute of Water and Atmospheric Research
(NIWA), Hamilton, New Zealand

F. Stephenson
School of Science, University of Waikato, Hamilton,
New Zealand

A. Grüss
National Institute of Water and Atmospheric Research
(NIWA), Wellington, New Zealand