Correction to: Assessment of air pollution tolerance index (APTI) for some ornamental woody species in green space of humid temperate region (Rasht, Iran)

Sara Ghafari¹ · Behzad Kaviani² · Shahram Sedaghatthoor² ·
Mohammad Sadegh Allahyari³

Published online: 19 January 2021
© Springer Nature B.V. 2021

Correction to: Environment, Development and Sustainability (2020): 1–22.
<http://doi.org/10.1007/s10668-020-00640-1>

Some data presented in Table 2 in the original publication are incorrect, and the author would like to correct Table 2 into:

The author would like to apologize for any inconvenience caused.

The original article can be found online at <https://doi.org/10.1007/s10668-020-00640-1>.

✉ Behzad Kaviani
b.kaviani@yahoo.com

¹ Ornamental Plants, Rasht Branch, Islamic Azad University, Rasht, Iran

² Department of Horticulture, Rasht Branch, Islamic Azad University, Rasht, Iran

³ Department of Agricultural Management, Rasht Branch, Islamic Azad University, Rasht, Iran

Table 2 The concentration range of air pollutants in Rasht city

Pollutants	PM _{2.5} (mg/m ³)	PM ₁₀ (mg/m ³)	SO ₂ (mg/m ³)	NO ₂ (mg/m ³)	O ₃ (mg/m ³)	CO (mg/m ³)
Maximum	94	69	13	32	54	30
Minimum	28	15	8	19	11	4
Daily average (Mar. 21–Jul. 16, 2018)	53.68	36.68	11.23	24.71	28.53	18.45

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.