Correction to: Body-color plasticity of the English grain aphid in response to light in both laboratory and field conditions

K. Tougeron^{1,2} · J. van Baaren¹ · J. Town³ · D. Nordin³ · T. Dumonceaux³ · T. Wist³

Published online: 24 December 2020
© Springer Nature Switzerland AG 2020

Correction to: Evolutionary Ecology

<https://doi.org/10.1007/s10682-020-10088-4>

In the original publication of the article, the second last sentence in the abstract was published incorrectly. The sentence “it is possible to turn aphids from red back to green within a few days, and from green back to red within a couple of weeks (low-to-high and high-to-low light intensities, respectively)” should read as “it is possible to turn aphids from **green** back to **red** within a few days, and from **red** back to **green** within a couple of weeks (low-to-high and high-to-low light intensities, respectively)”.

The original article has been corrected.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s10682-020-10088-4>.

✉ K. Tougeron
kevin.tougeron@uclouvain.be

¹ UMR CNRS 6553 Ecobio, Université de Rennes 1, 263 Avenue du général Leclerc, 35042 Rennes, France

² Earth and Life Institute, Biodiversity Research Centre, Université catholique de Louvain, 1348 Louvain-la-Neuve, Belgium

³ Agriculture and Agri-Food Canada, Government of Canada, Saskatoon Research and Development Centre, Saskatoon, SK S7N 0X2, Canada