



Correction: Genetic variation in local populations of *Aegilops tauschii* Coss. helps to elucidate the evolutionary history of the species

Alexander Ju. Dudnikov  · Ming Hao ·
Deng-Cai Liu

Published online: 21 April 2023
© Springer Nature B.V. 2023

Correction to: Genet Resour Crop Evol

<https://doi.org/10.1007/s10722-023-01565-0>

Following publication of the original article [1], the author reported that the Tables 1 and 2 were omitted from the article. The correct version of Tables 1 and 2 are given below.

The original article [1] has been corrected.

The original article can be found online at <https://doi.org/10.1007/s10722-023-01565-0>.

A. J. Dudnikov (✉)
Institute of Cytology and Genetics, Novosibirsk,
Russia 630090
e-mail: dudnikov@bionet.nsc.ru

M. Hao · D.-C. Liu
Triticeae Research Institute, Sichuan Agricultural
University, Chengdu 611130, Sichuan, China
e-mail: haomingluo@foxmail.com

D.-C. Liu
e-mail: dcliu7@yahoo.com

Table 1 Primers used for the present study of the *Got2* gene in *Aegilops tauschii*

3f	5'CCACATAACGATGGCACTTG
4r	5'CAAAATCCAGCCCAACAGTCT
5f	5'GCTGCAGCATTATTTCAGAGA
6r	5'TTTATCGCACCGATCCTTTC
7f	5'GGAAGCCTTGATGAAGATGC
8r	5'GTCATCAGCATCGCGACTAA
20r	5'ATGGCAAGGGCTGCATAATC
21f	5'TCTTTATGGTGCAGTATCTGCCT
22r	5'TAGGAAAAGTCAGTTCATTTCCA
23f	5'CTCTCCAAGCATTCTCTCAGG
25r	5'AGACTGGTCCTTTTCAGTCAAG
26f	5'CGTCGTTGGAGACCCTACCA

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Table 2 Usage of primers in PCR and sequencing reaction (their relative positions are as follows: 3f–21f–20r–5f–4r–23f–22r–7f–6r–26f–25r–8r)

Pairs for PCR	Primers for sequencing reaction
3f–4r	3f, 4r, 21f, 20r
5f–6r	5f, 6r, 23f, 22r
7f–8r	7f, 8r, 26f, 25r