Correction to: Inhibition of C3a/C3aR Axis in Diverse Stages of Ulcerative Colitis Affected the Prognosis of UC by Modulating the Pyroptosis and Expression of Caspase-11

Xiaohua Zhang,¹ Yong Chen,¹ Shuxia Yu,¹ Bingjie Jin,¹ and Wenmin Liu^{2,3}

Correction to: *Inflammation* (2020) 43(6):2128–2136
<https://doi.org/10.1007/s10753-020-01280-3>

In the published version of this article, the authors noticed an error in Fig. 1. The same image was mistakenly uploaded for both “Day 3” and “Day 7” of the control group in Fig. 1b. The corrected figure and accompanying legend can be found at the next page. This modification does not affect the conclusions of the study.

The online version of the original article can be found at <https://doi.org/10.1007/s10753-020-01280-3>

¹ Department of Gastroenterology, Shandong Provincial Hospital Affiliated to Shandong First Medical University, Shandong Province, Jinan City, 250021, China

² Department of Dermatology, Shandong Provincial Hospital Affiliated to Shandong First Medical University, Shandong Province, Jinan City, 250021, China

³ To whom correspondence should be addressed at Department of Dermatology, Shandong Provincial Hospital Affiliated to Shandong First Medical University, Shandong Province, Jinan City, 250021, China. E-mail: wenminliu12@126.com

Fig. 1. Application of C3aR inhibitor affected the development of UC. **a** The ratios of weight and length of colon was calculated after the sacrifice of these mice. **b** Representative images of HE staining of colon tissues. * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$.