Correction to: Genetic Analysis of Migration Pattern of Female Bonobos (*Pan paniscus*) Among Three Neighboring Groups

Shintaro Ishizuka^{1,2} · Kazuya Toda¹ · Takeshi Furuichi¹

Published online: 19 June 2020

© Springer Science+Business Media, LLC, part of Springer Nature 2020

Correction to: International Journal of Primatology (2020) 41:401–414

<https://doi.org/10.1007/s10764-019-00106-w>

The original version of this article unfortunately contained mistakes. The changes are shown below:

1. In the article, the estimated frequency of female migration into neighboring groups in bonobos is written as 4.5 / 7.48 (60%). However, the correct estimate is 4.5 / 8.55 (53%).
2. Table 5 shows that the estimated age (2017) of Co (PW group) is 44 y and that of Dk (PW group) is 49 y. However, these data are reversed. The correct information is that the estimated age (2017) of Co is 49 y and that of Dk is 44 y.

The authors apologize for these mistakes.

The online version of the original article can be found at <https://doi.org/10.1007/s10764-019-00106-w>

✉ Shintaro Ishizuka
ishizuka.shintaro.37x@kyoto-u.jp

¹ Primate Research Institute, Kyoto University, Aichi, Japan

² Japan Society for Promotion of Science, Tokyo, Japan