



# Correction to: First and second transscleral cyclophotocoagulation treatments provide similar intraocular pressure-lowering efficacy in patients with refractory glaucoma

Enrico Bernardi · Marc Töteberg-Harms

Published online: 25 April 2022  
© The Author(s) 2022

## Correction to:

**Int Ophthalmol**

<https://doi.org/10.1007/s10792-022-02234-4>

In the original publication, the given and family names of authors were published incorrectly. The correct version is updated in this correction.

The original article has been corrected.

**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless

indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

---

The original article can be found online at <https://doi.org/10.1007/s10792-022-02234-4>.

---

E. Bernardi · M. Töteberg-Harms (✉)  
Medical Faculty, University of Zurich, Zurich, Switzerland  
e-mail: MarcToeteberg@aol.com

E. Bernardi · M. Töteberg-Harms  
Department of Ophthalmology, University Hospital  
Zurich, Frauenklinikstrasse 24, 8091 Zurich, Switzerland

M. Töteberg-Harms  
Department of Ophthalmology, Medical College  
of Georgia, Augusta University, Augusta, GA, USA