



## Correction to: Deep learning early warning system for embryo culture conditions and embryologist performance in the ART laboratory

Charles L. Bormann<sup>1</sup> · Carol Lynn Curchoe<sup>2</sup>  · Prudhvi Thirumalaraju<sup>3</sup> · Manoj K. Kanakasabapathy<sup>3</sup> · Raghav Gupta<sup>3</sup> · Rohan Pooniwal<sup>3</sup> · Hemanth Kandula<sup>3</sup> · Irene Souter<sup>1</sup> · Irene Dimitriadis<sup>1</sup> · Hadi Shafiee<sup>3</sup>

Published online: 14 May 2021

© Springer Science+Business Media, LLC, part of Springer Nature 2021

**Correction to: Journal of Assisted Reproduction and Genetics**

<https://doi.org/10.1007/s10815-021-02198-x>

The original article unfortunately contained an error. The author, Charles L. Bormann, should be listed as the first author in the article.

The original article has been corrected.

**Publisher's note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

---

The online version of the original article can be found at <https://doi.org/10.1007/s10815-021-02198-x>

---

✉ Carol Lynn Curchoe  
cburton@fertilitylabsciences.com

<sup>1</sup> Massachusetts General Hospital Fertility Center, Obstetrics/ Gynecology/Reproductive Endocrinology and Infertility, Boston, MA, USA

<sup>2</sup> Colorado Center for Reproductive Medicine, Newport Beach, CA, USA

<sup>3</sup> Division of Engineering in Medicine, Department of Medicine, Brigham and Women's Hospital, Harvard Medical School, Boston, MA, USA