



Correction to: QCM sensors coated with calix[4]arenes bearing sensitive chiral moieties for chiral discrimination of 1-phenylethylamine enantiomers

Egemen Ozcelik^{1,2} · Farabi Temel^{1,2} · Serkan Erdemir³ · Begum Tabakci³ · Mustafa Tabakci^{1,2}

Published online: 30 March 2019
© Springer Nature B.V. 2019

Correction to:
Journal of Inclusion Phenomena and Macrocyclic Chemistry
<https://doi.org/10.1007/s10847-019-00892-z>

In the original publication of the article, some parts of Fig. 2 were missed. The correct version of the Fig. 2 is provided in this correction article. The original article has also been corrected.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s10847-019-00892-z>.

✉ Mustafa Tabakci
mtabakci@ktun.edu.tr; mtabakci@selcuk.edu.tr

¹ Department of Chemical Engineering, Konya Technical University, 42130 Konya, Turkey

² Department of Chemical Engineering, Selçuk University, 42130 Konya, Turkey

³ Department of Chemistry, Selçuk University, 42130 Konya, Turkey




Fig. 2 Representation of QCM sensing system