




Correction to: Annealing temperature-driven near-surface crystallization with improved luminescence in self-patterned alumina films

S. Pal^{1,6}, S. Bhowmick¹, S. A. Khan², A. Claverie³, D. Kanjilal², A. K. Bakshi^{4,5}, and A. Kanjilal^{1,*} 

¹Department of Physics, School of Natural Sciences, Shiv Nadar University, NH-91, Tehsil Dadri, Gautam Buddha Nagar, Uttar Pradesh 201314, India

²Inter-University Accelerator Centre, Aruna Asaf Ali Marg, New Delhi 110067, India

³CEMES-CNRS, Université de Toulouse, 29 rue J. Marvig, 31055 Toulouse, France

⁴Radiological Physics & Advisory Division, Bhabha Atomic Research Centre, Mumbai 400085, India

⁵Homi Bhabha National Institute, Anushaktinagar, Mumbai 400094, India

⁶Present address: Technical Research Centre, S. N. Bose National Centre for Basic Sciences, Salt Lake, JD Block, Sector III, 700106 Kolkata, India

Published online:

26 April 2021

© Springer Science+Business Media, LLC, part of Springer Nature 2021

Correction to:

Journal of Materials Science: Materials in Electronics

<https://doi.org/10.1007/s10854-021-05790-0>

Unfortunately, in the original version of this article the updated Fig. 3 was not replaced. Please find below the updated Fig. 3. This has been corrected by publishing this correction article.

The original article has been updated.

The original article can be found online at <https://doi.org/10.1007/s10854-021-05790-0>.

Address correspondence to E-mail: aloke.kanjilal@snu.edu.in

<https://doi.org/10.1007/s10854-021-06011-4>




Fig. 3 Left panel displays low magnification bright-field XTEM image of A-1200. The SAED pattern corresponding to region B (top right corner inset) depicts diffuse rings, indicating an amorphous phase. The HRTEM image of the SiO_2/Si junction reveals a sharp interface (bottom left inset). Right panel exhibits a magnified image of the surface region (highlighted by a yellow box in left panel). The layer is crystalline and contains precipitates,

one of which is further magnified in the image shown at the bottom. The SAED pattern originating from the surface crystalline layer is shown in the top right inset. The yellow circles indicating the main interplanar distances expected from the various phases of alumina lying on the observed diffraction spots (Color figure online)

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.