



Correction to: Polymer composites filled with core–shell structured nanofillers: effects of shell thickness on dielectric and thermal properties of composites

Dan Cao¹, Wenying Zhou^{1,*} , Mengxue Yuan^{2,*}, Bo Li³, Ting Li¹, Jin Li¹, Dengfeng Liu¹, Guangheng Wang¹, Juanjuan Zhou¹, and Hongfang Zhang^{4,*}

¹School of Chemistry and Chemical Engineering, Xi'an University of Science & Technology, Xi'an 710054, China

²Materials Research Institute, The Pennsylvania State University, University Park, PA 16802, USA

³PolyK Technologies, State College, PA 16803, USA

⁴School of Physical Science and Technology, Suzhou University of Science and Technology, Suzhou 215009, China

Published online:

3 February 2022

© Springer Science+Business Media, LLC, part of Springer Nature 2022

Correction to: Journal of Materials Science: Materials in Electronics (2022)
<https://doi.org/10.1007/s10854-022-07705-z>

below is the correct version of Fig. 3. This correction does not affect the conclusion.

Figure 3 in the original article has been found to be erroneous after checking the EDS raw data. Provided

The original article can be found online at <https://doi.org/10.1007/s10854-022-07705-z>.

Address correspondence to E-mail: wyzhou2004@163.com; muy151@psu.edu; constance_zhanghf@126.com




Fig. 3 a EDS spectrum, the inset standing for the SEM image of β -SiC_w@SiO₂, b–c the corresponding element mapping for β -SiC_w@SiO₂

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.