

Contents of Volume 32, 2005

Vol. 32 No. 1 May 2005

Articles

BioMagResBank databases DOCR and FRED containing converted and filtered sets of experimental NMR restraints and coordinates from over 500 protein PDB structures J.F. Doreleijers, A.J. Nederveen, W. Vranken, J. Lin, A.M.J.J. Bonvin, R. Kaptein, J.L. Markley and E.L. Ulrich	1–12
Linear analysis of carbon-13 chemical shift differences and its application to the detection and correction of errors in referencing and spin system identifications L. Wang, H.R. Eghbalnia, A. Bahrami and J.L. Markley	13–22
Sensitivity enhancement in NMR of macromolecules by application of optimal control theory D.P. Frueh, T. Ito, J.-S. Li, G. Wagner, S.J. Glaser and N. Khaneja	23–30
Bacterial expression and one-step purification of an isotope-labeled heterotrimeric G-protein α-subunit N.G. Abdulaev, C. Zhang, A. Dinh, T. Ngo, P.N. Bryan, D.M. Brabazon, J.P. Marino and K.D. Ridge	31–40
Error estimation and global fitting in transverse-relaxation dispersion experiments to determine chemical-exchange parameters R. Ishima and D.A. Torchia	41–54
High-resolution aliphatic side-chain assignments in 3D HCcoNH experiments with joint H–C evolution and non-uniform sampling Z.-Y.J. Sun, S.G. Hyberts, D. Rovnyak, S. Park, A.S. Stern, J.C. Hoch and G. Wagner	55–60
Managing the solvent water polarization to obtain improved NMR spectra of large molecular structures S. Hiller, G. Wider, T. Etezady-Esfarjani, R. Horst and K. Wüthrich	61–70
Protein energetic conformational analysis from NMR chemical shifts (PECAN) and its use in determining secondary structural elements H.R. Eghbalnia, L. Wang, A. Bahrami, A. Assadi and J.L. Markley	71–81
NMR structure note	
Solution structure of the HMG-box domain in the SSRP1 subunit of FACT N. Kasai, Y. Tsunaka, I. Ohki, S. Hirose, K. Morikawa and S. Tate	83–88
Letters to the Editor: New NMR assignments	
^1H, ^{13}C and ^{15}N assignments for the II–III loop region of the skeletal dyhydropyridine receptor Y. Cui, Y. Karunasekara, P.J. Harvey, P.G. Board, A.F. Dulhunty and M.G. Casarotto	89–90
NMR assignment of the gpU tail protein from lambda bacteriophage L. Edmonds, R. Thirumoorthy, A. Liu, A. Davidson and L. Donaldson	91–92

NMR assignment of the periplasmic domain of peptidoglycan-associated lipoprotein (Pal) from <i>Haemophilus influenzae</i>	93
L.M. Parsons and J. Orban	
NMR assignment of the R2 domain of pneumococcal choline binding protein A (CbpA)	93
R. Luo, B. Mann, E. Tuomanen and R.W. Kriwacki	
NMR assignment of the six zinc fingers of MTF-1 in the free and DNA-bound states	94
B.M. Potter, N.A. Knudsen, L.S. Feng, V.A. Matskevich, J.A. Wilson, G.K. Andrews and J.H. Laity	
NMR assignment of the reduced and oxidized forms of the human ADAP hSH3-1 domain	94
J. Zimmermann and C. Freund	
Instructions for Authors	95–99

Vol. 32 No. 2 June 2005*Articles*

Can PISEMA experiments be used to extract structural parameters for mobile β-barrels?	101–111
D.W. Bleile, W.R.P. Scott and S.K. Straus	
qTROSY – a novel scheme for recovery of the anti-TROSY magnetisation	113–127
T. Diercks and V.Y. Orekhov	
Resolution enhanced homonuclear carbon decoupled triple resonance experiments for unambiguous RNA structural characterization	129–139
K.T. Dayie	
Fast acquisition of NMR spectra using Fourier transform of non-equispaced data	141–150
D. Marion	
Relating side-chain mobility in proteins to rotameric transitions: Insights from molecular dynamics simulations and NMR	151–162
H. Hu, J. Hermans and A.L. Lee	
Off-resonance rotating-frame amide proton spin relaxation experiments measuring micro-second chemical exchange in proteins	163–173
P. Lundström and M. Akke	

Letters to the Editor: New NMR assignments

NMR backbone assignment of the mitogen-activated protein (MAP) kinase p38	
M. Vogtherr, K. Saxena, S. Grimme, M. Betz, U. Schieborr, B. Pescatore, T. Langer and H. Schwalbe	175
Resonance assignments for the DNA binding domain of ERCC-1/XPF heterodimer	
M. Masuyama, S. Ishino, T. Nishino, H. Moriuchi, H. Ueno, K. Morikawa and S. Tate	175
^1H, ^{13}C and ^{15}N resonance assignments of the backbone and methyl groups of the 24 kDa tetratricopeptide repeat domain in p67$^{\text{phox}}$	
S. Yoshida, K. Ogura, M. Yokochi, S. Yuzawa, M. Horiuchi, H. Morioka, H. Sumimoto and F. Inagaki	176

Resonance assignment of ABA-1A, from <i>Ascaris suum</i> nematode polyprotein allergen	349
N.A.G. Meenan, A. Cooper, M.W. Kennedy and B.O. Smith	176
Backbone ^1H, ^{13}C, and ^{15}N assignments of a 56 kDa <i>E. coli</i> nickel binding protein NikA	176
S. Rajesh, J.G. Heddle, K. Kurashima-Ito, D. Nietlispach, M. Shirakawa, J.R.H. Tame and Y. Ito	177
A complete backbone assignment of the apolipoprotein E LDL receptor binding domain	177
C. Xu, A. Sivashanmugam, D. Hoyt and J. Wang	177
Main chain ^1H, ^{13}C, and ^{15}N resonance assignments of the 42-kDa enzyme arginine kinase	178
O. Davulcu, S.A. Clark, M.S. Chapman and J.J. Skalicky	178
NMR assignment of the vaccinia virus envelope protein A27L	178
F.-I. Chu, Y. Ho and D.-L.M. Tzou	178

Vol. 32 No. 3 July 2005

Articles

Iron responsive element RNA flexibility described by NMR and isotropic reorientational eigenmode dynamics	179–193
S.A. Showalter, N.A. Baker, C. Tang and K.B. Hall	179–193
Water–protein hydrogen exchange in the micro-crystalline protein Crh as observed by solid state NMR spectroscopy	195–207
A. Böckmann, M. Juy, E. Bettler, L. Emsley, A. Galinier, F. Penin and A. Lesage	195–207
Solution structure of the second PDZ domain of the neuronal adaptor X11α and its interaction with the C-terminal peptide of the human copper chaperone for superoxide dismutase	209–218
A.E. Duquesne, M. de Ruijter, J. Brouwer, J.W. Drijfhout, S.B. Nabuurs, C.A.E.M. Spronk, G.W. Vuister, M. Ubbink and G.W. Canters	209–218
Probabilistic identification of spin systems and their assignments including coil–helix inference as output (PISTACHIO)	219–233
H.R. Eghbalnia, A. Bahrami, L. Wang, A. Assadi and J.L. Markley	219–233
Cell-free protein synthesis in an autoinduction system for NMR studies of protein–protein interactions	235–241
K. Ozawa, S. Jergic, J.A. Crowther, P.R. Thompson, G. Wijffels, G. Otting and N.A. Dixon	235–241
SWET for secure water suppression on probes with high quality factor	243–250
P.S.C. Wu and G. Otting	243–250
<i>NMR structure note</i>	
Solution structure of an antifreeze protein CfAFP-501 from <i>Choristoneura fumiferana</i>	251–256
C. Li, X. Guo, Z. Jia, B. Xia and C. Jin	251–256
<i>Letters to the Editor: New NMR assignments</i>	
Resonance assignments for Mouse S100A13	257
V. Sivaraja, T.K.S. Kumar and C. Yu	257

NMR assignment of the barnacle cement protein <i>Mrcp-20k</i> R. Suzuki, Y. Mori, K. Kamino and T. Yamazaki	257
NMR assignment of new Thioredoxin-like protein <i>ykuV</i> from <i>Bacillus subtilis</i> X. Zhang, C. Yu, B. Xia and C. Jin	258
^1H, ^{15}N, and ^{13}C resonance assignments of human interleukin-2 D.C. Fry, S.D. Emerson, C.-M. Liu and R. Palermo	258
Sequential backbone assignment of peroxisome proliferator-activated receptor-γ ligand binding domain H. Riepl, R. Hartl, M. Bauer, H. Nar, S. Kauschke, H.R. Kalbitzer and T. Maurer	259
^1H, ^{13}C and ^{15}N chemical shift assignments of the C-terminal, 133-residue pseudo-receiver domain of circadian input kinase (CikA) in <i>Synechococcus elongatus</i> T. Gao, X. Zhang, Y. Xia, Y. Cho, J.C. Sacchettini, S.S. Golden and A.C. LiWang	259
^1H, ^{13}C and ^{15}N resonance assignments of a <i>Bcl-xL/Bad</i> peptide complex A.M. Petros, S.W. Fesik and E.T. Olejniczak	260
NMR assignment of the holo-ACP from malaria parasite <i>Plasmodium falciparum</i> A.K. Sharma, S.K. Sharma, N. Surolia and S.P. Sarma	260
GFT NMR based resonance assignment for the 21 kDa human protein UFC1 G. Liu, J. Aramini, H.S. Atreya, A. Eletsky, R. Xiao, T. Acton, L. Ma, G.T. Montelione and T. Szyperski	261
NMR assignments of the winged-helix domain of human Werner syndrome protein J.-Z. Sun, H.-Q. Feng, G.-X. Lin, W. Zeng and J.-S. Hu	261
NMR assignment of the novel <i>Helicobacter pylori</i> protein JHP1348 B.N. Borin, A. Popescu and A.M. Krezel	262
^1H, ^{13}C and ^{15}N backbone resonance assignment of the Hsp90 binding domain of human Cdc37 S. Sreeramulu, J. Kumar, C. Richter, M. Vogtherr, K. Saxena, T. Langer and H. Schwalbe	262

Vol. 32 No. 4 August 2005

Articles

Resolution-enhanced base-type-edited HCN experiment for RNA H. Van Melckebeke, A. Pardi, J. Boisbouvier, J.-P. Simorre and B. Brutscher	263–271
Interpreting dynamically-averaged scalar couplings in proteins K. Lindorff-Larsen, R.B. Best and M. Vendruscolo	273–280
A new amide proton $R_{1,\rho}$ experiment permits accurate characterization of microsecond time-scale conformational exchange C. Eichmüller and N.R. Skrynnikov	281–293
Residue specific ribose and nucleobase dynamics of the cUUCGg RNA tetraloop motif by NMR ^{13}C relaxation E. Duchardt and H. Schwalbe	295–308
Triple-resonance methods for complete resonance assignment of aromatic protons and directly bound heteronuclei in histidine and tryptophan residues F. Löhr, V.V. Rogov, M. Shi, F. Bernhard and V. Dötsch	309–328

*NMR structure note***Solution structure of the mouse enhancer of rudimentary protein reveals a novel fold**

H. Li, M. Inoue, T. Yabuki, M. Aoki, E. Seki, T. Matsuda, E. Nunokawa, Y. Motoda, A. Kobayashi, T. Terada, M. Shirouzu, S. Koshiba, Y.-J. Lin, P. Güntert, H. Suzuki, Y. Hayashizaki, T. Kigawa and S. Yokoyama

329–334

Letters to the Editors: New NMR assignments **^1H , ^{15}N and ^{13}C resonance assignments of the putative Bet v 1 family protein At1g24000.1 from *Arabidopsis thaliana***

J. Song, Q. Zhao, M.S. Lee and J.L. Markley

335

NMR assignment reveals an α -helical fold for the F-actin binding domain of human Bcr-Abl/c-Abl

S. Wiesner, O. Hantschel, C.D. Mackereth, G. Superti-Furga and M. Sattler

335

Sequential resonance assignment of the human BMP type II receptor extracellular domain

H. Yin, U. Ilangovan, A.P. Hinck and J.C. Lee

336

Complete assignment and secondary structure of the Brazil nut allergen Ber e 1

T. Tengel, M.J.C. Alcocer, J. Schleucher and G. Larsson

336

 ^1H , ^{15}N and ^{13}C resonance assignments of a protein involved in the autophagy process, At4g21980.1 from *Arabidopsis thaliana*

Y.K. Chae, K. Lee and J.L. Markley

337

Backbone NMR assignment of the C-terminal haemopexin-like domain (HPLD) of human matrix metalloproteinase MMP-13

D.M. Jacobs, S. Grimme, B. Elshorst, B. Pescatore, M. Vogtherr, M. Betz, U. Schieborr, T. Langer, K. Saxena, H. Schwalbe and K. Fiebig

337

Backbone assignment of the human E2 ubiquitin conjugating enzyme UbcH5 α (F72K,F82S) double mutant

K. Saxena, D.M. Jacobs, M. Vogtherr, S. Grimme, B. Elshort, B. Pescatore, M. Betz, U. Schieborr, T. Langer, H. Schwalbe and K. Fiebig

338

 ^1H , ^{15}N and ^{13}C resonance assignments of the heme-binding protein murine p22HBP

J.S. Dias, A.L. Macedo, G.C. Ferreira, N. Jeanty, S. Taketani, B.J. Goodfellow, F.C. Peterson and B.F. Volkman

338

NMR assignment of the apo and peptide-bound SH2 domain from the Rous sarcoma viral protein Src

J.D. Taylor, R.R. Fawaz, A. Ababou, M.A. Williams and J.E. Ladbury

339

 ^1H , ^{15}N and ^{13}C chemical shift assignments of the human Sulfiredoxin (hSrx)

D.-Y. Lee, S.G. Rhee, J. Ferretti and J.M. Gruschus

339

 ^1H , ^{13}C and ^{15}N sequence-specific resonance assignment and secondary structure of *Plasmodium falciparum* thioredoxin

C.E. Munte, K. Becker, R.H. Schirmer and H.R. Kalbitzer

340

NMR assignment of human ubiquitin conjugating enzyme Ubc7

K.B. Briggman, A. Majumdar, C.S. Coleman, V. Chau and J.R. Tolman

340

352

Author Index Volume 32, 2005	341–343
Key word Index Volume 32, 2005	345–346
Contents of Volume 32, 2005	347–352