Correction to: Minimizing sevoflurane wastage by sensible use of automated gas control technology in the flow-i workstation: an economic and ecological assessment

Alain F. Kalmar^{1,2} · Nicky Van Der Vekens³ · Frédéric De Rydt^{3,5} · Silvie Allaert³ · Marc Van De Velde^{4,5} · Jan Mulier^{1,2,6}

Published online: 14 February 2022
© The Author(s) 2022

Correction to:
Journal of Clinical Monitoring and Computing
<https://doi.org/10.1007/s10877-021-00803-z>

The article: “Minimizing sevoflurane wastage by sensible use of automated gas control technology in the flow-i workstation: an economic and ecological assessment”, written by Alain F. Kalmar, Nicky Van Der Vekens, Frédéric De Rydt, Silvie Allaert, Marc Van De Velde and Jan Mulier was originally published electronically on the publisher’s internet portal on 3 January 2022 without open access. With the author(s)’ decision to opt for Open Choice the copyright of the article changed on 19 February 2022 to ©The Author(s) 2022 and the article is forthwith distributed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes

were made. The images or other third party material in this article are included in the article’s Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The original article has been corrected.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

Publisher’s Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s10877-021-00803-z>.

✉ Alain F. Kalmar
Alainkalmar@gmail.com

- ¹ Department of Anesthesiology, Reanimation and Intensive Care, AZ Sint Jan Brugge-Oostende, Brugge, Belgium
- ² Department of Anesthesia, Ghent University, Gent, Belgium
- ³ Department of Anesthesia and Critical Care Medicine, Maria Middelaers Hospital, Gent, Belgium
- ⁴ Department of Cardiovascular Sciences, KU Leuven, Leuven, Belgium
- ⁵ Department of Anesthesiology, UZ Leuven, Leuven, Belgium
- ⁶ Department of Anesthesiology, KU Leuven - University of Leuven, Leuven, Belgium