



# Retraction Note: Effects of ultrasound-guided stellate-ganglion block on sleep and regional cerebral oxygen saturation in patients undergoing breast cancer surgery: a randomized, controlled, double-blinded trial

Feng Jin<sup>1</sup> · Xiao-qian Li · Wen-fei Tan<sup>1</sup> · Hong Ma<sup>1</sup> · Bo Fang<sup>1</sup> · A.-yong Tian<sup>1</sup> · Huang-wei Lu<sup>1</sup>

Published online: 1 June 2023  
© Springer Nature B.V. 2023

**Retraction Note: Journal of Clinical Monitoring and Computing**  
<https://doi.org/10.1007/s10877-017-0074-3>

Author Wen-fei Tan has stated that all authors disagree with this retraction.

The Editor-in-Chief has retracted this article. Concerns were raised regarding the data and figures in this article, specifically Fig. 3. There appear to be various sections of overlap between the different panels of this figure. On request the authors provided parts of the raw data but these did not appear to be sufficient to explain the apparent concerns. The Editor-in-Chief therefore no longer has confidence in the results reported in this article.

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

---

The original article can be found online at <https://doi.org/10.1007/s10877-017-0074-3>.

---

✉ Wen-fei Tan  
winfieldtan@hotmail.com

Feng Jin  
pp0807@163.com

Xiao-qian Li  
shirley037305@hotmail.com

Hong Ma  
mahong5466@yahoo.com

Bo Fang  
drunk0630@126.com

A.-yong Tian  
tianayong@126.com

Huang-wei Lu  
hw11998@yahoo.com

<sup>1</sup> Department of Anaesthesiology, The First Hospital of China Medical University, 155# Nanjingbei Street, Shenyang, China