



Correction to: Comparison of several models for fitting breakthrough curves of radionuclides transport in crushed rock: groundwater systems

Štefan Palágyi¹

Published online: 30 September 2019
© Akadémiai Kiadó, Budapest, Hungary 2019

Correction to:
Journal of Radioanalytical and Nuclear Chemistry
(2019) 321:1067–1071
<https://doi.org/10.1007/s10967-019-06651-1>

In the original publication of the article, Table 1 was published incorrectly. The correct version of Table 1 is given in this correction.

The original article can be found online at <https://doi.org/10.1007/s10967-019-06651-1>.

✉ Štefan Palágyi
istvan.palagyi@email.cz

¹ Department of Nuclear Chemistry, Faculty of Nuclear Sciences and Physical Engineering, Czech Technical University in Prague, 115 19 Prague, Czech Republic

Table 1 Parameters for calculation of breakthrough curves in respective models for $^{137}\text{Cs}^+$ transport in granite columns of 0.125–0.63 mm grain size

Parameter	Clark	Thomas	MDR	Yan	Yon-Nelson	Palágyi-Štamberg
A	10					
r	0.1					
n	1.01					
k_{Th}		0.05				
q_0		8	10			
M		1	8.15			
Q		0.1		0.25		
a_{MDR}			6			
b				20		
a				10		
k_{YN}					0.1	
τ					81.6	
n_{PV}	83.4	79.9	81.9	79.2	81.5	80.0
R_{mod}	83.4	79.9	81.9	79.2	81.5	80.0
Pe						25
ε (%)	4.0	0.4	2.1	1.2	1.6	0.2

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.