Correction to: Effect of Gd^{3+} doping on key structural, morphological, optical, and electrical properties of CdO thin films fabricated by spray pyrolysis using perfume atomizer

M. Ravikumar¹ · R. Chandramohan² · K. Deva Arun Kumar³ · S. Valanarasu³ · A. Kathalingam⁴ · V. Ganesh⁵ · Mohd Shkir⁵ · S. AlFaify⁵

Published online: 17 July 2019

© Springer Science+Business Media, LLC, part of Springer Nature 2019

Correction to: *J Sol-Gel Sci Technol* (2018) 85:31–40
<https://doi.org/10.1007/s10971-017-4528-3>

The original version of this article unfortunately published with incorrect version of Figs 2, 3 and 4. The corrected figures are update here.

The original article can be found online at <https://doi.org/10.1007/s10971-017-4528-3>

✉ Mohd Shkir
shkirphysics@gmail.com

¹ Department of Physics, Arumugam Pillai Seethai Ammal College, Tiruppattur 630211, India

² Department of Physics, Sree Sevugan Annamalai College, Devakottai 630303, India

³ PG and Research Department of Physics, Arul Anandar College, Karumathur 625514, India

⁴ Millimeter-Wave Innovation Technology Research Center (MINT), Dongguk University-Seoul, Seoul 04620, Republic of Korea

⁵ Advanced Functional Materials and Optoelectronic Laboratory (AFMOL), Department of Physics, Faculty of Science, King Khalid University, P.O. Box 9004, Abha 61413, Saudi Arabia

Fig. 2 FT-Raman spectra for Gd-doped CdO films

Fig. 3 FT-IR spectra for Gd-doped CdO films

Fig. 4 SEM micrographs for a) pure, b) 1%, c) 3%, d) 5% Gd and e) EDX spectra for 5% Gd doped CdO films