Correction to: Activation of ATM kinase by ROS generated during ionophore-induced mitophagy in human T and B cell malignancies

Aloke Sarkar¹ · Varsha Gandhi^{1,2,3}

Published online: 22 May 2021

© Springer Science+Business Media, LLC, part of Springer Nature 2021

Correction to:

Molecular and Cellular Biochemistry (2021) 476:417–423
<https://doi.org/10.1007/s11010-020-03917-1>

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article was published with a mistake in reporting the origin of a cell line. The sentence in “Cell lines” under “Methods” stated “Mec1 (a kind gift from Dr. Maria Teresa S Bertilaccio, MD Anderson Cancer Center),...” should read as “MEC1 cells are a CD5^{low/-} CLL cell line established from a CLL patient in polymphocytoid transformation to B-PLL (Stacchini A, Aragno M, Vallario A, Alfano A, Circosta P, Gottardi D, Faldella A, Rege-Cambrin G, Thunberg U, Nilsson K, Caligaris-Cappio F. MEC1 and MEC2: two new cell lines derived from B-chronic lymphocytic leukaemia in polymphocytoid transformation. *Leuk Res.* 1999 Feb;23(2):127–136. doi: [https://doi.org/10.1016/s0145-2126\(98\)00154-4](https://doi.org/10.1016/s0145-2126(98)00154-4). PMID: 10071128), obtained from Deutsche Sammlung von Mikroorganismen und Zellkulturen (DMSZ) and cultured in RPMI-1640 medium with 10% fetal bovine serum and gentamicin...”.

The original article can be found online at <https://doi.org/10.1007/s11010-020-03917-1>.

✉ Aloke Sarkar
asarkar@mdanderson.org

✉ Varsha Gandhi
vgandhi@mdanderson.org

¹ Department of Experimental Therapeutics, The University of Texas MD Anderson Cancer Center, Unit 1950, 1901 East Road, Houston, TX 77054, USA

² Department of Leukemia, The University of Texas MD Anderson Cancer Center, Houston, TX, USA

³ The University of Texas MD Anderson Cancer Center UT Health Graduate School of Biomedical Sciences, Houston, TX, USA