



Correction to: NLK is a key regulator of proliferation and migration in gallbladder carcinoma cells

Zhujun Tan¹ · Maolan Li¹ · Wenguang Wu¹ · Lin Zhang¹ · Qichen Ding¹ · Xiangsong Wu¹ · Jiasheng Mu¹ · Yingbin Liu¹

Published online: 5 October 2021

© Springer Science+Business Media, LLC, part of Springer Nature 2021

Correction to:

Molecular and Cellular Biochemistry (2012) 369:27–33
<https://doi.org/10.1007/s11010-012-1365-0>

Unfortunately, in the original publication of the article, Fig. 4a was published incorrectly. The correct version of Fig. 4 is provided in this correction.

The original article can be found online at <https://doi.org/10.1007/s11010-012-1365-0>.

✉ Yingbin Liu
liuybphd@126.com

¹ Department of General Surgery, Xinhua Hospital, Affiliated to School of Medicine, Shanghai Jiao Tong University, 1665 Kongjiang Road, Shanghai 200092, China

Fig. 4 Effects of loss-of function of NLK on migration of GBC-SD and SGC-996 cells. **a** Representative photos of crystal violet stained GBC-SD cells that migrated through the polycarbonate membranes. **b** Statistical plot of the average number of migrated GBC-SD cells in each group. Graph showed mean \pm SD, *** represents $P < 0.001$. **c** Quantitative measurement of the migrated GBC-SD cells by using spectrophotometer (graph shows mean \pm SD, ** represents $P < 0.01$). **d** Statistical plot of the average number of migrated SGC-996 cells in each group. Graph showed mean \pm SD, *** represents $P < 0.001$. **e** Quantitative measurement of the migrated SGC-996 cells by using spectrophotometer (graph shows mean \pm SD, *** represents $P < 0.001$). All the results showed that the number of GBC-SD and SGC-996 cells which migrated through the Polycarbonate Membranes was significantly decreased in the Lv-shNLK infected group

