

Retraction Note to: An analysis of population structure and linkage disequilibrium using multilocus data in 187 maize inbred lines

Chuanxiao Xie · Marilyn Warburton ·
Mingshun Li · Xinhai Li · Muji Xiao ·
Zhuanfang Hao · Qi Zhao · Shihuang Zhang

Published online: 8 March 2011
© Springer Science+Business Media B.V. 2011

Retraction Note to: Mol Breeding (2008) 21:407–418
DOI 10.1007/s11032-007-9140-8

This article is retracted because of inappropriate re-use of some of the figures and text by the authors without the necessary permissions.

The online version of the original article can be found under doi:[10.1007/s11032-007-9140-8](https://doi.org/10.1007/s11032-007-9140-8).

C. Xie · M. Li · X. Li · M. Xiao · Z. Hao · S. Zhang (✉)
National Key Facility of Crop Gene Resources and
Genetic Improvement, Institute of Crop Science, Chinese
Academy of Agricultural Sciences, 12 Zhong-guan-cun
South St., 100081 Beijing, P.R. China
e-mail: cshzhang2000@yahoo.com.cn; cxxie@caas.net.cn

M. Warburton
Applied Biotechnology Center CIMMYT Apdo, Apdo.
Postal 6-641, Mexico, D.F. 06600, Mexico

Q. Zhao
Life School, Beijing Capital Normal University, Beijing,
P.R. China