

## Erratum to: Smart pathological brain detection system by predator-prey particle swarm optimization and single-hidden layer neural-network

Hainan Wang<sup>1</sup> · Yiding Lv<sup>1</sup> · Hong Chen<sup>2</sup> · Yujie Li<sup>3</sup> · Yin Zhang<sup>4</sup> · Zhihai Lu<sup>1</sup>

Published online: 11 March 2017  
© Springer Science+Business Media New York 2017

**Erratum to: Multimed Tools Appl**  
**DOI 10.1007/s11042-016-4242-0**

In the original publication, the Fig. 3 was incorrectly presented. The white background of “44” in Fig. 3b should be removed. This figure was corrected in the original.

---

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11042-016-4242-0>

---

- ✉ Yujie Li  
liyujie@yzu.edu.cn
- ✉ Yin Zhang  
yin.zhang.cn@ieee.org
- ✉ Zhihai Lu  
luzhihai@njnu.edu.cn

<sup>1</sup> School of Computer Science and Technology & School of Education Science, Nanjing Normal University, Nanjing, Jiangsu 210023, China

<sup>2</sup> Department of Neurology, First Affiliated Hospital of Nanjing Medical University, Nanjing 210029, China

<sup>3</sup> School of Information Engineering, Yangzhou University, Yangzhou, China

<sup>4</sup> School of Information and Safety Engineering, Zhongnan University of Economics and Law, Wuhan, Hubei 430073, China