

## Expression and significance of EGFR in malignant peripheral nerve sheath tumor

Daniel Keizman · Josephine Issakov · Isaac Meller ·  
Natalie Maimon · Maya Ish-Shalom · Osnat Sher ·  
Ofer Merimsky

Published online: 5 August 2009  
© Springer Science+Business Media, LLC. 2009

**Erratum to: J Neurooncol**  
**DOI 10.1007/s11060-009-9862-z**

The fourth author's family name was misspelled in the original publication. It is correctly shown in this erratum.

---

The online version of the original article can be found under  
doi:[10.1007/s11060-009-9862-z](https://doi.org/10.1007/s11060-009-9862-z).

---

D. Keizman · N. Maimon · O. Merimsky (✉)  
Unit of Bone and Soft Tissue Oncology, Division of Oncology,  
Tel Aviv Sourasky Medical Center (TASMC), Affiliated with  
Sackler School of Medicine, Tel-Aviv University, 6 Weizmann  
Street, 64239 Tel Aviv, Israel  
e-mail: Merimsky@zahav.net.il

J. Issakov · O. Sher  
Unit of Bone and Soft Tissue Pathology, Tel Aviv Sourasky  
Medical Center (TASMC), Affiliated with Sackler School of  
Medicine, Tel-Aviv University, Tel Aviv, Israel

I. Meller  
The National Unit of Orthopedic Oncology, Tel Aviv Sourasky  
Medical Center (TASMC), Affiliated with Sackler School of  
Medicine, Tel-Aviv University, Tel Aviv, Israel

M. Ish-Shalom  
Department of Endocrinology, Tel Aviv Sourasky Medical  
Center (TASMC), Affiliated with Sackler School of Medicine,  
Tel-Aviv University, Tel Aviv, Israel