Correction to: A complex mechanism for HDGF-mediated cell growth, migration, invasion, and TMZ chemosensitivity in glioma

Ye Song^{1,2} · Zheng Hu¹ · Hao Long¹ · Yuping Peng¹ · Xi'an Zhang¹ · Tianshi Que¹ · Shihao Zheng¹ · Zhiyong Li¹ · Gang Wang¹ · Liu Yi¹ · Zhen Liu^{2,3} · Weiyi Fang² · Songtao Qi¹

Published online: 8 October 2020
© Springer Science+Business Media, LLC, part of Springer Nature 2020

Correction to:
Journal of Neuro-Oncology (2014) 119:285–295
<https://doi.org/10.1007/s11060-014-1512-4>

These errors do not affect the findings or conclusions of the article. The authors apologize for any inconvenience caused.

In the original publication, there are errors in Fig. 3D and Fig. 5C and they are corrected as shown below.

The original article can be found online at <https://doi.org/10.1007/s11060-014-1512-4>.

✉ Zhen Liu
narcissus_jane@163.com

✉ Weiyi Fang
fangweiyi1975@163.com

✉ Songtao Qi
qisongtaosjwk@163.com

¹ Department of Neurosurgery, Nanfang Hospital, Southern Medical University, Guangzhou, Guangdong, People's Republic of China

² Cancer Research Institute of Southern Medical University, Guangzhou, Guangdong, People's Republic of China

³ Department of Pathology, Basic School of Guangzhou Medical College, Guangzhou, Guangdong, People's Republic of China

◀**Fig. 3** HDGF expression knockdown decreases cell migration and invasion. The U251 si-Ctr panel in Fig. 3e is replaced with an appropriate graph

Fig. 5 HDGF downregulation enhances TMZ-induced cytotoxicity and apoptosis in glioma cells. The U87 pLV-Ctr+TMZ panel in Fig. 5c is replaced with an appropriate graph

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.