CORRECTION

Correction to: Design and experimental validation of a nonlinear controller for underactuated surface vessels

Wei Xie · Joel Reis · David Cabecinhas ·
Carlos Silvestre

Published online: 3 March 2021
© Springer Nature B.V. 2021

Correction to: *Nonlinear Dyn* (2020) 102:2563–2581
<https://doi.org/10.1007/s11071-020-06058-8>

The correct Figs. 2, 3, 4, 5, and 6 are shown in the correction article.

The original article has been corrected.

The original article can be found online at <https://doi.org/10.1007/s11071-020-06058-8>.

W. Xie · J. Reis · C. Silvestre (✉)
Faculty of Science and Technology, University of Macau,
Taipa, Macau, China
e-mail: csilvestre@um.edu.mo

D. Cabecinhas
Institute for Systems and Robotics, Instituto Superior Técnico,
Universidade de Lisboa, 1049-001 Lisbon, Portugal

Fig. 2 Simulated exogenous perturbations

Fig. 3 Top view of desired and actual trajectories. Squares and stars mark the start and end points, respectively, of each trajectory

Fig. 4 Evolution of the error variables

Fig. 5 Thrust actuation versus speed profile

Fig. 6 Torque actuation versus angular velocity

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.