Correction to: Influence of Plasma Treatments on the Hemocompatibility of PET and PET + TiO₂ Films

Ionut Topala¹ · Nicoleta Dumitrascu¹ · Valentin Pohoata¹

Published online: 6 June 2020

© Springer Science+Business Media, LLC, part of Springer Nature 2020

Correction to: Plasma Chem Plasma Process (2008) 28:535–551

<https://doi.org/10.1007/s11090-008-9136-0>

The Editor-in-Chief would like to alert readers that due to an administrative error, the article [1] has been republished in the same journal as [2]. The correct citation for this article should be the original publication [1].

References

1. Topala I, Dumitrascu N, Pohoata V (2007) Influence of plasma treatments on the hemocompatibility of PET and PET + TiO₂ films. Plasma Chem Plasma Process 27:95–112. <https://doi.org/10.1007/s11090-006-9046-y>
2. Topala I, Dumitrascu N, Pohoata V (2008) Influence of plasma treatments on the hemocompatibility of PET and PET + TiO₂ films. Plasma Chem Plasma Process 28:535–551. <https://doi.org/10.1007/s11090-008-9136-0>

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s11090-008-9136-0>.

✉ Ionut Topala
itopala@plasma.uaic.ro

¹ Plasma Physics Laboratory, Faculty of Physics, Alexandru Ioan Cuza University, Blvd. Carol I, No. 11, 700506 Iasi, Romania