

# Erratum to: Nanobubble Ultrasound Contrast Agents for Enhanced Delivery of Thermal Sensitizer to Tumors Undergoing Radiofrequency Ablation

Reshani H. Perera • Luis Solorio • Hanping Wu • Mihika Gangolli • Eric Silverman • Christopher Hernandez • Pubudu M. Peiris • Ann-Marie Broome • Agata A. Exner

Published online: 12 February 2014  
© Springer Science+Business Media New York 2014

**Erratum to: Pharm Res**  
**DOI 10.1007/s11095-013-1100-x**

In the **Materials and Methods** section under the heading **Ultrasound-Mediated Delivery of Pluronic *In Vitro***, there is an error at the end of the third sentence. The parenthetical statement should read **“(1:2 in PBS)”**.

---

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11095-013-1100-x>.

---

R. H. Perera • L. Solorio • H. Wu • C. Hernandez • P. M. Peiris •  
A. A. Exner (✉)  
Case Center for Imaging Research, Department of Radiology  
Case Western Reserve University, 11100 Euclid Ave, Cleveland  
Ohio 44106-5056, USA  
e-mail: [agata.exner@case.edu](mailto:agata.exner@case.edu)

M. Gangolli • E. Silverman • P. M. Peiris  
Department of Biomedical Engineering, Case Western Reserve  
University, 11100 Euclid Ave, Cleveland, Ohio 44106, USA

A.-M. Broome  
Department of Radiology and Radiological Sciences, Center for  
Biomedical Imaging, Charleston, South Carolina 29425, USA