

Erratum to: Biomass production and relative competitiveness of a C₃ legume and a C₄ grass co-dominant in the semiarid Loess Plateau of China

Bingcheng Xu · Weizhou Xu · Jin Huang · Lun Shan · Fengmin Li

Published online: 4 April 2012
© Springer Science+Business Media B.V. 2012

Erratum to: Plant Soil (2011) 347:25–39
DOI 10.1007/s11104-011-0724-z

Owing to an error during the submission process, the original article was inadvertently published with an incorrect version of Fig. 6. The correct image and caption is shown here.

Responsible Editor: Tibor Kalapos.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11104-011-0724-z>.

B. Xu (✉) · J. Huang · L. Shan
Institute of Soil and Water Conservation,
Northwest A & F University,
Yangling, Shaanxi 712100, China
e-mail: Bcxu@ms.iswc.ac.cn

B. Xu · J. Huang · L. Shan
State Key Laboratory of Soil Erosion and Dryland Farming
on the Loess Plateau, Institute of Soil and Water
Conservation, Chinese Academy of Sciences
and Ministry of Water Resources,
Yangling, Shaanxi 712100, China

W. Xu
College of Life Science, Northwest A & F University,
Yangling, Shaanxi 712100, China

F. Li
MoE Key Laboratory of Arid and Grassland Ecology,
School of Life Science, Lanzhou University,
Lanzhou, Gansu 730000, China

Fig. 6 Transpiration efficiency (TE) based on total biomass and water transpired from *Bothriochloa ischaemum* and *Lespedeza davurica* at different mixture ratios within the replacement series under high (HW), medium (MW) and low water (LW) treatments. Vertical lines are standard errors

