

CORRECTION

Correction to: Neighbourhood stories: role of neighbour identity, spatial location and order of arrival in legume and non-legume initial interactions

Emanuela W. A. Weidlich · Vicky M. Temperton ·
Marc Faget

Published online: 6 January 2018
© Springer International Publishing AG, part of Springer Nature 2017

Correction to: Plant Soil
<https://doi.org/10.1007/s11104-017-3398-3>

The original version of this article unfortunately contained a mistake. Figures 2 and 3 were published erroneously.

Figures have now been corrected.

The online version of the original article can be found at <https://doi.org/10.1007/s11104-0173398-3>

E. W. A. Weidlich · V. M. Temperton · M. Faget
Institute for Bio & Geosciences (IBG-2), Plant Sciences,
Forschungszentrum Jülich GmbH, Wilhelm-Johnen-Straße,
52428 Jülich, Germany

V. M. Temperton
e-mail: vicky.temperton@leuphana.de

M. Faget
e-mail: marc.faget@gmail.com

E. W. A. Weidlich (✉) · V. M. Temperton
Institute of Ecology, Leuphana University Lüneburg,
Schamhorststraße 1, 21335 Lüneburg, Germany
e-mail: emanuela.weidlich@leuphana.de

Fig. 2 Effects of the treatments on maize aboveground biomass, leaf %N and C/N. Treatments names are explained in Fig. 1a. The values are means plus/minus one standard error of the mean. Different letters show significant differences between treatments (ANOVA followed by a Newman and Keuls test, $P < 0.05$)




Fig. 3 Effects of the treatments on maize total, lateral and first order root length density. Treatments names are explained in Fig. 1a. The values are means plus/minus one standard error of the mean. Different letters show significant differences between treatments (ANOVA followed by a Newman and Keuls test, $P < 0.05$)

