



Correction to: Revealing the underlying mechanisms mediated by endophytic actinobacteria to enhance the rhizobia—chickpea (*Cicer arietinum* L.) symbiosis

Ting Xu · Q. A. Tuan Vo · Steve J. Barnett ·
Ross A. Ballard · Yonghua Zhu ·
Christopher M. M. Franco

Published online: 24 March 2022
© Springer Nature Switzerland AG 2022

Correction to: Plant Soil

<https://doi.org/10.1007/s11104-022-05335-2>

The original version of the article unfortunately contained an error in Table 6. It contains a repeat of the Turretfield soil data. The new Table 6 contains the correct data for the Lameroo soil.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The

The original article can be found online at <https://doi.org/10.1007/s11104-022-05335-2>.

T. Xu · Q. A. T. Vo · S. J. Barnett · C. M. M. Franco (✉)
Medical Biotechnology, College of Medicine and Public
Health, Flinders University, GPO Box 2100, Adelaide,
SA 5001, Australia
e-mail: chris.franco@flinders.edu.au

T. Xu
e-mail: seesaw0105@outlook.com

Q. A. T. Vo
e-mail: tuan.vo@uq.edu.au

S. J. Barnett
e-mail: steve.barnett2@sa.gov.au

T. Xu · Y. Zhu
Hunan Province Key Laboratory of Plant Functional
Genomics and Developmental Regulation, College
of Biology, Hunan University, Changsha 410082, Hunan,

People's Republic of China
e-mail: zyh20@hotmail.com

T. Xu
Hunan Academy of Forestry, Changsha 410004, Hunan,
People's Republic of China

S. J. Barnett · R. A. Ballard
South Australian Research and Development Institute,
GPO Box 397, Adelaide, SA 5001, Australia
e-mail: ross.ballard@sa.gov.au

Table 6 Effect of endophytic actinobacteria (CP strains) on the nodulation and growth of chickpea in Turretfield soil that contains rhizobia and in Lameroo soil that has been co-inoculated with *M. ciceri* strain CC1192. Chickpea seeds were coated with actinobacteria in 0.3% xanthan gum. Seeds for N+ and N- control plants and Rhizobium only treatments were

coated with 0.3% xanthan gum. Plants were harvested 6 weeks after sowing. Values are Means \pm SD (n=4 pots, 4 plants per pot). R=*M. ciceri* strain CC1192. Different letters within a column indicate significant differences among treatments (One-way ANOVA and Duncan's multirange tests, $p < 0.05$)

Treatments	Nodules /plant	Nodule weight (mg DM/plant)	Shoot weight (mg DM/plant)	Root weight (mg DM/plant)	Total weight (mg DM/plant)
Turretfield soil					
N + control	0.0 \pm 0.0 d	0.0 \pm 0.0 c	684.6 \pm 73.5 bc	298.5 \pm 79.4 b	983.1 \pm 142.5 c
N- control	0.0 \pm 0.0 d	0.0 \pm 0.0 c	666.3 \pm 69.8 c	301.5 \pm 49.9 b	967.8 \pm 89.7 c
CP56	1.3 \pm 0.4 c	1.3 \pm 0.5 b	895.2 \pm 142.5 abc	547.8 \pm 38.9 a	1443.0 \pm 158.1 a
CP84B	10.7 \pm 1.7 a	5.6 \pm 1.0 a	819.7 \pm 118.8 abc	458.9 \pm 51.7 b	1278.6 \pm 157.9 b
CP200B	7.3 \pm 1.6 b	4.1 \pm 0.8 a	987.0 \pm 135.8 a	551.5 \pm 83.5 a	1538.5 \pm 185.4 a
CP21A2	1.2 \pm 0.4 c	1.2 \pm 0.3 b	951.1 \pm 157.5 ab	507.4 \pm 84.9 a	1458.5 \pm 195.8 a
Lameroo soil					
N + control	0.0 \pm 0.0 c	0.0 \pm 0.0 c	556.7 \pm 48.8 c	115.0 \pm 41.7 e	671.7 \pm 80.3 d
N- control	0.0 \pm 0.0 c	0.0 \pm 0.0 c	500.4 \pm 71.4 c	312.3 \pm 56.0 d	812.7 \pm 119.4 c
R only	2.4 \pm 1.5 b	5.25 \pm 1.1 b	511.6 \pm 74.2 c	309.0 \pm 55.7 cd	820.6 \pm 108.5 c
R + CP56	3.7 \pm 0.9 a	6.2 \pm 1.0 b	677.2 \pm 133.0 ab	454.3 \pm 65.8 bc	1131.5 \pm 136.8 b
R + CP84B	3.3 \pm 1.5 ab	9.62 \pm 2.7 ab	720.3 \pm 99.7 a	511.2 \pm 72.4 ab	1231.5 \pm 149.5 ab
R + CP200B	2.6 \pm 0.6 b	8.0 \pm 1.4 ab	714.6 \pm 80.4 a	632.2 \pm 131.1 a	1346.8 \pm 163.9 a
R + CP21A2	2.3 \pm 1.2 b	12.8 \pm 4.0 a	628.2 \pm 67.3 ab	418.8 \pm 48.5 bcd	1047.0 \pm 108.1 b

images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.