



Mediation analysis in recursive systems of distributed-lag linear regressions

Alessandro Magrini¹

Accepted: 29 June 2021 / Published online: 8 July 2021
© The Author(s) 2021

Abstract

Recursive systems of linear regressions is a consolidated methodology for mediation analysis, allowing to determine causal effects of interest in a closed form based on the regression coefficients. In a dynamic perspective, distributed-lags can be added to each regression in order to represent causal effects persisting over several periods. However, mediation analysis in the dynamic case is challenging, because causal effects depend on the time lag, and a general procedure to compute their lag distribution based on the regression coefficients is currently missing. In this paper, we formalize the rules to perform mediation analysis in recursive systems of distributed-lag linear regressions, here called Distributed-lag Linear Recursive Models (DLRMs). Firstly, mediation analysis is based on the Directed Acyclic Graph (DAG) representation of the DLRM, then a DAG-free algorithm is proposed to improve computational efficiency. Our DAG-free algorithm is applied to a DLRM representing the impact pathways of agricultural research expenditure towards poverty reduction in rural areas.

Keywords Dynamic causal effects · Impact pathways · Lag attribution · Linear Markovian models · Multivariate time series

1 Introduction

The use of recursive systems of linear regressions for mediation analysis has a long history rooted to path analysis (Wright 1934) and enriched by several contributions from the 1940s to the 1980s (Haavelmo 1943; Koopmans et al. 1950; Wold 1954, 1960; Duncan 1966; Wermuth 1980; Baron and Kenny 1986). The term ‘recursive’ means that the regressions imply an acyclic dependence structure, i.e., no variable can influence itself, and the random errors are uncorrelated, i.e., further variables are not important to describe the relationships among the considered ones. Recursive systems of linear regressions are known with several different names, including simultaneous equation models (Greene 2008, Chapter 13), linear recursive equations (Wermuth 1980) and linear Markovian models (Pearl 2000; Wermuth and Cox 2015). Here, we refer to them as Linear Recursive Models (LRMs). In a

✉ Alessandro Magrini
alessandro.magrini@unifi.it

¹ Department of Statistics, Computer Science, Applications, University of Florence, Florence, Italy

LRM, it is possible to determine causal effects of interest in a closed form based on the regression coefficients (Fox 1985; Sobel 1990; Chen 2017), making mediation analysis simple to perform. For this reason, LRMs are still very popular in many applied research fields, including econometrics, psychology, sociology and medicine.

In a dynamic perspective, lagged instances of the same explanatory variable (distributed-lags) can be added to each regression in order to represent causal effects persisting over several periods. The resulting model is here called Distributed-lag Linear Recursive Model (DLRM). The use of cross-sectional mediation models like LRMs for mediation analysis has been heavily criticized in recent years, because causal effects persisting over several periods may not be identified (Cole and Maxwell 2003; Maxwell and Cole 2007; Maxwell et al. 2011; Mitchell and Maxwell 2013). Longitudinal mediation models like DLRLMs represent an appropriate methodology in the dynamic case, but they still entail several critical issues threatening the consistency of the estimates and thus the identification of causal effects. These issues include: (i) non-stationary time series, (ii) unmeasured confounding, (iii) lag attribution.

Non-stationary time series involve causal effects depending not only on the time lag, but also on the time point, thus they may not be identified. In order to ensure a consistent estimation of causal effects in the dynamic case, the time series should be stationary at least in a weak sense, i.e., they should have expected value and autocorrelation function constant in time, a property often called stability (Cole and Maxwell 2003; Maxwell and Cole 2007; Mitchell and Maxwell 2013).

Unmeasured confounding is the most common source of inconsistency in cross-sectional mediation analysis, which typically arises from omitted variables and/or omitted relationships and may generate correlation between some random errors. Addressing unmeasured confounding in the dynamic case is more difficult, because omitting a variable or a relationship between two variables may also generate autoregressive effects or autocorrelated errors (Cole and Maxwell 2003; Goldsmith et al. 2018).

A further potential source of inconsistency in longitudinal mediation models is the determination of the number of lags to consider for each direct causal effect, a problem known as lag attribution. Specifying an insufficient number of lags for a direct causal effect equates to the omission of relevant causes, which in this case are represented by specific temporal instances of a variable in the model. Such omission may lead to lack of identification not only for the considered direct causal effect, but also for all the indirect and/or total causal effects deriving from it (Cain et al. 2018; Reichardt 2011; Goldsmith et al. 2018).

This paper contributes to the literature on dynamic mediation analysis by providing a general procedure for DLRLMs to compute the lag distribution of causal effects of interest based on the regression coefficients. Borrowing from the methodology for the computation of causal effects in LRMs, mediation analysis in DLRLMs is firstly based on the Directed Acyclic Graph (DAG) encoding the dependence structure among the variables. Secondly, since the DAG of a DLRLM includes all the temporal instances of each variable, DAG-based computation of causal effects may be extremely expensive for high time lags. For this reason, we also propose a DAG-free algorithm to improve computational efficiency. Our proposal assumes that the DAG and the coefficients are known a-priori or have been consistently estimated from data, thus topics like causal discovery and identification of causal effects go beyond the purpose of this paper.

This paper is organized as follows. In Sect. 2, the current methodology for mediation analysis in LRMs is refreshed. Although this section does not contain novelties with respect to existing literature, it is important to introduce the notation used throughout the paper and to provide a starting point for the definition of DLRLMs. In Sect. 3, we formalize

the class of DLRLMs, then we derive DAG-based rules for mediation analysis and present the DAG-free algorithm. In Sect. 4, our algorithm is applied to a DLRLM representing the impact pathways of agricultural research expenditure towards poverty reduction in rural areas. Section 5 includes concluding remarks and considerations on future developments.

2 Mediation analysis in linear recursive models

Let X_1, \dots, X_p be a set of $p \geq 2$ quantitative random variables. A Linear Recursive Model (LRM) on X_1, \dots, X_p is defined as:

$$\begin{cases} X_1 = \alpha_1 + \varepsilon_1 \\ X_2 = \alpha_2 + \beta_{2,1}X_1 + \varepsilon_2 \\ \dots \\ X_j = \alpha_j + \sum_{i=1}^{j-1} \beta_{j,i}X_i + \varepsilon_j \\ \dots \\ X_p = \alpha_p + \sum_{i=1}^{p-1} \beta_{p,i}X_i + \varepsilon_p \end{cases} \tag{1}$$

where, for $j = 1, \dots, p$, variable X_j is regressed from X_1, \dots, X_{j-1} , so that α_j is the intercept, $\beta_{j,i}$ is the regression coefficient associated to X_i ($i = 1, \dots, j - 1$), and ε_j is the random error. It is assumed that the random errors $\varepsilon_1, \dots, \varepsilon_p$ have null expected value and are each other uncorrelated, i.e., $E(\varepsilon_i) = \text{Cov}(\varepsilon_i, \varepsilon_j) = 0 \forall i, j$. The system of equations in formula (1) can be written compactly as:

$$X_j = \alpha_j + \sum_{i=1}^p \beta_{j,i}X_i + \varepsilon_j \quad j = 1, \dots, p \quad \beta_{j,i} = 0 \forall j \leq i \tag{2}$$

We see that this system of equations implies an acyclic structural dependence between X_1, \dots, X_p , i.e., there is no way to write any variable as a function of itself. As a consequence, the structural dependence implied by a LRM can be represented by a Directed Acyclic Graph (DAG), where each variable is denoted by one node and, for each pair (i, j) , an edge is directed from the node denoting X_i to the node denoting X_j if and only if $\beta_{j,i} \neq 0$. The random errors can be omitted from the DAG of a LRM because they are each other uncorrelated (see Pearl 2000, page 30 and following).

Note that if $\beta_{j,i} \neq 0 \forall j > i$, then there is a direct dependence between each pair of variables, i.e., a saturated structural dependence holds between X_1, \dots, X_p , represented by a DAG where all the pairs of nodes are connected by an edge (Fig. 1, panel a). Instead, if $\beta_{j,i} = 0$ for a given $j > i$, then there is no direct dependence between variables X_i and X_j , represented by the absence of an edge between X_i and X_j in the DAG (Fig. 1, panel b–d). In the remainder, we will refer to the parents of a variable in a LRM as the variables with non-zero coefficient in the regression for that variable, or, equivalently, to the direct predecessors of that variable in the DAG.

Under the assumption that the regressions and the edges in the DAG have a causal interpretation, it is possible to exploit coefficients $\beta_{j,i}$ to compute the effect of a unit increase in one variable, say X_i , on the expected value of another variable, say X_j (Fox 1985; Sobel 1990; Chen 2017). Such effect is termed *total effect* and mediation analysis consists of its decomposition into the sum of several other effects, one for each path connecting X_i to X_j :




Fig. 1 DAGs representing several LRMs over variables X_1, X_2 and X_3 . **a** Saturated structural dependence. **b** Absence of a direct structural dependence between X_2 and X_3 . **c** Absence of a direct structural dependence between X_1 and X_2 ; **d** absence of a direct structural dependence between X_1 and X_3

the path composed by a single edge entails the *direct effect*, while each path composed by more than one edge entails an *indirect effect*.

In the following subsections, we illustrate the computation of causal effects of interest in a LRM based on the regression coefficients. Firstly, we illustrate the case with three variables (Sect. 2.1), then the general case with any number of variables is addressed (Sect. 2.2).

2.1 Computation with three variables

Consider a LRM involving three variables X_1, X_2 and X_3 with DAG displayed in Fig. 1a:

$$\begin{cases} X_1 = \alpha_1 + \varepsilon_1 \\ X_2 = \alpha_2 + \beta_{2,1}X_1 + \varepsilon_2 \\ X_3 = \alpha_3 + \beta_{3,1}X_1 + \beta_{3,2}X_2 + \varepsilon_3 \end{cases} \quad (3)$$

From the properties of linear regression, we deduce that coefficient $\beta_{2,1}$ represents the difference in the expected value of X_2 for a unitary increase in the value of X_1 :

$$\beta_{2,1} \equiv \Delta E(X_2 \mid \Delta X_1 = 1) \quad (4)$$

Instead, coefficient $\beta_{3,1}$ represents the difference in the expected value of X_3 for a unitary increase in the value of X_1 at constant value of X_2 :

$$\beta_{3,1} \equiv \Delta E(X_3 \mid \Delta X_1 = 1, \Delta X_2 = 0) \quad (5)$$

Similarly, coefficient $\beta_{3,2}$ represents the difference in the expected value of X_3 for a unitary increase in the value of X_2 at constant value of X_1 :

$$\beta_{3,2} \equiv \Delta E(X_3 \mid \Delta X_2 = 1, \Delta X_1 = 0) \quad (6)$$

Suppose that we are interested in the causal effect of X_1 on X_3 . In this case, we define the *total effect* as the difference in the expected value of X_3 for a unit increase in the value of X_1 whichever the value of X_2 , equating to:

$$TE(X_1, X_3) \equiv \Delta E(X_3 \mid \Delta X_1 = 1) = \beta_{3,1} + \beta_{2,1}\beta_{3,2} \tag{7}$$

where:

$$DE(X_1, X_3) = \beta_{3,1} \tag{8}$$

is the *direct effect* of X_1 on X_3 , entailed by the path $\langle X_1, X_2 \rangle$, and:

$$IE(X_1, X_3; \langle X_1, X_2, X_3 \rangle) = \beta_{2,1}\beta_{3,2} \tag{9}$$


is the *indirect effect* of X_1 on X_3 through (mediated by) X_2 , entailed by the path $\langle X_1, X_2, X_3 \rangle$. The motivation beyond formula (7) is that a unitary increase in the value of X_1 implies the activation of the two paths connecting X_1 to X_3 : $\langle X_1, X_3 \rangle$ (direct path) and $\langle X_1, X_2, X_3 \rangle$ (indirect path through X_2). The path $\langle X_1, X_3 \rangle$ is composed of a single edge, which, after a unit increase in the value of X_1 , entails a difference in the expected value of X_3 equal to $\beta_{3,1}$, thus $DE(X_1, X_3) = \beta_{3,1}$. Instead, the path $\langle X_1, X_2, X_3 \rangle$ is composed of two edges: (i) a first edge between X_1 and X_2 , which, after a unit increase in the value of X_1 , entails a difference in the expected value of X_2 equal to $\beta_{2,1}$; (ii) a second edge between X_2 and X_3 , which, after an increase equal to $\beta_{2,1}$ in the value of X_2 , entails a difference in the expected value of X_3 equal to $\beta_{2,1}\beta_{3,2}$. Thus, we conclude that the indirect effect of X_1 on X_3 through X_2 is equal to $\beta_{2,1}\beta_{3,2}$.

2.2 Computation with any number of variables

In the general case $p \geq 2$, the causal effect of X_i on X_j may involve more than one indirect effect, and the path entailing each indirect effect may be composed of more than two edges. Also, X_j may have other parents besides all the variables involved in any path connecting X_i and X_j .

Consider the LRM with DAG shown in Fig. 2, and suppose that we are interested in the causal effect of X_1 on X_8 . We see that there is the direct effect, entailed by the path $\langle X_1, X_8 \rangle$, and five indirect effects, entailed by paths $\langle X_1, X_7, X_8 \rangle$, $\langle X_1, X_6, X_8 \rangle$,

Fig. 2 The DAG of a LRM over eight variables



$\langle X_1, X_6, X_7, X_8 \rangle$, $\langle X_1, X_5, X_6, X_8 \rangle$ and $\langle X_1, X_5, X_6, X_7, X_8 \rangle$. The direct effect of X_1 on X_8 is equal to $\beta_{8,1}$, but the interpretation changes with respect to the previous example with three variables: since X_8 has other parents besides X_1 , precisely X_4 , X_6 and X_7 , the direct effect $\beta_{8,1}$ represents the difference in the expected value of X_8 for a unitary increase in the value of X_1 at constant values of X_4 , X_6 and X_7 :

$$DE(X_1, X_8) \equiv \Delta E(X_8 \mid \Delta X_1 = 1, \Delta X_4 = 0, \Delta X_6 = 0, \Delta X_7 = 0) = \beta_{8,1} \tag{10}$$

Based on the same arguments for the computation of the indirect effect in the previous example with three variables, we find:

$$\begin{aligned} IE(X_1, X_8; \langle X_1, X_7, X_8 \rangle) &= \beta_{7,1}\beta_{8,7} \\ IE(X_1, X_8; \langle X_1, X_6, X_8 \rangle) &= \beta_{6,1}\beta_{8,6} \\ IE(X_1, X_8; \langle X_1, X_6, X_7, X_8 \rangle) &= \beta_{6,1}\beta_{7,6}\beta_{8,7} \\ IE(X_1, X_8; \langle X_1, X_5, X_6, X_8 \rangle) &= \beta_{5,1}\beta_{6,5}\beta_{8,6} \\ IE(X_1, X_8; \langle X_1, X_5, X_6, X_7, X_8 \rangle) &= \beta_{5,1}\beta_{6,5}\beta_{7,6}\beta_{8,7} \end{aligned} \tag{11}$$

As a consequence, the total effect of X_1 on X_8 is:

$$\begin{aligned} TE(X_1, X_8) &\equiv \Delta E(X_8 \mid \Delta X_1 = 1, \Delta X_4 = 0) \\ &= \beta_{8,1} + \beta_{7,1}\beta_{8,7} + \beta_{6,1}\beta_{8,6} + \beta_{6,1}\beta_{7,6}\beta_{8,7} + \beta_{5,1}\beta_{6,5}\beta_{8,6} + \beta_{5,1}\beta_{6,5}\beta_{7,6}\beta_{8,7} \end{aligned} \tag{12}$$

equating to the difference in the expected value of X_8 for a unitary increase in the value of X_1 at constant values of the parents of X_8 which are not involved in any path between X_1 and X_8 (in this case, X_4).

In general, the direct effect of X_i on X_j is entailed by the direct path between X_i and X_j , i.e., $\langle X_i, X_j \rangle$, and is equal to the coefficient $\beta_{j,i}$, as formalized in Definition 1. In this view, each coefficient in a LRM represents a direct effect, which is associated to a specific edge in the DAG.

Definition 1 (*Direct effect in a LRM*) Let \mathbf{M} be the random vector including the variables in any path between X_i and X_j , excepting X_i and X_j , and \mathbf{W} be the random vector including the parents of X_j which are not in \mathbf{M} . The direct effect of X_i on X_j is defined as:

$$DE(X_i, X_j) \equiv \Delta E(X_j \mid \Delta X_i = 1, \Delta \mathbf{M} = \mathbf{0}, \Delta \mathbf{W} = \mathbf{0}) = \beta_{j,i} \tag{13}$$

□

Denote any indirect path between variables X_i and X_j as $\langle X_i, X_{d_1}, \dots, X_{d_m}, X_j \rangle$, where X_{d_1}, \dots, X_{d_m} are the mediating variables. For notational convenience, we set $X_{d_0} \equiv X_i$ and $X_{d_{m+1}} \equiv X_j$. Note that, for $m = 0$, the direct path $\langle X_i, X_j \rangle$ is obtained. The indirect effect of X_i on X_j through a specific set of mediating variables X_{d_1}, \dots, X_{d_m} is computed by multiplying the coefficients associated to each edge composing the path $\langle X_i, X_{d_1}, \dots, X_{d_m}, X_j \rangle$, as formalized in Definition 2.

Definition 2 (*Indirect effect in a LRM*) The indirect effect of X_i on X_j through variables X_{d_1}, \dots, X_{d_m} , is:

$$IE(X_i, X_j; \langle X_i, X_{d_1}, \dots, X_{d_m}, X_j \rangle) = \prod_{k=1}^{m+1} \beta_{d_k, d_{k-1}} \tag{14}$$

where $d_0 = i$ and $d_{m+1} = j$.

□

Note that, if applied to the direct path between X_i and X_j , i.e., $\langle X_i, X_j \rangle$, formula (14) returns the direct effect in formula (13). Finally, the total effect of X_i on X_j is obtained by summing the direct and all the indirect effects, as formalized in Definition 3.

Definition 3 (*Total effect in a LRM*) Let \mathbf{W} be the random vector including the parents of X_j which are not in any path between X_i and X_j . The total effect of X_i on X_j is defined as:

$$\begin{aligned} TE(X_i, X_j) &\equiv \Delta E(X_j \mid \Delta X_i = 1, \Delta \mathbf{W} = \mathbf{0}) \\ &= \sum_{\langle X_{d_0}, \dots, X_{d_{m+1}} \rangle: d_0=i \wedge d_{m+1}=j} \prod_{k=1}^{m+1} \beta_{d_k, d_{k-1}} \end{aligned} \tag{15}$$

□

3 Mediation analysis in distributed-lag linear recursive models

In a dynamic perspective, each of the random variables X_1, \dots, X_p has several instances, one for each time point. We denote the instance of variable X_j at time t as $X_{j,t}$. Under the assumption that time is a discrete variable and that the time series of X_1, \dots, X_p are weakly stationary, i.e., their expected value and autocorrelation function is constant in time, we define the dynamic version of a LRM, here called Distributed-lag Linear Recursive Model (DLRM), as:

$$\begin{aligned} X_{j,t} &= \alpha_j + \sum_{i=1}^p \sum_{l=0}^{\infty} \beta_{j,i}^{(l)} X_{i,t-l} + \epsilon_{j,t} \\ j &= 1, \dots, p \quad t = 0, \dots, \infty \quad \beta_{j,i}^{(l)} = 0 \quad \forall j \leq i \end{aligned} \tag{16}$$

Each model in a DLRM is a distributed-lag linear regression, thus, in contrast to a LRM, each coefficient depends on the time lag l . For $j = 1, \dots, p$, the set $\{\beta_{j,i}^{(l)} : l = 0, 1, \dots, \infty\}$ includes the coefficients associated to all the lags of X_i in the regression of X_j , and is called *lag distribution* for the direct effect of X_i on X_j . Each lag distribution is assumed to have infinite cardinality (infinite lag distribution), but it can be truncated at lag l^* by setting $\beta_{j,i}^{(l)} = 0 \quad \forall l > l^*$ (finite lag distribution). Note that, in a DLRM, the assumption of uncorrelated random errors implies the absence of autocorrelation in the errors of the same variable, i.e., for $j = 1, \dots, p$, we have $Cov(\epsilon_{j,s}, \epsilon_{j,t}) = 0 \quad \forall s \neq t$.

The DAG of a DLRM, here denoted as full DAG, includes all the temporal instances of variables X_1, \dots, X_p (Fig. 3a). However, it is always possible to convert the DAG of a DLRM into a static representation to highlight the structural dependence among the variables, at the cost of disregarding the lag attribution. For example, from Fig. 3b it is clear




Fig. 3 The DAG of a DLRM over three variables X_1 , X_2 and X_3 . **a** Full DAG. **b** Static DAG

that X_1 has a direct effect on both X_2 and X_3 , but the time lags at which each effect operates are not shown.

The computation of causal effects of interest in a DLRM is analogous to the one in LRMs, with the difference that it is conditioned to the time lag. Specifically, one can compute the direct effect, the indirect effects and the total effect of any variable to another one at specific time lags by applying the rules for LRMs detailed in Sect. 2 to the full DAG.

DAG-based computation of causal effects of interest in a DLRM is illustrated in Sect. 3.1. Since it requires to search for paths in the full DAG, DAG-based computation may become extremely expensive when performed at high time lags. Our DAG-free algorithm, detailed in Sect. 3.2, is equivalent to DAG-based computation but more efficient, because searching for paths is not required. Section 3.3 includes a discussion on mediation analysis in partially causal DLRMs, i.e., DLRMs including autoregressive effects.

3.1 DAG-based computation

Consider the DLRM with full DAG in Fig. 3a. The direct effect of X_1 on X_3 at lag 0, say $DE_0(X_1, X_3)$, is composed of the effects entailed by all the paths in the full DAG between $X_{1,t}$ and $X_{3,t}$ passing through no instances of X_2 . There is a single path satisfying such condition: $\langle X_{1,t}, X_{3,t} \rangle$, entailing an effect equal to $\beta_{3,1}^{(0)}$, thus we conclude that $DE_0(X_1, X_3) = \beta_{3,1}^{(0)}$.

Instead, the direct effect of X_1 on X_3 at lag 1 is composed of the effects entailed by all the paths in the full DAG between $X_{1,t}$ and $X_{3,t+1}$ passing through no instances of X_2 . The only path satisfying such condition is $\langle X_{1,t}, X_{3,t+1} \rangle$, entailing an effect equal to $\beta_{3,1}^{(1)}$, thus we have $DE_1(X_1, X_3) = \beta_{3,1}^{(1)}$.

Table 1 Addenda of $IE_1(X_1, X_3; < X_1, X_2, X_3 >)$ in the DLRM with DAG in Fig. 3

Path	Entailed effect
$< X_{1,t}, X_{2,t}, X_{3,t+1} >$	$\beta_{2,1}^{(0)}\beta_{3,2}^{(1)}$
$< X_{1,t}, X_{2,t+1}, X_{3,t+1} >$	$\beta_{2,1}^{(1)}\beta_{3,2}^{(0)}$

Table 2 Addenda of $IE_2(X_1, X_3; < X_1, X_2, X_3 >)$ in the DLRM with DAG in Fig. 3

Path	Entailed effect
$< X_{1,t}, X_{2,t}, X_{3,t+2} >$	$\beta_{2,1}^{(0)}\beta_{3,2}^{(2)}$
$< X_{1,t}, X_{2,t+1}, X_{3,t+2} >$	$\beta_{2,1}^{(1)}\beta_{3,2}^{(1)}$
$< X_{1,t}, X_{2,t+2}, X_{3,t+2} >$	$\beta_{2,1}^{(2)}\beta_{3,2}^{(0)}$

We proceed similarly to compute the direct effect of X_1 on X_3 at lag 2, concluding that $DE_2(X_1, X_3) = \beta_{3,1}^{(2)}$. Rule 1 generalizes the computation of the direct effect of X_i on X_j at a given time lag l in any DLRM.

Rule 1 (*Direct effect in a DLRM*) The direct effect of X_i on X_j at time lag l is equal to the sum of the effects entailed by each path in the full DAG between $X_{i,t}$ and $X_{j,t+l}$ containing no instances of variables besides X_i and X_j .

The indirect effect of X_i on X_j through mediating variables X_{d_1}, \dots, X_{d_m} at time lag l , denoted as $IE_l(X_i, X_j; < X_i, X_{d_1}, \dots, X_{d_m}, X_j >)$, is computed analogously to the direct effect, with the difference that we must consider only the paths in the full DAG between $X_{i,t}$ and $X_{j,t+l}$ containing at least one instance of each variable X_{d_1}, \dots, X_{d_m} , as stated by Rule 2.

Rule 2 (*Indirect effect in a DLRM*) The indirect effect of X_i on X_j through variables X_{d_1}, \dots, X_{d_m} at time lag l is equal to the sum of the effects entailed by each path in the full DAG between $X_{i,t}$ and $X_{j,t+l}$ containing at least one instance of each variable X_{d_1}, \dots, X_{d_m} .

For example, Tables 1 and 2 show the addenda of the indirect effect of X_1 on X_3 mediated by X_2 at lag 1 and 2 in the DLRM with DAG in Fig. 3.

Finally, the total effect of X_i on X_j at time lag l is the sum of the direct and of all the indirect effects of X_i on X_j at time lag l , equating to the sum of the effects entailed by all the possible paths between $X_{i,t}$ and $X_{j,t+l}$ in the full DAG, as stated by Rule 3.

Rule 3 (*Total effect in a DLRM*) The total effect of X_i on X_j at time lag l is equal to the sum of the effects entailed by each path in the full DAG between $X_{i,t}$ and $X_{j,t+l}$.

For example, the total effect of X_1 on X_3 at time lag 2 in the DLRM with DAG in Fig. 3 is obtained by summing the effect entailed by the direct path, i.e., $\beta_{3,1}^{(2)}$, to all the effects entailed by the paths listed in Table 2.

3.2 DAG-free computation

DAG-based computation requires to search for paths in the full DAG, thus it may become extremely expensive when performed at high time lags. Thus, we propose an alternative method, detailed in Algorithm 1, to compute any direct or indirect effect at the desired time lag in a DLRM without requiring to search for paths in the DAG.

Algorithm 1 Computation of causal effects in a DLRM

Input: the starting variable X_i ; the ending variable X_j ; a set of mediating variables $\{X_{d_1}, \dots, X_{d_m}\}$ which may be empty; a time lag l .

1. Find all the possible ordered combinations of $m + 1$ non-negative integers with sum equal to l , say $\mathcal{U} = \{(u_1, \dots, u_{m+1}) : \sum_{k=1}^{m+1} u_k = l\}$.
 2. Initialize $S = 0$.
 3. For each combination (u_1, \dots, u_{m+1}) in \mathcal{U} , compute $S = S + \sum_{k=1}^{m+1} \beta_{d_k, d_{k-1}}^{(u_k)}$, with $d_0 = i$ and $d_{m+1} = j$.
 4. Return S as the causal effect of X_i on X_j mediated by X_{d_1}, \dots, X_{d_m} at time lag l .
-

As an illustration, consider $\text{IE}_l(X_1, X_3; < X_1, X_2, X_3 >)$ in the DLRM with DAG in Fig. 3. According to Algorithm 1, for all l , we have $X_{d_1} = X_2$ and $X_{d_{m+1}} = X_{d_2} = X_3$. For $l = 0$, we get $\mathcal{U} = \{(0, 0)\}$, leading to $\text{IE}_0(X_1, X_3; < X_1, X_2, X_3 >) = \beta_{2,1}^{(0)}\beta_{3,2}^{(0)}$, as previously obtained with DAG-based computation. For $l = 1$, we get $\mathcal{U} = \{(0, 1), (1, 0)\}$, leading to $\text{IE}_1(X_1, X_3; < X_1, X_2, X_3 >) = \beta_{2,1}^{(0)}\beta_{3,2}^{(1)} + \beta_{2,1}^{(1)}\beta_{3,2}^{(0)}$, as obtained with DAG-based computation shown in Table 1. For $l = 2$, we get $\mathcal{U} = \{(0, 2), (1, 1), (2, 0)\}$, leading to $\text{IE}_2(X_1, X_3; < X_1, X_2, X_3 >) = \beta_{2,1}^{(0)}\beta_{3,2}^{(2)} + \beta_{2,1}^{(1)}\beta_{3,2}^{(1)} + \beta_{2,1}^{(2)}\beta_{3,2}^{(0)}$, as obtained with DAG-based computation shown in Table 2.

As a further illustration, consider the indirect effect of X_1 on X_8 mediated by X_6 and X_7 at time lag 3, i.e., $\text{IE}_3(X_1, X_8; < X_1, X_6, X_7, X_8 >)$, in the DLRM with static DAG in Fig. 2. According to Algorithm 1, we have $X_{d_1} = X_6$, $X_{d_2} = X_6$ and $X_{d_{m+1}} = X_{d_3} = X_8$, and we obtain the ten addenda shown in Table 3. Note that, in the DLRM with static DAG in

Table 3 Addenda of $\text{IE}_3(X_1, X_8; < X_1, X_6, X_7, X_8 >)$ in the DLRM with DAG in Fig. 2 obtained using Algorithm 1

Combination	Path in the full DAG	Entailed effect
(0,0,3)	$\langle X_{1,t}, X_{6,t}, X_{7,t}, X_{8,t+3} \rangle$	$\beta_{6,1}^{(0)}\beta_{7,6}^{(0)}\beta_{8,7}^{(3)}$
(0,1,2)	$\langle X_{1,t}, X_{6,t}, X_{7,t+1}, X_{8,t+3} \rangle$	$\beta_{6,1}^{(0)}\beta_{7,6}^{(1)}\beta_{8,7}^{(2)}$
(0,2,1)	$\langle X_{1,t}, X_{6,t}, X_{7,t+2}, X_{8,t+3} \rangle$	$\beta_{6,1}^{(0)}\beta_{7,6}^{(2)}\beta_{8,7}^{(1)}$
(0,3,0)	$\langle X_{1,t}, X_{6,t}, X_{7,t+3}, X_{8,t+3} \rangle$	$\beta_{6,1}^{(0)}\beta_{7,6}^{(3)}\beta_{8,7}^{(0)}$
(1,0,2)	$\langle X_{1,t}, X_{6,t+1}, X_{7,t+1}, X_{8,t+3} \rangle$	$\beta_{6,1}^{(1)}\beta_{7,6}^{(0)}\beta_{8,7}^{(2)}$
(1,1,1)	$\langle X_{1,t}, X_{6,t+1}, X_{7,t+2}, X_{8,t+3} \rangle$	$\beta_{6,1}^{(1)}\beta_{7,6}^{(1)}\beta_{8,7}^{(1)}$
(1,2,0)	$\langle X_{1,t}, X_{6,t+1}, X_{7,t+3}, X_{8,t+3} \rangle$	$\beta_{6,1}^{(1)}\beta_{7,6}^{(2)}\beta_{8,7}^{(0)}$
(2,0,1)	$\langle X_{1,t}, X_{6,t+2}, X_{7,t+2}, X_{8,t+3} \rangle$	$\beta_{6,1}^{(2)}\beta_{7,6}^{(0)}\beta_{8,7}^{(1)}$
(2,1,0)	$\langle X_{1,t}, X_{6,t+2}, X_{7,t+3}, X_{8,t+3} \rangle$	$\beta_{6,1}^{(2)}\beta_{7,6}^{(1)}\beta_{8,7}^{(0)}$
(3,0,0)	$\langle X_{1,t}, X_{6,t+3}, X_{7,t+3}, X_{8,t+3} \rangle$	$\beta_{6,1}^{(3)}\beta_{7,6}^{(0)}\beta_{8,7}^{(0)}$

Fig. 2, the indirect effect of X_1 on X_8 mediated by X_6 and X_7 differs from the indirect effect of X_1 on X_8 mediated by X_6 only, i.e., $IE_3(X_1, X_8; < X_1, X_6, X_8 >)$, as well as from the indirect effect of X_1 on X_8 mediated by X_5, X_6 and X_7 , i.e., $IE_3(X_1, X_8; < X_1, X_5, X_6, X_7, X_8 >)$.

Finally note that, if Algorithm 1 is applied to compute any direct effect, say $DE_l(X_i, X_j)$, it correctly returns $\beta_{j,i}^{(l)}$.

3.3 Partially causal distributed-lag linear recursive models

So far, we have excluded autoregressive effects in the definition of DLRMs, i.e., the lagged direct effects of one variable on itself, represented by all the coefficients $\beta_{j,i}^{(l)}$ such that $i = j$ and $l > 0$. We now discuss their inclusion in a DLRM.

In general, autoregressive effects for a certain variable can arise from two distinct situations: (i) the variable has a stochastic trend, (ii) some causes with lagged direct effects on the considered variable are omitted. In the first situation, autoregressive effects reflect the law of the temporal evolution of the variable, thus they have a causal interpretation. Instead, the interpretation of autoregressive effects in the second situation is more complex, thus a detailed illustration is provided below.

Consider the DAG of a causal DLRM over two variables X_1 and X_2 displayed in Fig. 4, panel a. The rules for arc reversal in DAGs (Shachter 1990) can be exploited to marginalize out variable X_1 . In essence, before reversing the edge connecting two nodes, some other edges should be added to make the two nodes share their parents. Firstly, all the edges connecting each instance of X_1 to any instance of X_2 at the same time point are reversed from the maximum to the minimum time point, leading to the creation of all the possible autoregressive effects for X_1 (Fig. 4, panel b). Secondly, all the remaining edges connecting each instance of X_1 to any instance of X_2 are reversed from the minimum to the maximum time point, leading to the creation of all the possible autoregressive effects for X_2 (Fig. 4, panel c). Thirdly, the




Fig. 4 Illustration of the creation of autoregressive effects when a variable is marginalized out based on arc reversal rules (Shachter 1990). **a** The DAG of a causal DLRM over two variables X_1 and X_2 . **b** All the edges connecting each instance of X_1 to any instance of X_2 at the same time point are reversed from the maximum to the minimum time point. **c** All the remaining edges connecting each instance of X_1 to any instance of X_2 are reversed from the minimum to the maximum time point. **d** The instance of X_1 at the maximum time point has no descendants, thus it can be deleted from the DAG, and the same holds recursively for all the remaining instances of X_1

instance of X_1 at the maximum time point has no descendants, thus it can be deleted from the DAG, and the same holds recursively for all the remaining instances of X_1 (Fig. 4, panel d). In the resulting DAG, X_1 is omitted and X_2 is represented by an autoregressive process. We conclude that autoregressive effects arising from the omission of variables with lagged direct effects on some other variables have not a causal interpretation, but only a predictive one coherently with the concept of Granger-Sims causality (Eichler 2013).

In presence of autoregressive effects, the definition of a DLRM in formula (16) becomes:

$$\begin{aligned}
 X_{j,t} &= \alpha_j + \sum_{i=1}^p \sum_{l=0}^{\infty} \beta_{j,i}^{(l)} X_{i,t-l} + \varepsilon_{j,t} \\
 j &= 1, \dots, p \quad t = 0, \dots, \infty \\
 \beta_{j,i}^{(l)} &= 0 \quad \forall j < i \quad \beta_{j,i}^{(0)} = 0 \quad \forall i = j
 \end{aligned}
 \tag{17}$$

Since the time series in a DLRM are assumed to be weakly stationary, autoregressive effects can arise only from the omission of variables with lagged direct effects on some other variables, thus they have not a causal interpretation. For this reason, we refer to the model in formula (17) as *partially causal* DLRM. Figure 5 shows the DAG of the partially causal version of the DLRM in Fig. 3. We see that the full DAG includes a number of non-causal edges besides the causal ones. As an example, Tables 4 and 5 show the addenda of the direct effect of X_1 on X_3 for $l = 1, 2$, while Table 6 shows the addenda of the indirect effect of X_1 on X_3 mediated by X_2 for $l = 1$. Note that causal addenda are the same as in the strictly causal DLRM with DAG in Fig. 1, but the total number of addenda increases faster as higher time lags are considered. Unfortunately, our DAG-free algorithm does not




Fig. 5 The DAG of a partially causal DLRM over three variables X_1, X_2 and X_3 . **a** Full DAG. **b** Static DAG

Table 4 Causal and non-causal addenda of $DE_1(X_1, X_3)$ in the partially causal DLRM with DAG in Fig. 5

Path	Causal	Entailed effect
$\langle X_{1,t}, X_{3,t+1} \rangle$	Yes	$\beta_{3,1}^{(1)}$
$\langle X_{1,t}, X_{1,t+1}, X_{3,t+1} \rangle$	No	$\beta_{1,1}^{(1)} \beta_{3,1}^{(0)}$
$\langle X_{1,t}, X_{3,t}, X_{3,t+1} \rangle$	No	$\beta_{3,1}^{(0)} \beta_{3,3}^{(1)}$

Table 5 Causal and non-causal addenda of $DE_2(X_1, X_3)$ in the partially causal DLRM with DAG in Fig. 5

Path	Causal	Entailed effect
$\langle X_{1,t}, X_{3,t+2} \rangle$	Yes	$\beta_{3,1}^{(2)}$
$\langle X_{1,t}, X_{1,t+1}, X_{3,t+2} \rangle$	No	$\beta_{1,1}^{(1)} \beta_{3,1}^{(1)}$
$\langle X_{1,t}, X_{1,t+2}, X_{3,t+2} \rangle$	No	$\beta_{1,1}^{(2)} \beta_{3,1}^{(0)}$
$\langle X_{1,t}, X_{3,t}, X_{3,t+2} \rangle$	No	$\beta_{3,1}^{(0)} \beta_{3,3}^{(2)}$
$\langle X_{1,t}, X_{3,t+1}, X_{3,t+2} \rangle$	No	$\beta_{3,1}^{(1)} \beta_{3,3}^{(1)}$
$\langle X_{1,t}, X_{1,t+1}, X_{1,t+2}, X_{3,t+2} \rangle$	No	$(\beta_{1,1}^{(1)})^2 \beta_{3,1}^{(0)}$
$\langle X_{1,t}, X_{1,t+1}, X_{3,t+1}, X_{3,t+2} \rangle$	No	$\beta_{1,1}^{(1)} \beta_{3,1}^{(0)} \beta_{3,3}^{(1)}$
$\langle X_{1,t}, X_{3,t}, X_{3,t+1}, X_{3,t+2} \rangle$	No	$\beta_{3,1}^{(0)} (\beta_{3,3}^{(1)})^2$

Table 6 Causal and non-causal addenda of $IE_1(X_1, X_3; \langle X_1, X_2, X_3 \rangle)$ in the partially causal DLRM with DAG in Fig. 5

Path	Causal	Entailed effect
$\langle X_{1,t}, X_{2,t}, X_{3,t+1} \rangle$	Yes	$\beta_{2,1}^{(0)} \beta_{3,2}^{(1)}$
$\langle X_{1,t}, X_{2,t+1}, X_{3,t+1} \rangle$	Yes	$\beta_{2,1}^{(1)} \beta_{3,2}^{(0)}$
$\langle X_{1,t}, X_{1,t+1}, X_{2,t+1}, X_{3,t+1} \rangle$	No	$\beta_{1,1}^{(1)} \beta_{2,1}^{(0)} \beta_{3,2}^{(0)}$
$\langle X_{1,t}, X_{2,t}, X_{2,t+1}, X_{3,t+1} \rangle$	No	$\beta_{2,1}^{(0)} \beta_{2,2}^{(1)} \beta_{3,2}^{(0)}$
$\langle X_{1,t}, X_{2,t}, X_{3,t}, X_{3,t+1} \rangle$	No	$\beta_{2,1}^{(0)} \beta_{3,2}^{(0)} \beta_{3,3}^{(1)}$

work for partially causal DLRMs, thus one should rely on DAG-based mediation analysis described in Sect. 3.1, which works indistinctly for both strictly causal and partially causal models. However, in the partially causal case, it involves a higher computational burden.

Note that the omission of a variable with lagged direct effects on another variable can also be represented through autocorrelated random errors (see, for example, Goldsmith et al. 2018), but this would lead to a non-recursive model, thus this case is not addressed here.

4 Empirical application

We apply our DAG-free algorithm to a hypothesized causal structure representing the impact pathways of agricultural research expenditure towards poverty reduction in rural areas. Our objective is not to develop a new theory on the impacts of agricultural research expenditure, but to illustrate the practical application of our DAG-free algorithm for mediation analysis. As a consequence, the proposed causal structure is a simplified version that maintains enough complexity for an effective illustration of our algorithm. Qualitative and

quantitative specifications of the causal structure are detailed in Sects. 4.1 and 4.2, respectively, while mediation analysis using the DAG-free algorithm is performed in Sect. 4.3.

4.1 Qualitative specification

The causal structure here proposed, shown in Fig. 6, is a readaptation of the model in Alene and Coulibaly (2009) to developed countries based on theoretical arguments in Renkow (2011). It is assumed that an increase in public research expenditure (X_1) can stimulate research activities towards the development of new technologies, which, once adopted by agricultural producers, can improve agricultural productivity (X_2). In turn, improved agricultural productivity (X_2) can stimulate firms in rural areas to increase employment and wages, thus leading to: (i) a decrease of unemployment in rural areas (X_3), (ii) an increase of the median familiar income in rural areas (X_4), (iii) a decrease of the price of agricultural products (X_5). Improved agricultural productivity (X_2) can increase the median familiar income in rural areas (X_4) both directly, for example due to increased wages, and indirectly through a decrease of unemployment in rural areas (X_3), for example due to the availability of new job positions. Finally, increased median familiar income in rural areas (X_4) and decreased price of agricultural products (X_5) can lead to a reduction of the at-risk-of-poverty rate in rural areas (X_6).


All the dependence relationships represented by the hypothesized causal structure in Fig. 6 are likely to persist over several periods, thus the use of a DLRM is definitely motivated. The DAG in Fig. 6 is the static DAG of the DLRM.

4.2 Quantitative specification

We assume that the time series of variables X_1, \dots, X_6 are measured yearly and are weakly stationary when expressed as chained proportional variations or, equivalently, as first order difference of logarithmic values. As a consequence, the coefficients in the DLRM represent elasticities at specific time lags (years).

In order to efficiently represent the coefficients associated to the lags of the same variable, we exploited the Gamma lag distribution (Schmidt 1974). The direct effect of variable

Fig. 6 Causal structure representing the impact pathways of agricultural research expenditure towards poverty reduction in rural areas. X_1 : agricultural research expenditure. X_2 : agricultural productivity. X_3 : unemployment in rural areas. X_4 : median familiar income in rural areas. X_5 : price of agricultural products. X_6 : at-risk-of-poverty rate in rural areas



X_i on variable X_j as a function of the time lag, i.e., $\{\beta_{j,i}^{(l)} : l = 0, 1, \dots, \infty\}$, follows the Gamma lag distribution if:

$$\beta_{j,i}^{(l)}(\theta, \delta, \lambda) = \theta w_l(\delta, \lambda) \tag{18}$$

where:

$$w_l(\delta, \lambda) = \frac{(l + 1)^{\frac{\delta}{1-\delta}} \lambda^l}{\sum_{k=0}^{\infty} (k + 1)^{\frac{\delta}{1-\delta}} \lambda^k} \tag{19}$$

$$\theta \in \mathbb{R} \quad 0 \leq \delta < 1 \quad 0 \leq \lambda < 1$$

and we write:

$$\{\beta_{j,i}^{(l)} : l = 0, 1, \dots, \infty\} \sim \text{Gamma}(\theta, \delta, \lambda) \tag{20}$$

Parameters δ and λ define the shape of the lag distribution, while parameter θ defines its scale. Since $\sum_{l=0}^{\infty} \beta_{j,i}^{(l)} = \theta$, we can interpret θ as the long-term effect of X_i on X_j . Note that the normalization constant at denominator in formula (19) is not closed form but convergent, and can be easily computed through numerical approximation. Further details on the Gamma lag distribution, including maximum likelihood estimation, can be found in Magrini (2021, forthcoming).

We specified the effect of agricultural research expenditure (X_1) on agricultural productivity (X_2) as a Gamma lag distribution based on the empirical results for the United States of America in Alston et al. (2011):

$$\{\beta_{2,1}^{(l)} : l = 0, 1, \dots, \infty\} \sim \text{Gamma}(\theta = 0.32, \delta = 0.90, \lambda = 0.70) \tag{21}$$

This lag distribution has mode (peak) at 24 years, 99th percentile at 52 years and long-term elasticity equal to 0.32, meaning that agricultural productivity is expected to increase by 0.32% after 50 years that agricultural research expenditure has grown by 1%.

Unfortunately, estimates based on empirical evidence are not available for the lag distributions of the other direct effects in the DLRM, thus, in order to illustrate our algorithm in a context as realistic as possible, we provided a provisional specification based on the Gamma family. Precisely, for each direct effect in the DLRM, we determined the Gamma lag distribution based on a guess of long-term elasticity, median and 99th percentile, say $\hat{\theta}$, $\hat{q}_{0.5}$ and $\hat{q}_{0.99}$, respectively. At this purpose, we solved the following system of equations with respect to θ , δ and λ through numerical approximation:

$$\begin{cases} \theta = \hat{\theta} \\ \sum_{l=0}^{\hat{q}_{0.5}} w_l(\delta, \lambda) = 0.5 \\ \sum_{l=0}^{\hat{q}_{0.99}} w_l(\delta, \lambda) = 0.99 \end{cases} \tag{22}$$

The resulting lag distributions are shown in Table 7. Note that some Gamma lag distributions have a negative long-term elasticity reflecting an inverse relationship, for example the one between agricultural productivity (X_2) and unemployment in rural areas (X_3) (Fig. 7).

Table 7 Specification of the lag distribution of each direct effect in the DLRM with DAG in Fig. 6. Each lag distribution was determined by solving the system of equations in formula (22) based on a guess of long-term elasticity θ , median and 99th percentile

	θ	δ	λ	Mode	Median	95%	99%	99.9%
$\{\beta_{2,1}^{(l)}\}$	0.32	0.90	0.70	24.2	25.6	42.5	51.2	62.0
$\{\beta_{3,2}^{(l)}\}$	-0.45	0.80	0.35	2.8	2.9	7.2	9.6	12.6
$\{\beta_{4,2}^{(l)}\}$	0.35	0.80	0.35	2.8	2.9	7.2	9.6	12.6
$\{\beta_{4,3}^{(l)}\}$	-1.00	0.90	0.05	2.0	1.7	3.8	4.8	6.0
$\{\beta_{5,2}^{(l)}\}$	-0.40	0.80	0.35	2.8	2.9	7.2	9.6	12.6
$\{\beta_{6,4}^{(l)}\}$	-0.90	0.80	0.35	2.8	2.9	7.2	9.6	12.6
$\{\beta_{6,5}^{(l)}\}$	0.60	0.90	0.30	1.6	6.5	11.6	14.1	17.4




Fig. 7 Lag distributions of the direct effects in the DLRM with DAG in Fig. 6 and coefficients in Table 7

4.3 Mediation analysis

From the hypothesized causal structure in Fig. 6, we see that agricultural research expenditure (X_1) influences at-risk-of-poverty rate in rural areas (X_6) through three indirect paths: (i) a first path $\langle X_1, X_2, X_5, X_6 \rangle$, passing through agricultural productivity

(X_2) and price of agricultural products (X_5); (ii) a second path $\langle X_1, X_2, X_4, X_6 \rangle$, passing through agricultural productivity (X_2) and median familiar income in rural areas (X_4); (iii) a third path $\langle X_1, X_2, X_3, X_4, X_6 \rangle$, passing through agricultural productivity (X_2), unemployment in rural areas (X_3) and median familiar income in rural areas (X_4).

It is possible to anticipate duration and sign of any indirect effect in the DLRM on the basis of duration and sign of the direct effects shown in Table 7. For example, the indirect effect of X_1 on X_6 passing through X_2 and X_5 is composed by the direct effect of: (i) X_1 on X_2 , with positive sign and 99th percentile equal 51.2 years; (ii) X_2 on X_5 , with negative sign and 99th percentile equal to 9.6 years; (iii) X_5 on X_6 , with positive sign and 99th percentile of 14.1 years. Thus, we conclude that the indirect effect of X_1 on X_6 passing through X_2 and X_5 has negative sign and 99th percentile approximately equal to $51.2 + 9.6 + 14.1 \approx 75$ years. Based on analogous arguments, we conclude that the indirect effect of X_1 on X_6 mediated by X_2 and X_4 has negative sign and 99th percentile approximately equal to 70 years, while the one mediated by X_2, X_3 and X_4 has negative sign and 99th percentile approximately equal to 75 years.

The lag distributions of these three indirect effects and of the total one computed using Algorithm 1 are displayed in Fig. 8 and summarized in Table 8. Coherently with the anticipations above, the magnitudes of the effects become negligible above lag 75, as it is apparent from the similarity between the cumulative effects up to 75 and up to 90 lags (fifth and sixth row in Table 8). Even the sign of the effects is negative as anticipated, meaning that agricultural research expenditure (X_1) is able to reduce the at-risk-of-poverty rate in rural areas (X_6). In particular, the total effect at lags 30, 45 and 60 resulted, respectively, equal to -0.0870 , -0.2563 , and -0.3029 , meaning that a unitary percentage increase in agricultural research expenditure (X_1) is expected to entail an overall decrease by 0.09%, 0.26% and 0.30% of the at-risk-of-poverty rate in rural areas (X_6) after 30, 45 and 60 years.




Fig. 8 Lag distributions of the three indirect effects of X_1 on X_6 and of the total one in the DLRM with DAG in Fig. 6 and coefficients in Table 7

Table 8 Cumulative effects of X_1 on X_6 in the DLRM with DAG in Fig. 6 and coefficients in Table 7. $\Pi_1 = \langle X_1, X_2, X_5, X_6 \rangle$; $\Pi_2 = \langle X_1, X_2, X_4, X_6 \rangle$; $\Pi_3 = \langle X_1, X_2, X_3, X_4, X_6 \rangle$

Time lag	$IE(X_1, X_6; \Pi_1)$	$IE(X_1, X_6; \Pi_2)$	$IE(X_1, X_6; \Pi_3)$	$TE(X_1, X_6)$
0 to 15	-0.0001	-0.0006	-0.0002	-0.0009
0 to 30	-0.0167	-0.0362	-0.0340	-0.0870
0 to 45	-0.0610	-0.0883	-0.1070	-0.2563
0 to 60	-0.0753	-0.0999	-0.1277	-0.3029
0 to 75	-0.0767	-0.1007	-0.1295	-0.3069
0 to 90	-0.0767	-0.1007	-0.1295	-0.3069

5 Concluding remarks

We have proposed an efficient DAG-free algorithm to perform mediation analysis in recursive systems of distributed-lag linear regressions, here called Distributed-lag Linear Recursive Models (DLRMs). The generality of our algorithm is clearly emphasized by the empirical application to a simplified, but not trivial, real-world causal structure with paths composed of three or four edges and direct effects characterized by an infinite lag distribution.

The proposed algorithm works for DLRMs with strict causal interpretation, i.e., not including autoregressive effects. Nevertheless, the class of DLRMs supports autoregressive terms, although they have a predictive interpretation coherently with the concept of Granger-Sims causality, thus implying a partially causal model. Mediation analysis in the partially causal case is still possible by making use of DAG-based computation, but, compared to our DAG-free algorithm, the computational burden increases faster as higher time lags are considered. Future work will include a simulation study to assess the efficiency of DAG-based computation in the partially causal case compared to the strictly causal one, as well as the efficiency of our DAG-free algorithm compared to DAG-based computation.

Weak stationarity is a necessary condition for distributed-lag linear regression in order to make coefficients not depend on the time point but only on the time lag. However, the class of DLRMs can be applied to non-stationary processes without loss of generality if the time series are preliminarily differenced to eliminate unit roots.

Linearity characterizing DLRMs is not a limitation from an empirical point of view, as it is possible to transform the variables through non-linear (but monotonic) functions while maintaining linearity with respect to parameters. For example, the logarithmic transformation of strictly positive variables is often used in empirical applications of linear regression to deal with power law relationships while maintaining interpretability of coefficients: on the logarithmic scale, absolute variations become percentage changes.

Recursivity of DLRMs, equating to uncorrelation between the random errors, is a simplification that excludes processes with autocorrelated errors, like MA ones. However, note that, due to the equivalence between MA(1) and AR(∞), the class of DLRMs could reasonably approximate processes with autocorrelated errors if autoregressive effects are modelled through an infinite parametric lag distribution, like the Gamma lag exploited in our empirical application.

Our proposal assumes that the DAG of a DLRM is known a-priori, for instance it may have been specified based on domain knowledge. However, it is worth noting that, in case of unavailability of domain knowledge, the DAG can be estimated from data by making use of causal discovery algorithms for time series (see, for example, Deng et al. 2013; Peters et al. 2013; Malinsky and Spirtes 2018).

A further assumption of our proposal is that the coefficients are known a-priori or have been consistently estimated from data, thus the problem of identifying causal effects is not addressed in this paper. However, coefficients are typically unknown in real-world applications of mediation analysis, and the presence of unmeasured variables and/or unmeasured relationships makes their estimation challenging. Thus, assessing the identification of causal effects is an important step to be performed before estimating the coefficients and applying our algorithm. Identification methods for non-parametric mediation models with longitudinally repeated measures and time-varying treatments (see, for example, VanderWeele and Tchetgen 2017; Park et al. 2018; Loh et al. 2019) represent a valuable resource for this purpose.

Funding Open access funding provided by Università degli Studi di Firenze within the CRUI-CARE Agreement. The authors acknowledge the partial financial support provided by the “Dipartimenti Eccellenti 2018–2022” ministerial funds, Italy.

Declarations

Conflict of interest The authors declare that there is no conflict of interests.

Human and animal rights This article does not contain any studies with human or animal subjects.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

References

- Alene, A.D., Coulibaly, O.: The impact of agricultural research on productivity and poverty in sub-Saharan Africa. *Food Policy* **34**, 198–209 (2009). <https://doi.org/10.1016/j.foodpol.2008.10.014>
- Alston, J.M., Andersen, M.A., James, J.S., Pardey, P.G.: The economic returns to U.S. public agricultural research. *Am. J. Agric. Econ.* **93**(5), 1257–1277 (2011). <https://doi.org/10.1093/ajae/aar044>
- Baron, R., Kenny, D.: The moderator-mediator variable distinction in social psychological research: conceptual, strategic, and statistical considerations. *J. Pers. Soc. Psychol.* **51**(6), 1173–1182 (1986). <https://doi.org/10.1037/0022-3514.51.6.1173>
- Cain, M.K., Zhang, Z., Bergeman, C.S.: Time and other considerations in mediation design. *Educ. Psychol. Meas.* **78**(6), 952–972 (2018). <https://doi.org/10.1177/0013164417743003>
- Chen, B.R.: Graphical methods for linear structural equation modeling (2017). Ph.D. Thesis, University of California, US-CA. <https://escholarship.org/uc/item/3b51f14z>
- Cole, D.A., Maxwell, S.E.: Testing mediational models with longitudinal data: questions and tips in the use of structural equation modeling. *J. Abnorm. Psychol.* **112**(4), 558–577 (2003). <https://doi.org/10.1037/0021-843X.112.4.558>
- Deng, W., Geng, Z., Li, H.: Learning local directed acyclic graphs based on multivariate time series data. *Ann. Appl. Stat.* **7**(3), 1663–1683 (2013). <https://doi.org/10.1214/13-AOAS635>
- Duncan, O.D.: Path analysis: sociological examples. *Am. J. Sociol.* **72**(1), 1–16 (1966). <https://doi.org/10.1086/224256>

- Eichler, M.: Causal inference with multiple time series: principles and problems. *Philos. Trans. R. Soc. A* **371**, 1997 (2013). <https://doi.org/10.1098/rsta.2011.0613>
- Fox, J.: Effect analysis in structural-equation models II: calculation of specific indirect effects. *Sociol. Methods Res.* **14**(1), 81–95 (1985). <https://doi.org/10.1177/0049124185014001005>
- Goldsmith, K., Chalder, T., White, P., Sharpe, M., Pickles, A.: Measurement error, time lag, unmeasured confounding: considerations for longitudinal estimation of the effect of a mediator in randomised clinical trials. *Stat. Methods Med. Res.* **27**(6), 1615–1633 (2018). <https://doi.org/10.1177/0962280216666111>
- Greene, W.H.: *Econometric Analysis*, 6th edn. Pearson, Upper Saddle River (2008)
- Haavelmo, T.: The statistical implications of a system of simultaneous equations. *Econometrica* **11**(1), 1–12 (1943). <https://doi.org/10.2307/1905714>
- Koopmans, T.C., Rubin, H., Leipnik, R.B.: Measuring the equation systems of dynamic economics. In: Koopmans, T.C. (ed.) *Statistical Inference in Dynamic Economic Models*, pp. 53–237. Wiley, Hoboken (1950)
- Loh, W.W., Moerkerke, B., Loeys, T., Poppe, L., Crombez, G., Vansteelandt, S.: Estimation of controlled direct effects in longitudinal mediation analyses with latent variables in randomized studies. *Multivar. Behav. Res.* **55**(5), 763–785 (2019). <https://doi.org/10.1080/00273171.2019.1681251>
- Magrini, A.: A hill climbing algorithm for maximum likelihood estimation of the Gamma distributed-lag model with multiple explanatory variables. *Aust. J. Stat.* (2021, forthcoming)
- Malinsky, D., Spirtes, P.: Causal structure learning from multivariate time series in settings with unmeasured confounding. In: *Proceedings of the ACM SIGKDD Workshop on Causal Discovery*, London UK (2018)
- Maxwell, S.E., Cole, D.A.: Bias in cross-sectional analyses of longitudinal mediation. *Psychol. Methods* **12**(1), 23–44 (2007). <https://doi.org/10.1037/1082-989X.12.1.23>
- Maxwell, S.E., Cole, D.A., Mitchell, M.A.: Bias in cross-sectional analyses of longitudinal mediation: partial and complete mediation under an autoregressive model. *Multivar. Behav. Res.* **46**(5), 816–841 (2011). <https://doi.org/10.1080/00273171.2011.606716>
- Mitchell, M.A., Maxwell, S.E.: A comparison of the cross-sectional and sequential designs when assessing longitudinal mediation. *Multivar. Behav. Res.* **48**(1), 301–339 (2013). <https://doi.org/10.1080/00273171.2013.784696>
- Park, S., Steiner, P.M., Kaplan, D.: Identification and sensitivity analysis for average causal mediation effects with time-varying treatments and mediators: Investigating the underlying mechanisms of kindergarten retention policy. *Psychometrika* **83**(2), 298–320 (2018). <https://doi.org/10.1007/s11336-018-9606-0>
- Pearl, J.: *Causality: Models, Reasoning, and Inference*. Cambridge University Press, Cambridge (2000)
- Peters, D.J., Janzing, D., Schölkopf, B.: Causal inference on time series using restricted structural equation models. In: *Proceedings of the 26th International Conference on Neural Information Processing Systems (NIPS 2013)*, Lake Tahoe, US-NE, pp. 154–162 (2013)
- Reichardt, C.S.: Commentary: are three waves of data sufficient for assessing mediation? *Multivar. Behav. Res.* **46**(5), 842–851 (2011). <https://doi.org/10.1080/00273171.2011.606740>
- Renkow, M.: Assessing the environmental impacts of CGIAR research: toward an analytical framework. In: *Measuring the Environmental Impacts of Agricultural Research: Theory and Applications to CGIAR Research*, Independent Science and Partnership Council, Rome, IT, pp. 1–33 (2011)
- Schmidt, P.: An argument for the usefulness of the Gamma distributed lag model. *Int. Econ. Rev.* **15**(1), 246–250 (1974). <https://doi.org/10.2307/2526105>
- Shachter, R.D.: Evidence absorption and propagation through evidence reversals. In: Henrion, M., Shachter, R.D., Kanal, L.N., Lemmer, J.F. (eds.) *Uncertainty in Artificial Intelligence*, vol. 5, pp. 173–190. North Holland, Amsterdam (1990). <https://doi.org/10.1016/B978-0-444-88738-2.50021-X>
- Sobel, M.E.: Effect analysis and causation in linear structural equation models. *Psychometrika* **55**(3), 495–515 (1990). <https://doi.org/10.1007/BF02294763>
- VanderWeele, T.J., Tchetgen, E.J.T.: Mediation analysis with time varying exposures and mediators. *J. R. Stat. Soc. Ser. B Stat. Methodol.* **79**(3), 917–938 (2017). <https://doi.org/10.1111/rssb.12194>
- Wermuth, N.: Linear recursive equations, covariance selection, and path analysis. *J. Am. Stat. Assoc.* **75**(372), 963–972 (1980). <https://doi.org/10.2307/2287189>
- Wermuth, N., Cox, D.R.: Graphical Markov models: overview. In: Wright, J. (ed.) *International Encyclopedia of the Social & Behavioral Sciences*, 2nd edn., pp. 341–350. Elsevier, Amsterdam (2015). <https://doi.org/10.1016/B978-0-08-097086-8.42048-9>
- Wold, H.O.A.: Causality and econometrics. *Econometrica* **22**(2), 162–177 (1954). <https://doi.org/10.2307/1907540>
- Wold, H.O.A.: A generalization of causal chain models. *Econometrica* **28**(2), 443–463 (1960). <https://doi.org/10.2307/1907733>

Wright, S.: The method of path coefficients. *Ann. Math. Stat.* **5**(3), 161–215 (1934). <https://doi.org/10.1214/aoms/1177732676>

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.