Correction to: Assessing the impacts of having a child with achondroplasia on parent well-being

Kathryn M. Pfeiffer¹ · Meryl Brod¹ · Alden Smith² · Jill Gianettoni² · Dorte Viuff³ · Sho Ota² · R. Will Charlton²

Published online: 30 October 2020
© The Author(s) 2020

Correction to: Quality of Life Research
<https://doi.org/10.1007/s11136-020-02594-3>

of Tables 2 and 8 (with updated summary statistics) are provided in this correction.

In the original publication, the summary statistics for child BMI in Tables 2 and 8 were incorrect. The correct version

The original article can be found online at <https://doi.org/10.1007/s11136-020-02594-3>.

✉ Meryl Brod
mbrod@thebrodgroup.net

¹ The Brod Group, 219 Julia Ave., Mill Valley, CA 94941, USA

² Ascendis Pharma, Inc, Palo Alto, CA, USA

³ Ascendis Pharma, A/S, Hellerup, Denmark

Table 2 Demographic/health characteristics for the children of parent participants

	Spain (<i>n</i> = 11)	US (<i>n</i> = 25)	Total (<i>n</i> = 36)
Child age, <i>n</i> (%)			
2 to < 5 years	5(46)	6(24)	11(31)
5 to < 9 years	4(36)	9(36)	13(36)
9 to < 12 years	2(18)	10(40)	12(33)
Child gender, <i>n</i> (%)			
Female	7(64)	12(48)	19(53)
Male	4(36)	13(52)	17(47)
Child's race/ethnicity, <i>n</i> (%) ^a			
Asian-American	–	2(8)	–
Black/African-American	–	4(16)	–
Latino/Hispanic	–	2(8)	–
White/Caucasian	–	20(80)	–
Age/time diagnosed with achondroplasia, <i>n</i> (%)			
In utero	9(82)	12(48)	21(58)
At birth	1(9)	4(16)	5(14)
< 2 months of age	1(9)	2(8)	3(8)
2–6 months of age	0	5(20)	5(14)
Unknown (adopted)	0	2(8)	2(6)
Child has parent(s) with achondroplasia, <i>n</i> (%) yes	0	7(28)	7(19)
Health status (parent-reported), <i>n</i> (%)			
Excellent	3(27)	9(36)	12(33)
Very good	3(27)	11(44)	14(39)
Good	3(27)	4(16)	7(19)
Fair	2(18)	1(4)	3(8)
Height (cm)			
Mean(SD)	89.5(10.4)	93.2(15.2)	92.1(13.9)
(Range)	(75.0–104.0)	(63.5–121.0)	(63.5–121.0)
Weight (kg)			
Mean(SD)	17.3(5.6)	20.4(8.4)	19.4(7.7)
(Range)	(10.0–28.0)	(8.3–43.9)	(8.3–43.9)
BMI			
Mean(SD)	21.0(3.0)	23.0(6.5)	22.4(5.7)
(Range)	(16.7–26.9)	(18.1–45.4)	(16.7–45.4)
Planned limb lengthening surgery for the future, <i>n</i> (%) yes	5(46)	0	5(14)

Percentages may not add to 100 because of rounding

SD standard deviation; *BMI* body mass index

^aUS only; response categories are not mutually exclusive, so percentages do not add to 100

Table 8 Cognitive debriefing parent participant and child demographic characteristics

Parent participant demographics		Child demographic/health characteristics	
Parent age, mean(SD)	39.1(6.4)	Child age, <i>n</i> (%)	
(Range)	(31–55)	2 to < 5 years	4(25)
Relationship to child, <i>n</i> (%)		5 to < 9 years	6(38)
Mother	16(100)	9 to < 12 years	6(38)
Parent has achondroplasia, <i>n</i> (%) yes	2(12.5)	Child gender, <i>n</i> (%)	
Marital status, <i>n</i> (%)		Female	12(75)
Single	1(6)	Male	4(25)
Married	14(88)	Age/time diagnosed with achondroplasia, <i>n</i> (%)	
No response	1(6)	In utero	5(31)
Parent race/ethnicity, <i>n</i> (%) ^a		At birth	1(6)
Asian-American	1(6)	< 2 months of age	2(13)
Latino/Hispanic	1(6)	2–6 months of age	5(31)
White/Caucasian	14(88)	> 6 months of age	1(6)
Parent education, <i>n</i> (%)		Unknown (adopted)	2(13)
High school or equivalent	2(13)	Child's race/ethnicity, <i>n</i> (%) ^a	
Vocational/technical school	1(6)	Asian-American	4(25)
College degree	9(56)	Latino/Hispanic	1(6)
Post-graduate school	4(25)	White/Caucasian	11(69)
Parent work status, <i>n</i> (%)		Child health status (parent-reported), <i>n</i> (%)	
Full-time	7(44)	Excellent	8(50)
Part-time	4(25)	Very good	7(44)
Retired/student	0	Good	0
Not working (other)	5(31)	Fair	1(6)
Household income, <i>n</i> (%)		Child height (cm)	
< \$40,000	0	Mean(SD)	90.8(12.0)
\$40,001 to \$60,000	1(6)	(Range)	(66.0–106.7)
\$60,001 to \$80,000	1(6)	Child weight (kg)	
\$80,001 to \$100,000	6(38)	Mean(SD)	18.3(5.8)
> \$100,000	6(38)	(Range)	(10.9–31.7)
Decline to answer	2(13)	BMI	
		Mean(SD)	21.8(3.8)
		(Range)	(16.3–32.4)

n = 16. Percentages may not add to 100 due to rounding

SD standard deviation, *BMI* body mass index

^aResponse categories are not mutually exclusive

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not

permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.