



Correction to: Phase angle (PhA) in overweight and obesity: evidence of applicability from diagnosis to weight changes in obesity treatment

Raffaella Canello¹ · Amelia Brunani²  · Ettore Brenna³ · Davide Soranna³ · Simona Bertoli^{1,4} · Antonella Zambon^{3,5} · Henry C. Lukaski⁶ · Paolo Capodaglio^{2,7}

Published online: 26 December 2022
© Springer Science+Business Media, LLC, part of Springer Nature 2022

Correction to: Rev Endocr Metab Disord (2022)
<https://doi.org/10.1007/s11154-022-09774-1>

In the recently published paper, the author noticed a mistake in their paper that needs to be updated. Figure 2 also needs to be updated.

The original article has been corrected.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s11154-022-09774-1>.

✉ Amelia Brunani
brunani@auxologico.it

¹ Obesity Unit and Laboratory of Nutrition and Obesity Research, Department of Endocrine and Metabolic Diseases, IRCCS Istituto Auxologico Italiano, Milan, Italy

² Laboratory of Biomechanics, Rehabilitation and Ergonomics, IRCCS, Istituto Auxologico Italiano, Piancavallo Verbania, Italy

³ Biostatistic Unit, IRCCS Istituto Auxologico Italiano, Milano, Italy

⁴ Department of Food, Environmental and Nutritional Sciences (DeFENS), International Center for the Assessment of Nutritional Status (ICANS), University of Milan, Via Sandro Botticelli 21, 20133 Milan, Italy

⁵ Department of Statistics and Quantitative Methods, University of Milan-Bicocca, Milan, Italy

⁶ Department of Kinesiology and Public Health Education, University of North Dakota, Grand Forks, USA

⁷ Department of Surgical Sciences, Physical Medicine and Rehabilitation, University of Torino, Turino 10126, Italy