


Further reading

in issue 10, October, 2015

High-priority aspects of quantum chemistry of many-electron systems

N. D. Chuvylkin and E. A. Smolenskii

Russ. Chem. Bull., Int. Ed., 2015, **64**, No. 10, 2277




Projections of nodal surfaces of the Ψ wave function for H_2 molecule in the Hartree—Fock approximation

Spin probes in micellar and polymer self-associating systems

A. M. Wasserman, M. V. Motyakin, I. I. Baraskova, L. A. Wasserman, and L. L. Yasina


Russ. Chem. Bull., Int. Ed., 2015, **64**, No. 10, 2284



Chemical bonding peculiarities within $\text{Fe}(\text{NO})_2$ fragment according to high-resolution X-ray diffraction data: bis(thiosulfate)tetranitrosyl diiron tetramethylammonium salt as a test case

K. A. Lyssenko, I. A. Ananyev, S. M. Aldoshin, and N. A. Sanina

Russ. Chem. Bull., Int. Ed., 2015, **64**, No. 10, 2351



Complexes of gallium(III), stibium(III), titanium(IV), and cobalt(II) with acenaphthene quinone imine

D. A. Razborov, A. N. Lukyanov, V. M. Makarov, M. A. Samsonov, and I. L. Fedyushkin

Russ. Chem. Bull., Int. Ed., 2015, **64**, No. 10, 2377

