

Correction to: Simultaneous multiprocessing in a software-defined heterogeneous FPGA

Jose Nunez-Yanez¹ · Sam Amiri¹ · Mohammad Hosseinabady¹ ·
Andrés Rodríguez² · Rafael Asenjo² · Angeles Navarro² · Dario Suarez³ ·
Ruben Gran³

Published online: 25 May 2018
© The Author(s) 2018

Correction to: J Supercomput <https://doi.org/10.1007/s11227-018-2367-9>

The presentation of Table 2 was incorrect in the original article. The correct Table 2 is given below. The original article has been corrected.

The original article can be found online at <https://doi.org/10.1007/s11227-018-2367-9>.

✉ Sam Amiri
ma17215@bristol.ac.uk

Jose Nunez-Yanez
j.l.nunez-yanez@bristol.ac.uk

Mohammad Hosseinabady
m.hosseinabady@bristol.ac.uk

Andrés Rodríguez
andres@ac.uma.es

Rafael Asenjo
asenjo@ac.uma.es

Angeles Navarro
angeles@ac.uma.es

Dario Suarez
dario@unizar.es

Ruben Gran
rgran@unizar.es

- ¹ University of Bristol, Bristol, UK
- ² Universidad de Málaga, Málaga, Spain
- ³ Universidad de Zaragoza, Zaragoza, Spain

Table 2 Energy change when the second CPU core is utilised

	AES (%)	HotSpot (%)	GEMM (%)	Nbody (%)
Dynamic with interrupt	- 7.73	+ 22.93	- 1.52	- 1.64
Dynamic without interrupt	- 1.53	+ 2.14	+ 13.64	+ 11.67
LogFit with interrupt	- 19.51	+ 16.54	+ 2.87	+ 6.89
LogFit without interrupt	+ 16.00	+ 10.16	+ 1.12	+ 7.59

Negative values indicate improvement in energy consumption. The lower the better

Open Access This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.