

Erratum to: Low plasma adiponectin levels predict increased urinary albumin/creatinine ratio in type 2 diabetes patients

I. Kacso · A. Lenghel · C. I. Bondor ·
D. Moldovan · C. Rusu · C. Nita · N. Hancu ·
M. Gherman Caprioara · G. Kacso

Published online: 24 April 2012
© Springer Science+Business Media, B.V. 2012

Erratum to: Int Urol Nephrol
DOI 10.1007/s11255-011-0064-1

The original version of this article unfortunately contained a mistake. The sequence of the author

names was incorrect. The correct order of authors is given in this article.

The online version of the original article can be found under doi:[10.1007/s11255-011-0064-1](https://doi.org/10.1007/s11255-011-0064-1).

I. Kacso · A. Lenghel · D. Moldovan ·
C. Rusu · M. G. Caprioara
Department of Nephrology, University of Medicine and
Pharmacy “Iuliu Hatieganu” Cluj Napoca, 3-5 Clinicilor
Street, 400006 Cluj Napoca, Romania

C. I. Bondor
Department of Informatics and Biostatistics, University of
Medicine and Pharmacy “Iuliu Hatieganu” Cluj Napoca,
6 Pasteur Street, 400349 Cluj Napoca, Romania

C. Nita · N. Hancu
Department of Diabetes and Nutrition, University of
Medicine and Pharmacy “Iuliu Hatieganu” Cluj Napoca,
2 Clinicilor Street, 400006 Cluj Napoca, Romania

G. Kacso
Department of Oncology, University of Medicine and
Pharmacy “Iuliu Hatieganu” Cluj Napoca, 34-36
Republicii Street, 400115 Cluj-Napoca, Romania

G. Kacso (✉)
University of Medicine and Pharmacy “Iuliu Hatieganu”
Cluj Napoca, Dornei 47 Street, 400171 Cluj Napoca,
Romania
e-mail: gabi.kacso@gmail.com