Correction to: Comparisons of percutaneous versus retroperitoneoscopic cryoablation for renal masses

Hui-Ying Liu¹ · Shu-Huei Shen^{2,3} · Lin-Nei Hsu⁴ · Po-Hui Chiang¹

Published online: 18 September 2018
© Springer Nature B.V. 2018

Correction to:

International Urology and Nephrology
(2018) 50:1407–1415

<https://doi.org/10.1007/s11255-018-1925-7>

In the original publication, Prof. Lin-Nei Hsu's institution was incorrectly published as 'Tainan Municipal An-Nan Hospital' in affiliation 4. The correct affiliation should read as 'Department of Urology, An-Nan Hospital, China Medical University, Tainan, Taiwan'.

The original article can be found online at <https://doi.org/10.1007/s11255-018-1925-7>.

✉ Po-Hui Chiang
cphtem@yahoo.com.tw

Hui-Ying Liu
ying_1011@hotmail.com

Shu-Huei Shen
shshen@vghtpe.gov.tw

Lin-Nei Hsu
nei0217@gmail.com

- ¹ Department of Urology, Kaohsiung Chang Gung Memorial Hospital, Chang Gung University College of Medicine, Kaohsiung, Taiwan
- ² Department of Radiology, Taipei Veterans General Hospital, Taipei, Taiwan
- ³ School of Medicine, National Yang-Ming University, Taipei, Taiwan
- ⁴ Department of Urology, An-Nan Hospital, China Medical University, Tainan, Taiwan