CORRECTION

Correction to: Genetic diversity and reproductive ecology of the sage-leaved rockrose, *Cistus salviifolius* L., in the Swiss Alps

Marco Moretti · Paolo Caretti · Anya Bricalli · Marco Andreello

Published online: 5 April 2020
© Springer Nature B.V. 2020

Correction to: Plant Ecol.

<https://doi.org/10.1007/s11258-020-01013-4>

Figure 1 has been published incorrectly in the original article. The correct version of Fig. 1 is provided in this correction.

The original article can be found online at <https://doi.org/10.1007/s11258-020-01013-4>.

Communicated by Marjana Westergren.

M. Moretti (✉) · P. Caretti · A. Bricalli
Biodiversity and Conservation Ecology, Swiss Federal
Research Institute WSL, 8903 Birmensdorf, Switzerland
e-mail: marco.moretti@wsl.ch

P. Caretti
IBSA Institut Biochimique SA, 6926 Montagnola,
Switzerland

A. Bricalli
Dipartimento del territorio, Ufficio Natura E Paesaggio,
6501 Bellinzona, Switzerland

M. Andreello
MARBEC, Univ Montpellier, CNRS, Ifremer, IRD,
34200 Sète, France

Fig. 1 Distribution maps of *Cistus salviifolius* (yellow area) in Southern Europe and the location of the three investigated populations: connected peripheral population CPP and fragmented peripheral population FPP at the Northern range margin in the Alps (Canton of Ticino, Switzerland,) and in the range core population CP in the Mediterranean (Genoa, Liguria, Italy).

The colored symbols indicates the three distinct sites per populations investigated during the study, i.e., CPP₁₋₃ (blue color), FPP₁₋₃ (red color), CP₁₋₃ (green color), respectively. Within each sites data were sampled in sampling plots (not shown)