N₂O, NH₃ and NO_x Emissions as a Function of Urea Granule Size and Soil Type under Aerobic Conditions

M. I. Khalil · U. Schmidhalter · R. Gutser

Published online: 22 November 2006
© Springer Science + Business Media B.V. 2006

Due to a technical problem, the HTML version of this article contains a mistake. The PDF and printed version are correct.

References

- Bouwman, A. F., Boumans, L. J. M., & Batjes, N. H. (2002). Estimation of global ammonia volatilization loss from synthetic fertilizers and animal manure applied to arable lands and grasslands. *Global Biogeochemical Cycles*, 116, DOI 10.1029/2000GB001389.
- Bouwmeester, R. J. B., Vlek, P. L. G., & Stumpe, J. M. (1985). Effect of environmental factors on ammonia volatilization from a urea-fertilized soil. *Soil Science Society of America Journal*, 49, 376–381.
- Bremner, J. M. (1997). Sources of nitrous oxide in soils. *Nutrient Cycling in Agroecosystems*, 49, 7–16.
- Buresh, R. J. (1987). Ammonia volatilization from point-placed urea in upland, sandy soils. *Fertilizer Research*, 12, 263–268.
- Crutjen, P. J. (1979). The role of NO and NO₂ in the chemistry of the troposphere and stratosphere. *Annual Review Earth and Planetary Sciences*, 7, 442–472.
- Davidson, E. A. (1993). Soil water content and the ratio of nitrous oxide to nitric oxide emitted from soil. In R. S. Oremland (Ed.), *Biogeochemistry of global change: Radiatively active trace gases* (pp. 369–386). New York: Chapman and Hall.
- Delmas, R., Serça, D., & Jambert, C. (1997). Global inventory of NO_x sources. *Nutrient Cycling in Agroecosystems*, 48, 51–60.
- Dobbie, K. E., McTaggart, L. P., & Smith, K. A. (1999). Nitrous oxide emission from intensive agricultural system: Variations between crops and seasons, key driving variables, and mean emission factors. *Journal of Geophysical Research*, 104, 26891–26899.
- Eichner, M. J. (1990). Nitrous oxide emissions from fertilized soils: Summary of available data. *Journal of Environmental Quality*, 19, 272–280.
- Ferguson, R. B., & Kissel D. E. (1986). Effects of soil drying on ammonia volatilization from surface applied urea. *Soil Science Society of America Journal*, 50, 485–490.

The online version of the original article can be found at: <http://dx.doi.org/10.1007/s11270-006-9117-y>.

M. I. Khalil (✉) · U. Schmidhalter · R. Gutser
Institute of Plant Nutrition, Department of Plant Sciences,
Technical University of Munich,
85350 Freising, Germany
e-mail: khalil_ibrahim@yahoo.com

M. I. Khalil
Soil Science Division,
Bangladesh Institute of Nuclear Agriculture,
P. O. Box 4, Mymensingh 2200, Bangladesh

- Ferguson, R. B., Kissel, D. E., Koelliker, J. K., & Basel, W. (1984). Ammonia volatilization from surface-applied urea: Effect of hydrogen ion buffering capacity. *Soil Science Society of America Journal*, 48, 578–582.
- Firestone, M. K., & Davidson, E. A. (1989). Microbiological basis of NO and N₂O production and consumption. In M. O. Andreae, & D. S. Schimel (Eds.), *Exchange of trace gases between terrestrial ecosystems and the atmosphere* (pp. 7–21). Chichester: John Wiley.
- Haque, S. A. (2002). Urea super granule point placement on potato: A new concept. In *Proceedings of the 17th World Congress of Soil Science*. 14–21 August, 2002, Thailand, Symposium No. 14. 2030, pp. 1–6.
- Hosen, Y., Paisancharoen, K., & Tsuruta, H. (2002). Effects of deep application of urea on NO and N₂O emissions from an Andisol. *Nutrient Cycling in Agroecosystems*, 63, 197–206.
- Hou, A. X., & Tsuruta, H. (2003). Nitrous oxide and nitric oxide fluxes from an upland field in Japan: Effect of urea type, placement, and crop residues. *Nutrient Cycling in Agroecosystems*, 65, 191–200.
- Hutchinson, G. L., & Brams, E. A. (1992). NO vs. N₂O emissions from an NH₄⁺-amended Bermuda grass pasture. *Journal of Geophysical Research*, 97, 9889–9896.
- Hutchinson, G. L., Vigil, M. F., Doran, J. W., & Kessavalou, A. (1997). Modeling the net microbial production and the soil-atmosphere exchange of gaseous NO_x. *Nutrient Cycling in Agroecosystems*, 48, 25–35.
- Keeney D. R., & Nelson D. W. (1982). Nitrogen-inorganic forms. In A. L. Page, D. R. Keeney, D. F. Baken, R. H. Miller, R. Ellis, & J. P. Rhoades (Eds.), *Methods of soil analysis, Part 2* (pp. 643–693). Madison, Wis.: American Society of Agronomy.
- Khalil, M. I., Rosenani, A. B., Van Cleemput, O., Fauziah, C. I., & Shamshuddin, J. (2002a). Nitrous oxide emission from a maize-groundnut crop rotation supplied with different nitrogen sources in the humid tropics. *Journal of Environmental Quality*, 31, 1071–1078.
- Khalil, M. I., Rosenani, A. B., Van Cleemput, O., Shamshuddin, J., & Fauziah, C. I. (2002b). Nitrous oxide production from an ultisol treated with different nitrogen sources and moisture regimes. *Biology and Fertility of Soils*, 36, 59–65.
- Khalil, M. I., & Baggs, E. M. (2005). CH₄ oxidation and N₂O emissions at varied soil water-filled pore spaces and headspace CH₄ concentrations. *Soil Biology and Biochemistry*, 37, 1785–1794.
- Khalil, M. I., Schmidhalter, U., & Gutser, R. (2005). Urea super granules in a cambisol: N transformations, N₂O and NH₃ emissions at two soil water regimes. In C. J. Li et al. (Eds.), *Plant nutrition for food security, human health and environmental protection* (pp. 1122–1123). China: Tsinghua University Press.
- Kuzyakov, Y., Friedel, J. K., & Stahr, K. (2000). Review and mechanisms and quantification of priming effects. *Soil Biology and Biochemistry*, 32, 1485–1498.
- Mohanty, S. K., Singh, U., Balasubramanian, V., & Jha, K. P. (1999). Nitrogen deep-placement technologies for productivity, profitability, and environmental quality of rainfed lowland systems. *Nutrient Cycling in Agroecosystems*, 53, 43–57.
- Mosier A., Kroeze, C., Nevison, C., Oenema, O., Seitzinger, S., & Van Cleemput, O. (1998). Closing the global N₂O budget: Nitrous oxide emissions through the agricultural nitrogen cycle. *Nutrient Cycling in Agroecosystems*, 52, 225–248.
- Mulvaney, R. L., Khan, S. A., & Mulvaney, C. S. (1997). Nitrogen fertilizers promote denitrification. *Biological Fertility of Soils*, 24, 211–220.
- Patel, S. K., Panda, D., & Mohanty, S. K. (1989). Relative ammonia loss from urea-based fertilizers applied to rice under different hydrological situations. *Fertilizer Research*, 19, 113–119.
- Remde, A., & Conrad, R. (1990). Production of nitric oxide in *Nitrosomonas europaea* by reduction of nitrite. *Archives of Microbiology*, 154, 187–191.
- Remde A., Slemr, F., & Conrad, R. (1989). Microbial production and uptake of nitric oxide in soil. *FEMS Microbiology Ecology*, 62, 221–230.
- Russow, R., Sich, I., & Neue, H.-U. (2000). The formation of the trace gases NO and N₂O in soils by the coupled process of nitrification and denitrification: Results of kinetic ¹⁵N tracer investigations. *Chemosphere – Global Change Biology*, 2, 359–366.
- Savant, S. K., & Stangel, P. J. (1990). Deep placement of urea super granules in transplanted rice: Principles and practices. *Fertilizer Research*, 25, 1–83.
- Schulze, E.-D., De Vries, W., Hauhs, M., Roßen, K., Rasmussen, L., Tamm, C.-O., & Nilsson, J. (1989). Critical loads for nitrogen deposition on forest ecosystems. *Water, Air, and Soil Pollution*, 48, 451–456.
- Shah, S. B., & Wolfe, M. L. (2003). Particle size impacts of subsurface-banded urea on nitrogen transformation in the laboratory. *Communications in Soil Science and Plant Analysis*, 34, 1245–1260.
- Singh, Y., Malhi, S. S., Nyborg, M., & Beauchamp, E. G. (1994). Large granules, nests or bands: Methods of increasing efficiency of fall-applied urea for small cereal grains in North America. *Fertilizer Research*, 38, 61–87.
- Sinowski, W., & Auerswald, K. (1999). Using relief parameters in a discriminant analysis to stratify geological areas of different spatial variability of soil properties. *Geoderma*, 89, 113–128.
- Skiba, U., Fowler, D., & Smith, K. A. (1997). Nitric oxide emissions from agricultural soils in temperate and tropical climates: Sources, controls and mitigation options. *Nutrient Cycling in Agroecosystems*, 48, 139–153.
- Smith, K. A., McTaggart, I. P., Dobbie, K. E., & Conen, F. (1998). Emissions of N₂O from Scottish agricultural soils, as a function of fertilizer N. *Nutrient Cycling in Agroecosystems*, 52, 123–130.
- Sommer, S. G., Scoerring, J. K., & Denmead, O. T. (2004). Ammonia emission from mineral fertilizers and fertilized crops. *Advances in Agronomy*, 82, 557–622.
- Sowers, T. (2001). N₂O record spanning the penultimate deglaciation from the Vostok ice core. *Journal of Geophysical Research*, 106(31), 903–914.
- Tenuta, M., & Beauchamp, E. G. (2000). Nitrous oxide production from granules of different sizes. *Journal of Environmental Quality*, 29, 1408–1413.
- Tenuta, M., & Beauchamp, E. G. (2003). Nitrous oxide production from granular nitrogen fertilizers applied to a silt loam soil. *Canadian Journal of Soil Science*, 83, 521–532.

- Van Cleemput, O. (1998). Subsoils: chemo- and biological denitrification, N₂O and N₂ emissions. *Nutrient Cycling in Agroecosystems*, 52, 187–194.
- Vilsmeier, K. (1984). Bestimmung von Dicyandiamid, Nitrit und Nitrat in Bodenextrakten mit Hochdruckflüssigkeitschromatographie. *Zeitschrift für Pflanzenernährung und Bodenkunde*, 147, 264–268.
- Wang, Z-H., Liu, X-J., Ju, X-T., Zhang, F-S., & Malhi, S. S. (2004). Ammonia volatilization loss from surface-broadcast urea: Comparison of vented- and closed-chamber methods and loss in winter wheat-summer maize rotation in North China Plain. *Communications in Soil Science and Plant Analysis*, 35, 2917–2939.
- Weber, A., Gutser, R., & Schmidhalter, U. (2001). Field emissions of NH₃ and NO_x following urea application to wheat. In W. J. Horst et al. (Eds.), *Plant nutrition – food security and sustainability of agro-ecosystems* (pp. 884–885). The Netherlands: Kluwer Academic Publishers.
- Wrage, N., Velthof, G. L., Landbroek, H. J., & Oenema, O. (2004). Nitrous oxide production in grassland soils: Assessing the contribution of nitrifier denitrification. *Soil Biology and Biochemistry*, 36, 229–236.
- Yienger, J. J., & Levy II, H. (1995). Empirical model of the global soil-biogenic NO_x emissions. *Journal of Geophysical Research*, 100, 11447–11464.
- Zheng, X., Huang, Y., Wang, Y., Wang, M., Jin, J., & Li, L. (2003). Effects of soil temperature on nitric oxide emission from a typical Chinese rice-wheat rotation during the non-waterlogged period. *Global Change Biology*, 9, 601–611.