

Erratum to: Simplifying STOP-BANG: use of a simple questionnaire to screen for OSA in an Asian population

Thun How Ong · Siti Raudha · Stephanie Fook-Chong ·
Nancy Lew · A. A. L. Hsu

Received: 30 December 2009 / Revised: 31 March 2010 / Accepted: 4 April 2010 / Published online: 8 June 2010
© Springer-Verlag 2010

Erratum to: Sleep Breath DOI 10.1007/s11325-010-0350-7

Unfortunately, there are some errors in the article which need to be corrected, and we apologise for any confusion which we have caused. These are as follows:

1. Table 2

The number of patients who answered the questionnaire should read 319 (rather than 314)

Under this column, the percentage of males who answered the questionnaires should be 69% (rather than 70.5%) and the number of Chinese should be 76.4% (rather than 77.7%).

(A transcription error of 314 instead of 319 resulted in the incorrect percentages of male and Chinese patients)

2. Abstract and Table 3

The values are for AHI ≥ 5 , ≥ 15 , ≥ 30 (instead of $>$)

3. Table 4

The sensitivity of STOP-BANG for predicting AHI ≥ 15 should read 91.3 (85.6–95.1) instead of 91.1

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11325-010-0350-7>.

T. H. Ong (✉) · S. Raudha · N. Lew · A. A. L. Hsu
Sleep Disorders Unit, Singapore General Hospital,
Outram Road,
Singapore 169608, Singapore
e-mail: ong.thun.how@sgh.com.sg

S. Fook-Chong
Department of Clinical Research, Singapore General Hospital,
Outram Road,
Singapore 169608, Singapore