ERRATUM

Erratum to: Effects-based spatial assessment of contaminated estuarine sediments from Bear Creek, Baltimore Harbor, MD, USA

Sharon E. Hartzell¹ · Michael A. Unger² · Beth L. McGee³ · Lance T. Yonkos¹

Published online: 4 October 2017
© Springer-Verlag GmbH Germany 2017

Erratum to: Environ Sci Pollut Res (2017) 24:22158–22172
<https://doi.org/10.1007/s11356-017-9667-0>

The original publication of this paper contains an error.
The correct image of figure 5 is shown in this paper.

The online version of the original article can be found at <https://doi.org/10.1007/s11356-017-9667-0>

✉ Lance T. Yonkos
lyonkos@umd.edu

- ¹ Environmental Science and Technology Department, University of Maryland, 1451 Animal Science Bldg, College Park, MD 20742-2315, USA
- ² Virginia Institute of Marine Science, College of William & Mary, 1208 Greate Road, Gloucester Point, VA 23062, USA
- ³ Chesapeake Bay Foundation, Philip Merrill Environmental Center, 6 Hemdon Avenue, Annapolis, MD 21403, USA

Fig. 5 Percent survival (color-coded) of *Leptocheirus plumulosus* following 10-day exposures to sediments from the surface (top disk) and at depth intervals (0–10, 10–20, 20–30, 30–40, 40–60, 60–80 cm) within sediment cores, and depth distribution of survival (left) and

porewater polycyclic aromatic hydrocarbon (PAH_{pw}; right) within individual core segments from B, C, and F transects (PAH_{pw} of surface sediments are not shown)