Correction to: Use of sterols and linear alkylbenzenes as molecular markers of sewage pollution in Southeast Asia

Margaret William Thomes^{1,2} · Vahab Vaezzadeh¹ · Mohamad Pauzi Zakaria¹ · Chui Wei Bong^{1,3}

Published online: 13 September 2019

© Springer-Verlag GmbH Germany, part of Springer Nature 2019

Correction to: Environmental Science and Pollution Research

<https://doi.org/10.1007/s11356-019-05936-y>

The original publication of this paper contains a mistake.

The correct image of figure 2 is shown in this paper.

The online version of the original article can be found at <https://doi.org/10.1007/s11356-019-05936-y>

✉ Chui Wei Bong
cwbong@um.edu.my

Margaret William Thomes
margaretwilliam@hotmail.com

Vahab Vaezzadeh
vahab.vaezzadeh@um.edu.my

Mohamad Pauzi Zakaria
drpauzi@gmail.com

¹ Institute of Ocean and Earth Sciences, University of Malaya, 50603 Kuala Lumpur, Malaysia

² Institute for Advanced Studies, University of Malaya, 50603 Kuala Lumpur, Malaysia

³ Institute of Biological Sciences, Faculty of Science, University of Malaya, 50603 Kuala Lumpur, Malaysia

Fig. 2 Maximum concentration of coprostanol in sediment (ng g^{-1}) and water (ng L^{-1}) in Southeast Asia

The original article was corrected.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.