



## Correction to: Small-scale on-site treatment of fecal matter: comparison of treatments for resource recovery and sanitization

Mariya E. Kelova<sup>1</sup> · Aasim M. Ali<sup>2,3</sup> · Susanne Eich-Greatorex<sup>1</sup> · Peter Dörsch<sup>1</sup> · Roland Kallenborn<sup>2</sup> · Petter D. Jenssen<sup>1</sup>

Published online: 30 March 2021

© Springer-Verlag GmbH Germany, part of Springer Nature 2021

**Correction to: Environmental Science and Pollution Research**

<https://doi.org/10.1007/s11356-021-12911-z>

The images of figures 6, 8 and 10 are correctly presented in this paper.

The original article has been corrected.

---

The online version of the original article can be found at <https://doi.org/10.1007/s11356-021-12911-z>

✉ Mariya E. Kelova  
mariya.kelova@nmbu.no

Aasim M. Ali  
Aasim.Ali@hi.no

Susanne Eich-Greatorex  
susanne.eich@nmbu.no

Peter Dörsch  
peter.doersch@nmbu.no


Roland Kallenborn  
roland.kallenborn@nmbu.no

Petter D. Jenssen  
petter.jenssen@nmbu.no


<sup>1</sup> Faculty of Environmental Sciences and Natural Resource Management (MINA), Norwegian University of Life Sciences (NMBU), Fougnerbakken 3, NO-1433 Ås, Norway

<sup>2</sup> Faculty of Chemistry, Biotechnology and Food Science (KBM), Norwegian University of Life Sciences (NMBU), Chr. M. Falsens vei 1, NO-1433 Ås, Norway

<sup>3</sup> Department of Contaminants and Biohazards, Institute of Marine Research, NO-5817 Bergen, Norway




**Fig. 6** Enumeration of the indicator organisms *E. coli* (left) and enterococci (right) in samples after composting/fermentation at 7, 20, and 38°C ambient temperature. C composting, CB composting with addition of biochar. The error bars represent standard deviation



**Fig. 8** Removal of carbamazepine, losartan, metoprolol, atorvastatin, caffeine, and acetaminophen (in % of initial) after 71 days of composting/fermentation at 7, 20, and 38°C. The asterisk indicates the cases in which

T-test showed statistically significant removal at  $p > 0.05$ . C composting, CB composting with addition of biochar, F lactic acid fermentation



**Fig. 10** Enumeration of the indicator organisms *E. coli* after vermicomposting. The treatments were previously composted/fermented at 7, 20, and 38°C. C composting, CB composting with addition of bio-char. The error bars represent standard deviation values

**Publisher's note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.