

Erratum to: MR imaging of perianal fistulas in Crohn's disease: sensitivity and specificity of STIR sequences

Giuseppe Lo Re¹ · Chiara Tudisca¹ · Federica Vernuccio¹ · Dario Picone¹ ·
Maria Cappello² · Francesco Agnello¹ · Massimo Galia¹ · Maria Cristina Galfano¹ ·
Ennio Biscaldi³ · Sergio Salerno¹ · Antonio Pinto⁴ · Massimo Midiri¹ ·
Roberto Lagalla¹

Published online: 1 February 2016
© Italian Society of Medical Radiology 2016

Erratum to: Radiol med
DOI 10.1007/s11547-015-0603-4

In the original publication, the first and last names of the sixth author were interchanged. The correct name of the author should read as “Francesco Agnello”.

The original article has been updated accordingly.

The online version of the original article can be found under
doi:[10.1007/s11547-015-0603-4](https://doi.org/10.1007/s11547-015-0603-4).

✉ Federica Vernuccio
federicavernuccio@gmail.com

- ¹ Radiology Section, DIBIMED. University of Palermo, Via del Vespro 129, 90127 Palermo, Italy
- ² Gastroenterology and Hepatology Section, Di.Bi. Mis., University of Palermo, Piazza Delle Cliniche 2, 90127 Palermo, Italy
- ³ Department of Radiology, Galliera Hospital, Via Mura delle Capuccine 14, 16128 Genoa, Italy
- ⁴ Department of Radiology, Cardarelli Hospital, Naples, Italy