



Correction to: Transarterial fiducial marker implantation for CyberKnife radiotherapy to treat pancreatic cancer: an experience with 14 cases

Akira Imaizumi¹ · Takuji Araki¹ · Hiroki Okada¹ · Yu Sasaki¹ · Takafumi Komiyama¹ · Toshihiro Suzuki² · Hiroshi Takahashi² · Hiroshi Onishi¹

Published online: 9 March 2023

© The Author(s) 2023

Correction to: Japanese Journal of Radiology (2021) 39:84–92
<https://doi.org/10.1007/s11604-020-01040-1>

In the original publication, the last sentence under heading Patients in section Materials and methods should read as:

All patients gave written informed consent for the procedure.

The revised Ethical approval statement should read as:

Ethical approval All procedures performed in these studies involving human participants were in accordance with the ethical standards of the institutional and/or national research committee and with the 1964 Helsinki Declaration and its later amendments. All patients gave written informed consent for the procedure. The institutional review board of our hospital approved retrospective data analysis.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s11604-020-01040-1>.

✉ Akira Imaizumi
aimaizumi@yamanashi.ac.jp

¹ Department of Radiology, Yamanashi University, 1110 Shimokato, Chuo, Yamanashi 409-3898, Japan

² Kasugai CyberKnife Rehabilitation Hospital, 436 Kokufu, Kasugai-Cho, Fuefuki, Yamanashi 406-0014, Japan