

# Erratum to: Distilled Water Lavage During Surgery Improves Long-Term Outcomes of Patients with Ruptured Hepatocellular Carcinoma

Shao-jun Zhou<sup>1</sup> · Er-lei Zhang<sup>1</sup> · Bin-yong Liang<sup>1</sup> ·  
Zun-yi Zhang<sup>1</sup> · Xiao-ping Chen<sup>1</sup> · Zhi-yong Huang<sup>1</sup>

Published online: 24 June 2015

© 2015 The Society for Surgery of the Alimentary Tract

**Erratum to: J Gastrointest Surg**  
**DOI 10.1007/s11605-015-2797-0**

In this recently published article, due to a misprint Fig. 5 was mislabeled. The correct figure and its legend appear below:


---

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11605-015-2797-0>.

---

✉ Zhi-yong Huang  
[zyhuang2015@hotmail.com](mailto:zyhuang2015@hotmail.com)

<sup>1</sup> Research Laboratory and Hepatic Surgery Center, Department of Surgery, Tongji Hospital, Tongji Medical College, Huazhong University of Science and Technology, 1095 Jie Fang Da Dao, Wuhan 430030, China



**Fig. 5** The DFS (a) and OS (b) rates after hepatic resection in 141 patients with spontaneously ruptured HCC. Comparison of DFS (c) and OS (d) rates between the DW and non-DW groups within the cohort.

Comparison of DFS (e) and OS (f) rates between emergency surgery and staged surgery groups within the cohort. DFS, disease-free survival, OS, overall survival, DW, distilled water